

INTEX®



AGP2014
ABOVE GROUND POOLS

AGP

ABOVE GROUND POOLS



INTRODUCTION

The Intex Family of companies is dedicated to developing and manufacturing the highest quality products that not only provide the best value in price, but are innovative, fun and exciting. Backed by excellent Customer Service, Intex also provides first-rate after sales support. The 100+ independently owned and locally operated companies that make up the Intex Family, all embrace this commitment to quality, service and price and are committed to working together to ensure the satisfaction of the families and individuals across the globe who enjoy these products. This has become the hallmark of Intex around the world.

As a true industry leader, Intex boasts state of the art factories, trained and motivated people, products that meet rigorous testing requirements, and a Customer Service organization that will go extra lengths to ensure our customers are satisfied and happy with their purchases.

That's why when you purchase an Intex product you can be confident that you are buying the best product, at the best price, backed by the best Customer Service organization in the industry.

2014

Intex is committed to delivering top quality products at a great value with the backing of a responsive Customer Service organization. Our above ground pool line begins with our world famous Easy Set® pools that are great for families purchasing their first pool, to our deluxe Ultra Frame™ pools that are beautiful, incredibly strong and large enough for the whole neighborhood to swim in! And no pool is complete without accessories. That's why Intex provides a full line, including sand filters, saltwater systems, filter pumps, cartridges and much more that will extend your customers' swimming season and keep them coming back for more. Ask your Intex representative for any of our product catalogs – we are confident that you will agree that Intex's product line-up is unmatched in meeting your needs.



THE LEADER IN ABOVE GROUND POOLS

INTEX PROVIDES THE BROADEST, MOST INNOVATIVE LINE OF ABOVE GROUND POOLS IN THE WORLD.

Contents



EASY SET® POOLS

Some of the easiest family & friend-size pools in the world to set up and enjoy! A fantastic value as well as the perfect pool for young families.

06



SMALL FRAME POOLS

The perfect pools for younger children and small yards. Easy to assemble, easy to manage. Available in multiple sizes and fun colors.

12



METAL FRAME POOLS

The "classic" backyard line of pools. Built with solid, yet easy to assemble frames, these pools come in a broad range of sizes. Great for families, friends, and the whole neighborhood!

14



OVAL FRAME POOLS

The ideal blend of Easy Set® and Metal Frame Pool! Convenience in a shape that fits longer, narrower yards. Perfect for laps and volleyball.

16



ULTRA FRAME™ POOLS

These pools are the ultimate: big, beautiful, elegant, and easy to set up and maintain. Their unique frame design makes them even stronger than standard Metal Frame Pools – built to enjoy and impress!

18



SEQUOIA SPIRIT™ WOOD-GRAIN FRAME POOLS

Looking for the beauty of a wood grain pool without the hassle of real wood? These are the perfect pools. A classic natural wood look, but with the convenience and strength of a Metal Frame Pool.

22



KRYSTAL CLEAR™ POOLWATER SYSTEMS

Intex's line of above ground pool cleaning systems are the most innovative and broadest in the market. It keeps pool water clean and fresh all summer long.

24



POOL ACCESSORIES

From pool maintenance kits to ground cloths and pool covers, these accessories help make owning a pool easy and convenient.

32



LED LIGHTS

LED lights are easy to use and let you enjoy your pool at night.

40

Easy Set® Pools


PERFECT STARTER POOL!

Are the kids ready for their first "big" pool? Intex has the answer: this unique, perfectly sized Easy Set® pool is super-easy for parents to set up, and just the right size for younger kids to enjoy their first "big person" pool! Available in bold aqua color.



6' x 20" (183cm x 51cm)
Approximate set-up size

FEATURES	CASE PACK	CASE WEIGHT
28101 / E	2 Ea. 1 Box	16.5 Lb. (7.5kg)
Water Capacity (80%): 234 gal. (886 L)		Ready for Water in 10 Minutes



Puncture-resistant 3-ply material



English/Spanish and multi-language international packaging available

OCEAN REEF EASY SET® POOL



Easy Set® Pools.

EASY SET® POOLS



English/Spanish and multi-language international packaging available

AQUARIUM IN THE BACKYARD!

Our Ocean Reef Easy Set® pool uses a photo-realistic printing technology that makes it irresistible for kids who want to swim in a life-size aquarium. This photo-like pool will add visual interest to the backyard for many summers. Available in two sizes.

10' x 30" (305cm x 76cm)
Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
28124 / E	—	—	1 Ea. 1 Box	18.5 Lb. (8.4kg)
28125 / EG	110-120V W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	24.4 Lb. (11.1kg)
28126	220-240V	530 gal. (2,006 L)	1 Ea. 1 Box	24.2 Lb. (11.0kg)
28126GS	12V	600 gal. (2,271 L)	1 Ea. 1 Box	27.1 Lb. (12.3kg)

Water Capacity (80%): 1,018 gal. (3,853 L) Ready for Water in 10 Minutes

12' x 30" (366cm x 76cm)
Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
28134 / E	—	—	1 Ea. 1 Box	27.4 Lb. (12.5kg)
28135 / EG	110-120V W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	33.6 Lb. (15.3kg)
28136	220-240V	530 gal. (2,006 L)	1 Ea. 1 Box	33.4 Lb. (15.2kg)
28136GS	12V	600 gal. (2,271 L)	1 Ea. 1 Box	36.1 Lb. (16.4kg)

Water Capacity (80%): 1,485 gal. (5,621 L) Ready for Water in 10 Minutes

Easy Set® Pools


EASY ASSEMBLY!

These are the pools that revolutionized the industry, allowing millions of families to enjoy backyard swimming. And nobody has built more of them, or understands them better than Intex.

Incredibly easy to assemble, easy to maintain, and fun to own, Intex's broad line of Easy Set® pools include a range of accessories that will enhance your customers' pool ownership experience, and keep them coming back for years.



The 530 gal (2,006 L) cartridge filter pump is included in most 8' (244 cm), 10' (305 cm), and 12' (366 cm) Easy Set® pool sets and keeps pools fresh and clean all summer!



Puncture-resistant 3-ply material

English/Spanish and multi-language international packaging available



Easy Set® Pools: Ages 6+

8' x 30" (244cm x 76cm)

Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
28110 / E	—	—	1 Ea. 1 Box	13.9 Lb. (6.3kg)
28111 / EG	110-120V W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	19.9 Lb. (9.1kg)
28112	220-240V	530 gal. (2,006 L)	1 Ea. 1 Box	19.7 Lb. (9.0kg)
28112GS	12V	600 gal. (2,271 L)	1 Ea. 1 Box	22.4 Lb. (10.2kg)

Water Capacity (80%): 639 gal. (2,419 L)

Ready for Water in 10 Minutes

12' x 30" (366cm x 76cm)

Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
28130 / E	—	—	1 Ea. 1 Box	27.3 Lb. (12.4kg)
28131 / EG	110-120V W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	33.6 Lb. (15.3kg)
28132	220-240V	530 gal. (2,006 L)	1 Ea. 1 Box	33.3 Lb. (15.2kg)
28132GS	12V	600 gal. (2,271 L)	1 Ea. 1 Box	36.1 Lb. (16.4kg)

Water Capacity (80%): 1,485 gal. (5,621 L)

Ready for Water in 10 Minutes

15' x 36" (457cm x 91cm)

Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
28160 / E	—	—	—	—	—	1 Ea. 1 Box	43.8 Lb. (19.9kg)
28161 / EG	110-120V (W/GFCI)	1,000 gal. (3,785 L)	—	—	—	1 Ea. 1 Box	50.8 Lb. (23.1kg)
28162	220-240V	1,000 gal. (3,785 L)	—	—	—	1 Ea. 1 Box	50.8 Lb. (23.1kg)
28162GS	12V	900 gal. (3,407 L)	—	—	—	1 Ea. 1 Box	54.6 Lb. (24.8kg)
28163 / EG	110-120V (W/GFCI)	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	82.5 Lb. (37.5kg)
28164	220-240V	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	82.3 Lb. (37.4kg)
28164GS	12V	900 gal. (3,407 L)	•	•	•	1 Ea. 1 Box	86.0 Lb. (39.1kg)

Water Capacity (80%): 2,822 gal. (10,681 L)

Ready for Water in 15 Minutes

10' x 30" (305cm x 76cm)

Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
28120 / E	—	—	1 Ea. 1 Box	18.5 Lb. (8.4kg)
28121 / EG	110-120V W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	24.4 Lb. (11.1kg)
28122	220-240V	530 gal. (2,006 L)	1 Ea. 1 Box	24.2 Lb. (11.0kg)
28122GS	12V	600 gal. (2,271 L)	1 Ea. 1 Box	27.1 Lb. (12.3kg)

Water Capacity (80%): 1,018 gal. (3,853 L)

Ready for Water in 10 Minutes

12' x 36" (366cm x 91cm)

Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
28144 / E	—	—	1 Ea. 1 Box	31.7 Lb. (14.4kg)
28145 / EG	110-120V W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	37.8 Lb. (17.2kg)
28146	220-240V	530 gal. (2,006 L)	1 Ea. 1 Box	37.6 Lb. (17.1kg)
28146GS	12V	600 gal. (2,271 L)	1 Ea. 1 Box	40.4 Lb. (18.4kg)

Water Capacity (80%): 1,779 gal. (6,734 L)

Ready for Water in 10 Minutes



Easy Set® Pools



Easy Set® Pools: 6+

EXPERIENCE THE ULTIMATE SUMMER

Make a splash all summer long with the Intex Easy Set® with your family and friends in your own backyard!




15' (457cm) Easy Set® pool sets include the 1,000 gal (3,785 L) filter pump, which is ideal for excellent water filtration.



English/Spanish and multi-language international packaging available

INTEX EASY SET® POOLS COME IN THE MOST POPULAR HEIGHTS!

Intex Easy Set® pools come in all the popular heights. Our extensive line of pools offers you a selection of heights that grow with your family. Choose the right size that best fits your family or your backyard, for a summer to remember!



DVD
included

15' x 42" (457cm x 107cm) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
28165 / EG	110-120V (W/GFCI)	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	89.3 Lb. (40.6kg)
28166	220-240V	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	89.3 Lb. (40.6kg)
28166GS	12V	900 gal. (3,407 L)	•	•	•	1 Ea. 1 Box	92.6 Lb. (42.1kg)

Water Capacity (80%): 3,284 gal. (12,430 L)

Ready for Water in 15 Minutes

15' x 48" (457cm x 122cm) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
28167 / EG	110-120V (W/GFCI)	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	97.5 Lb. (44.3kg)
28168	220-240V	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	97.2 Lb. (44.2kg)
28168GS	12V	900 gal. (3,407 L)	•	•	•	1 Ea. 1 Box	101.2 Lb. (46.0kg)

Water Capacity (80%): 3,736 gal. (14,141 L)

Ready for Water in 15 Minutes

18' x 48" (549cm x 122cm) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
28175 / EG	110-120V (W/GFCI)	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	138.6 Lb. (63.0kg)
28176	220-240V	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	138.6 Lb. (63.0kg)
28176GS	12V	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	145.4 Lb. (66.1kg)

Water Capacity (80%): 5,455 gal. (20,647 L)

Ready for Water in 30 Minutes

Small Frame Pools

MINI FRAME POOLS

Looking for that first frame pool for growing children? Intex's Mini Frame pools are the perfect solution! These colorful, easy to assemble, sturdy pools are an ideal size and depth for younger children ready for their first "big person" pool. Available in aqua and yellow colors.



#57173



4' x 4' x 12" (122cm x 122cm x 30cm)

Approximate set-up size

FEATURES	CASE PACK	CASE WEIGHT
57172NP / EP	3 Ea. 1 Box	32.3 Lb. (14.7kg)
57173NP / EP	3 Ea. 1 Box	32.3 Lb. (14.7kg)

Water Capacity (80%): 89 gal. (337 L)

Ready for Water in 10 Minutes



#57172



English and multi-language international packaging available

SMALL FRAME POOLS



English/Spanish and multi-language international packaging available



Rectangular Frame pools are not only easy to set up but are fun for the whole family!

RECTANGULAR FRAME POOLS

FEATURES	APPROXIMATE SET-UP SIZE	WATER CAPACITY (90%)	READY FOR WATER IN	CASE PACK	CASE WEIGHT
28270 / E	86 $\frac{5}{8}$ " x 59" x 23 $\frac{5}{8}$ " (2.2m x 1.5m x 0.60m)	439 gal. (1,662 L)	30 Minutes	1 Ea. 1 Box	35.0 Lb. (15.9kg)
28271 / E	102 $\frac{1}{2}$ " x 63" x 25 $\frac{5}{8}$ " (2.6m x 1.6m x 0.65m)	603 gal. (2,282 L)	30 Minutes	1 Ea. 1 Box	40.0 Lb. (18.2kg)
28272 / E	118" x 78 $\frac{3}{4}$ " x 29 $\frac{1}{2}$ " (3.0m x 2.0m x 0.75m)	1,013 gal. (3,834 L)	30 Minutes	1 Ea. 1 Box	47.3 Lb. (21.5kg)
28273 / E	177 $\frac{1}{4}$ " x 86 $\frac{5}{8}$ " x 33" (4.5m x 2.2m x 0.84m)	1,883 gal. (7,127 L)	30 Minutes	1 Ea. 1 Box	87.5 Lb. (39.8kg)

Metal Frame Pools

POOLS BIG ENOUGH FOR THE WHOLE FAMILY AND NEIGHBORHOOD!

Beautiful, easy-to-assemble, durable, and designed for years of family and neighborhood fun, Metal Frame pools have become a backyard classic. And Intex Metal Frame pools are the best in class. Nobody offers consumers more Metal Frame pools than Intex. From our 10' (305cm) starter pool, which is great for a family's first pool and perfect for smaller children, to our huge 24' (732cm) pool which can hold all the neighbors' kids, there is an Intex Metal Frame pool for every family and for every occasion!



Frame Pools: 6+

NOTHING BEATS AN INTEX METAL FRAME POOL

This line of "classics" is broad enough to meet virtually any family's requirements: from beginning swimmers to neighborhood-size holiday parties!



10' x 30" (305cm x 76cm) Approximate set-up size


FEATURES	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
28200 / E	—	—	1 Ea. 1 Box	41.8 Lb. (19.0kg)
28201 / EG	110-120V W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	47.5 Lb. (21.6kg)
28202	220-240V	530 gal. (2,006 L)	1 Ea. 1 Box	47.3 Lb. (21.5kg)
28202GS	12V	600 gal. (2,271 L)	1 Ea. 1 Box	50.1 Lb. (22.8kg)

Water Capacity (90%): 1,185 gal. (4,485 L) Ready for Water in 30 Minutes

12' x 30" (366cm x 76cm) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
28210 / E	—	—	1 Ea. 1 Box	55.0 Lb. (25.0kg)
28211 / EG	110-120V W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	61.2 Lb. (27.8kg)
28212	220-240V	530 gal. (2,006 L)	1 Ea. 1 Box	61.2 Lb. (27.8kg)
28212GS	12V	600 gal. (2,271 L)	1 Ea. 1 Box	63.7 Lb. (29.0kg)

Water Capacity (90%): 1,718 gal. (6,503 L) Ready for Water in 30 Minutes



Puncture-resistant 3-ply material



English/Spanish and multi-language international packaging available

METAL FRAME POOLS

15' x 36" (457cm x 91cm) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
28231 / EG	110-120V (W/GFCI)	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	131.9 Lb. (60.0kg)
28232	220-240V	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	131.8 Lb. (59.9kg)
28232GS	12V	900 gal. (3,407 L)	•	•	•	1 Ea. 1 Box	135.5 Lb. (61.6kg)

Water Capacity (90%): 3,282 gal. (12,422 L) Ready for Water in 45 Minutes

15' x 42" (457cm x 107cm) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
28233 / EG	110-120V (W/GFCI)	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	139.7 Lb. (63.5kg)
28234	220-240V	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	139.7 Lb. (63.5kg)
28234GS	12V	900 gal. (3,407 L)	•	•	•	1 Ea. 1 Box	143.2 Lb. (65.1kg)

Water Capacity (90%): 3,861 gal. (14,614 L) Ready for Water in 45 Minutes

15' x 48" (457cm x 122cm) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
28235 / EG	110-120V (W/GFCI)	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	153.8 Lb. (69.9kg)
28236	220-240V	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	153.8 Lb. (69.9kg)
28236GS	12V	900 gal. (3,407 L)	•	•	•	1 Ea. 1 Box	157.3 Lb. (71.5kg)

Water Capacity (90%): 4,440 gal. (16,805 L) Ready for Water in 45 Minutes

18' x 48" (549cm x 122cm) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
28251 / EG	110-120V (W/GFCI)	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	197.6 Lb. (89.8kg)
28252	220-240V	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	198.0 Lb. (90.0kg)
28252GS	12V	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	204.2 Lb. (92.8kg)


Water Capacity (90%): 6,423 gal. (24,311 L) Ready for Water in 60 Minutes

24' x 52" (732cm x 132cm) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
28261 / EG	110-120V (W/GFCI)	2,500 gal. (9,464 L)	•	•	•	1 Ea. 1 Box	307.8 Lb. (139.9kg)
28262	220-240V	2,500 gal. (9,464 L)	•	•	•	1 Ea. 1 Box	309.8 Lb. (140.8kg)
NEW! 28262GS	220-240V (W/RCD)	2,500 gal. (9,464 L)	•	•	•	1 Ea. 1 Box	313.1 Lb. (142.3kg)

Water Capacity (90%): 12,481 gal. (47,241 L) Ready for Water in 60 Minutes

Oval Frame Pools



Puncture-resistant 3-ply material

English/Spanish and multi-language international packaging available



OVAL FRAME POOLS

THE VALUE OF AN EASY SET® POOL COMBINED WITH THE CLASSIC SHAPE OF A RECTANGULAR POOL!

For many consumers, a standard rectangular pool is their preferred choice. Intex oval shaped pools are a great bridge between Easy Set® and Rectangular Metal Frame pools, combining the benefits of both. It is quick and easy to assemble, with additional support from the frame, as well as a rectangular shape to maximize swimming area!

The frames are rust-proof coated, and assembled with snap-on joints eliminating the need for tools. The collection comes in two popular and family-friendly sizes. Perfect for narrower backyards, or lap swimmers! Available in 18' x 10' x 42" (549cm x 305cm x 107cm) and 20' x 12' x 48" (610cm x 366cm x 122cm) sizes.



Our 1,000 gal (3,785 L) filter pump included in the 18' x 10' x 42" (549cm x 305cm x 107cm) Oval Frame Pool set completely filters the pool's water in under 4 hours!



18' x 10' x 42" (549cm x 305cm x 107cm) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
28191 / EG	110-120V (W/GFCI)	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	135.2 Lb. (61.5kg)
28192	220-240V	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	135.2 Lb. (61.5kg)
28192GS	12V	900 gal. (3,407 L)	•	•	•	1 Ea. 1 Box	139.3 Lb. (63.3kg)

Water Capacity (80%): 2,885 gal. (10,920 L)

Ready for Water in 30 Minutes

20' x 12' x 48" (610cm x 366cm x 122cm) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
28193 / EG	110-120V (W/GFCI)	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	173.4 Lb. (78.8kg)
28194	220-240V	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	173.6 Lb. (78.9kg)
28194GS	12V	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	180.0 Lb. (81.8kg)

Water Capacity (80%): 4,393 gal. (16,628 L)

Ready for Water in 30 Minutes

Oval Frame Pools: Ages 6+

Ultra Frame™ Pools

INTEX® PREMIUM POOL LINE

These pools, with their unique frames, are stronger than traditional Metal Frame pools. They're easier to assemble because the shape allows the pieces to fit together so smoothly and securely that separate locking pins are not needed.

They come with a broad line of accessories guaranteed to make pool ownership and maintenance easier and enjoyable.



THE ULTRA FRAME™ COMES WITH THE ULTIMATE COMBINATION

For the ultimate combination of pool filtration, water sanitation, and convenience, these Ultra Frame™ pools come with our Krystal Clear™ Sand Filter Pump & Saltwater System Combo. No other system on the market combines the gentle, thorough, environmentally-sensitive filtration and sanitation properties of sand and salt.

Maintenance is incredibly easy since sand only needs routine backwashing and replacement every 5 years, and salt never needs replacement under normal conditions. To make daily operation even easier, the combo comes with a built-in 24-hour timer that runs the system automatically.




English/Spanish and multi-language international packaging available



Some 16' x 48" (488cm x 122cm) Ultra Frame™ Pool sets come with the 1,200 gal (4.5 m³) per hour Sand Filter Pump, which promises to keep pool water in fantastic condition!

ULTRA FRAME™ POOLS



Puncture-resistant 3-ply material

16' x 48" (488cm x 122cm) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
28321 / EG	110-120V (W/GFCI)	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	198.0 Lb. (90.0kg)
28322	220-240V	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	197.6 Lb. (89.8kg)
28322GS	12V	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	204.4 Lb. (92.9kg)

Water Capacity (90%): 5,061 gal. (19,156 L)

Ready for Water in 45 Minutes

16' x 48" (488cm x 122cm) Approximate set-up size

FEATURES	VOLTAGE	SAND FILTER PUMP	FILTER PUMP & SALTWATER SYSTEM	LADDER	GROUND CLOTH	POOL COVER	MAINTENANCE KIT	SURFACE SKIMMER	CASE PACK	CASE WEIGHT
28323 / EG	110-120V (W/GFCI)	1,200 gal. (4.5 m³)	—	•	•	•	—	—	1 Ea. 1 Box	213.8 Lb. (97.2kg)
28324	220-240V	1,200 gal. (4.5 m³)	—	•	•	•	—	—	1 Ea. 1 Box	214.7 Lb. (97.6kg)
NEW! 28324GS	220-240V (W/RCD)	1,200 gal. (4.5 m³)	—	•	•	•	—	—	1 Ea. 1 Box	217.8 Lb. (99.0kg)
28325 / EG	110-120V (W/GFCI)	—	CG-28671 (1,200 gal./4,542 L)	•	•	•	•	•	1 Ea. 1 Box	223.5 Lb. (101.6kg)
28326	220-240V	—	CG-28672 (1,200 gal./4,542 L)	•	•	•	•	•	1 Ea. 1 Box	225.7 Lb. (102.6kg)

Water Capacity (90%): 5,061 gal. (19,156 L)

Ready for Water in 45 Minutes

18' x 52" (549cm x 132cm) Approximate set-up size

FEATURES	VOLTAGE	SAND FILTER PUMP	SAND FILTER PUMP & SALTWATER SYSTEM	LADDER	GROUND CLOTH	POOL COVER	DELUXE POOL MAINTENANCE KIT	VOLLEYBALL SET	CASE PACK	CASE WEIGHT
28331 / EG	110-120V (W/GFCI)	2,100 gal. (7.9 m³)	—	•	•	•	—	—	1 Ea. 1 Box	267.1 Lb. (121.4kg)
28332	220-240V	2,100 gal. (7.9 m³)	—	•	•	•	—	—	1 Ea. 1 Box	268.0 Lb. (121.8kg)
NEW! 28332GS	220-240V (W/RCD)	2,100 gal. (7.9 m³)	—	•	•	•	—	—	1 Ea. 1 Box	268.4 Lb. (122.0kg)
28333 / EG	110-120V (W/GFCI)	—	1,600 gal. (6.0 m³)	•	•	•	•	•	1 Ea. 1 Box	295.8 Lb. (134.5kg)
28334	220-240V	—	1,600 gal. (6.0 m³)	•	•	•	•	•	1 Ea. 1 Box	298.1 Lb. (135.5kg)

Water Capacity (90%): 6,981 gal. (26,423 L)

Ready for Water in 60 Minutes

Ultra Frame™ Rectangular Pools

INTEX® PREMIUM POOL LINE

The ultimate in above ground pools. Soft gray laminated pool liner, brilliant white copings and pool-water blue tile print interior make a fashion statement anywhere. With this luxury pool, add summer fun and beauty to any backyard!




Ultra Frame™ Rectangular Pools: Ages 6+

TRUE NEIGHBORHOOD-SIZE POOLS PLUS DELUXE CLEANING SYSTEMS!

For the ultimate combination of pool filtration, water sanitation, and convenience, these Ultra Frame™ Rectangular pools come with our Krystal Clear™ Sand Filter Pump & Saltwater System Combos. No other system on the market combines the gentle, thorough, environmentally-sensitive filtration and sanitation properties of sand and salt.

All-natural salt and eco-friendly sand filter and sanitize the water without harsh, packaged chlorine.



Puncture-resistant 3-ply material



English/Spanish and multi-language international packaging available

157½" x 78¾" x 39⅜" (400cm x 200cm x 100cm)

Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	CASE PACK	CASE WEIGHT
28349 / EG	110-120V (W/GFCI)	530 gal. (2,006 L)	•	1 Ea. 1 Box	138.2 Lb. (62.8kg)
28350	220-240V	530 gal. (2,006 L)	•	1 Ea. 1 Box	138.2 Lb. (62.8kg)
28350GS	12V	600 gal. (2,271 L)	•	1 Ea. 1 Box	141.0 Lb. (64.1kg)

Water Capacity (90%): 1,806 gal. (6,836 L)

Ready for Water in 45 Minutes

18' x 9' x 52" (549cm x 274cm x 132cm)

Approximate set-up size

FEATURES	VOLTAGE	SAND FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
28351 / EG	110-120V (W/GFCI)	1,200 gal. (4.5 m³)	•	•	•	1 Ea. 1 Box	276.5 Lb. (125.7kg)
28352	220-240V	1,200 gal. (4.5 m³)	•	•	•	1 Ea. 1 Box	277.6 Lb. (126.2kg)
NEW! 28352GS	220-240V (W/RCD)	1,200 gal. (4.5 m³)	•	•	•	1 Ea. 1 Box	279.8 Lb. (127.2kg)

Water Capacity (90%): 4,545 gal. (17,203 L)

Ready for Water in 60 Minutes

24' x 12' x 52" (732cm x 366cm x 132cm)

Approximate set-up size

FEATURES	VOLTAGE	SAND FILTER PUMP	SAND FILTER PUMP & SALTWATER SYSTEM	LADDER	GROUND CLOTH	POOL COVER	DELUXE POOL MAINTENANCE KIT	VOLLEYBALL SET	CASE PACK	CASE WEIGHT
28361 / EG	110-120V (W/GFCI)	2,100 gal. (7.9 m³)	—	•	•	•	—	—	1 Ea. 2 Boxes	400.0 Lb. (181.8kg)
28362	220-240V	2,100 gal. (7.9 m³)	—	•	•	•	—	—	1 Ea. 2 Boxes	400.4 Lb. (182.0kg)
NEW! 28362GS	220-240V (W/RCD)	2,100 gal. (7.9 m³)	—	•	•	•	—	—	1 Ea. 2 Boxes	403.5 Lb. (183.4kg)
28363 / EG	110-120V (W/GFCI)	—	1,600 gal. (6.0 m³)	•	•	•	•	•	1 Ea. 2 Boxes	429.0 Lb. (195.0kg)
28364	220-240V	—	1,600 gal. (6.0 m³)	•	•	•	•	•	1 Ea. 2 Boxes	431.2 Lb. (196.0kg)

Water Capacity (90%): 8,403 gal. (31,805 L)

Ready for Water in 60 Minutes

32' x 16' x 52" (975cm x 488cm x 132cm)

Approximate set-up size

FEATURES	VOLTAGE	SAND FILTER PUMP	SAND FILTER PUMP & SALTWATER SYSTEM	LADDER	GROUND CLOTH	POOL COVER	DELUXE POOL MAINTENANCE KIT	VOLLEYBALL SET	CASE PACK	CASE WEIGHT
28371 / EG	110-120V (W/GFCI)	2,800 gal. (10.5 m³)	—	•	•	•	—	—	1 Ea. 2 Boxes	540.8 Lb. (245.8kg)
28372	220-240V	2,800 gal. (10.5 m³)	—	•	•	•	—	—	1 Ea. 2 Boxes	542.3 Lb. (246.5kg)
NEW! 28372GS	220-240V (W/RCD)	2,800 gal. (10.5 m³)	—	•	•	•	—	—	1 Ea. 2 Boxes	544.1 Lb. (247.3kg)
28373 / EG	110-120V (W/GFCI)	—	2,650 gal. (10.0 m³)	•	•	•	•	•	1 Ea. 2 Boxes	577.5 Lb. (262.5kg)
28374	220-240V	—	2,650 gal. (10.0 m³)	•	•	•	•	•	1 Ea. 2 Boxes	578.4 Lb. (262.9kg)

Water Capacity (90%): 14,364 gal. (54,368 L)

Ready for Water in 90 Minutes

Sequoia Spirit™ Wood-Grain Frame Pools



INTEX'S BEAUTIFUL SEQUOIA SPIRIT™ WOOD-GRAIN FRAME POOLS – CLASSIC BEAUTY AT A GREAT VALUE!

Nothing matches an Intex Sequoia Spirit™ Wood-Grain Frame pool. Our wood-grain pool comes in two popular sizes – 15'8" x 49" (478cm x 124cm) and 18'8" x 53" (569cm x 135cm) that is sure to fit most backyards and make a beautiful addition to any home!

For the ultimate combination of pool filtration, water sanitation, and convenience, the Sequoia Spirit™ comes with our Krystal Clear™ Sand Filter Pump & Saltwater System Combo. No other system on the market combines the gentle, thorough, environmentally-sensitive filtration and sanitation properties of sand and salt.

SEQUOIA SPIRIT™ WOOD-GRAIN FRAME POOLS



English/Spanish and multi-language international packaging available



Wood-Grain Frame Pools: Ages 6+

15'8" x 49" (478cm x 124cm) Approximate set-up size

FEATURES	VOLTAGE	SAND FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
28381 / EG	110-120V (W/GFCI)	1,200 gal. (4.5 m³)	•	•	•	1 Ea. 3 Boxes	497.6 Lb. (226.2kg)
28382	220-240V	1,200 gal. (4.5 m³)	•	•	•	1 Ea. 3 Boxes	499.4 Lb. (227.0kg)
NEW! 28382GS	220-240V (W/RCD)	1,200 gal. (4.5 m³)	•	•	•	1 Ea. 3 Boxes	501.2 Lb. (227.8kg)

Water Capacity (90%): 4,440 gal. (16,805 L)

Ready for Water in 120 Minutes

18'8" x 53" (569cm x 135cm) Approximate set-up size

FEATURES	VOLTAGE	SAND FILTER PUMP	SAND FILTER PUMP & SALTWATER SYSTEM	LADDER	GROUND CLOTH	POOL COVER	DELUXE POOL MAINTENANCE KIT	VOLLEYBALL SET	CASE PACK	CASE WEIGHT
28391 / EG	110-120V (W/GFCI)	2,100 gal. (7.9 m³)	–	•	•	•	–	–	1 Ea. 3 Boxes	635.4 Lb. (288.8kg)
28392	220-240V	2,100 gal. (7.9 m³)	–	•	•	•	–	–	1 Ea. 3 Boxes	636.9 Lb. (289.5kg)
NEW! 28392GS	220-240V (W/RCD)	2,100 gal. (7.9 m³)	–	•	•	•	–	–	1 Ea. 3 Boxes	639.3 Lb. (290.6kg)
28393 / EG	110-120V (W/GFCI)	–	1,600 gal. (6.0 m³)	•	•	•	•	•	1 Ea. 3 Boxes	657.8 Lb. (299.0kg)
28394	220-240V	–	1,600 gal. (6.0 m³)	•	•	•	•	•	1 Ea. 3 Boxes	660.0 Lb. (300.0kg)

Water Capacity (90%): 6,981 gal. (26,423 L)

Ready for Water in 150 Minutes

Krystal Clear™ Filtration and Sanitation Systems

INNOVATION IN POOL CLEANING



POOL FILTRATION SYSTEMS



4 models
(Details on page 26)

CARTRIDGE FILTER PUMPS

- Advantages:
- Cartridges provide excellent water filtration
 - Easy to use: simply replace old cartridge with a new one every 2 weeks
 - Intex high quality replacement cartridges are widely available
 - 24-hour auto timer on some models



4 models
(Details on page 27)

SAND FILTER PUMPS

- Advantages:
- All natural sand provides excellent water filtration
 - Economical & environmentally friendly
 - Requires virtually no maintenance except replacement of sand every 5 years
 - 24-hour auto timer included

POOL SANITATION SYSTEMS



2 models
(Details on page 28)

SALTWATER SYSTEM WITH COPPER IONIZATION

- Advantages:
- Eliminates bacteria & algae from pool water using a virtually undetectable amount of all natural salt
 - Much gentler on skin, eyes, clothes, and hair than packaged chlorine
 - Salt is economical & much more environmentally friendly than packaged chlorine
 - 24-hour auto timer included



1 model
(Details on page 29)

SALTWATER SYSTEM WITH OZONE

- Advantages:
- Ozone is the most powerful sanitizing method for poolwater.
 - The only 100% natural and biodegradable pool sanitizing agent.
 - Odorless
 - Saltwater system provides residual cleaning action and soft, smooth water for swimmers.
 - 24-hour auto timer included.

COMBINATION FILTRATION & SANITATION SYSTEMS



1 model
(Details on page 30)

CARTRIDGE FILTER PUMP & SALTWATER SYSTEMS

Combines cartridge filter pump with saltwater system



2 models
(Details on page 31)

SAND FILTER PUMP & SALTWATER SYSTEMS

Combines sand filter pump with saltwater system

POOL FILTRATION SYSTEMS

KRYSTAL CLEAR™ CARTRIDGE FILTER PUMPS

- Easy installation – just hook-up hoses and plug in
- Double insulated pump
- Air release valve for air trapped inside filter chamber
- Sediment flush valve at bottom of filter chamber (28635/28636/28633/28634)
- Auto timer for easier use (28635/28636/28633/28634), except 28636GS
- Conforms to UL/CSA standards (110-120V models)
- CE approved (220-240V models)
- TUV-GS approved (GS designation models) • Shelf box

Efficient filtration is essential for a quality swim experience. Who wants to swim in a dirty pool?

Intex's line of pumps and cartridges guarantee a cleaner pool with:

- Powerful pumps in several of our most popular pool sets
- Filter cartridges with thicker, heavier paper and more pleats
- Water inlet jets for enhanced water flow back into the pool

The results will be faster water circulation, improved filtration, and best of all – a superior swim experience!



KRYSTAL CLEAR™ SAND FILTER PUMPS



System flow rate	
28643	1,050 gph (4.0 m³/hr)
28644	1,050 gph (4.0 m³/hr)
28645	1,600 gph (6.0 m³/hr)
28646	1,600 gph (6.0 m³/hr)
28647	2,150 gph (8.0 m³/hr)
28648	2,150 gph (8.0 m³/hr)
28651	2,450 gph (9.2 m³/hr)
28652	2,650 gph (10.0 m³/hr)

KRYSTAL CLEAR™



Features	Benefits
6-function control	Enables pool owner to Filter, Backwash, Rinse, Recirculate, Drain & Close system
24-hour automatic timer	Automatic daily setting
0.95 horse power pump 0.75 horse power pump 0.50 horse power pump 0.25 horse power pump	Ideal for above ground pools
GFCI unit (110-120V version)	Safety shut-off; meets UL standard
Strainer basket	Easy-cleaning, prolongs life of sand

Item#	Voltage	Easy Set® Pool Models	Frame Pool Models	Oval Frame Pool Models	Pump flow rate Gal. (L)/hr	System flow rate Gal. (L)/hr	Case Pack	Case Weight Lb. (Kg)
28603 / EG	110-120V (W/GFCI)	8'/10'/12' (244/305/366cm)	10'/12' (305/366cm)	–	530 (2,006)	475 (1,798)	4	28.8 (13.1)
28604	220-240V	8'/10'/12' (244/305/366cm)	10'/12' (305/366cm)	–	530 (2,006)	475 (1,798)	4	26.4 (12.0)
28604GS	12V	8'/10'/12' (244/305/366cm)	10'/12' (305/366cm)	–	600 (2,271)	500 (1,893)	4	41.0 (18.6)
28637 / EG	110-120V (W/GFCI)	15' (457cm)	15' (457cm)	18'x10' (549x305cm)	1,000 (3,785)	750 (2,839)	4	34.6 (15.7)
28638	220-240V	15' (457cm)	15' (457cm)	18'x10' (549x305cm)	1,000 (3,785)	750 (2,839)	4	32.3 (14.7)
28638GS	12V	15' (457cm)	15' (457cm)	18'x10' (549x305cm)	900 (3,407)	700 (2,650)	4	51.2 (23.3)
28635 / EG	110-120V (W/GFCI)	18' (549cm)	18' (549cm)	20'x12' (610x366cm)	1,500 (5,678)	1,180 (4,466)	1	16.1 (7.3)
28636	220-240V	18' (549cm)	18' (549cm)	20'x12' (610x366cm)	1,500 (5,678)	1,180 (4,466)	1	15.6 (7.1)
28636GS	12V	18' (549cm)	18' (549cm)	20'x12' (610x366cm)	1,500 (5,678)	1,100 (4,164)	1	22.9 (10.4)
28633 / EG	110-120V (W/GFCI)	–	24' (732cm)	–	2,500 (9,463)	1,900 (7,192)	1	22.9 (10.4)
28634	220-240V	–	24' (732cm)	–	2,500 (9,463)	1,900 (7,192)	1	24.2 (11.0)
NEW! 28634GS	220-240V (W/RCD)	–	24' (732cm)	–	2,500 (9,463)	1,900 (7,192)	1	26.7 (12.1)

Item#	Voltage	Ultra Frame™ Pool Models	Ultra Frame™ Rectangular Pool Models	Wood-Grain Frame Pool Models	Tank Size	HP	Glass Capacity Lb. (Kg)	Sand Capacity Lb. (Kg)	Pump flow rate Gal. (m³)/hr	System flow rate Gal. (m³)/hr	Case Pack	Case Weight Lb. (Kg)
NEW! 28643 / EG	110-120V (W/GFCI)	16' (488cm)	18'x9' (549x274cm)	15'8" (478cm)	10" (254mm)	0.25	18.5 (8.5)	26 (12)	1,200 (4.5)	1,050 (4.0)	1	29.8 (13.5)
NEW! 28644	220-240V	16' (488cm)	18'x9' (549x274cm)	15'8" (478cm)	10" (254mm)	0.25	18.5 (8.5)	26 (12)	1,200 (4.5)	1,050 (4.0)	1	30.1 (13.7)
NEW! 28644GS	220-240V (W/RCD)	16' (488cm)	18'x9' (549x274cm)	15'8" (478cm)	10" (254mm)	0.25	18.5 (8.5)	26 (12)	1,200 (4.5)	1,050 (4.0)	1	32.6 (14.8)
IMPROVED! 28645 / EG	110-120V (W/GFCI)	18' (549cm)	24'x12' (732x366cm)	18'8" (569cm)	12" (305mm)	0.50	35 (16)	50 (23)	2,100 (7.9)	1,600 (6.0)	1	39.4 (17.9)
IMPROVED! 28646	220-240V	18' (549cm)	24'x12' (732x366cm)	18'8" (569cm)	12" (305mm)	0.50	35 (16)	50 (23)	2,100 (7.9)	1,600 (6.0)	1	38.9 (17.7)
NEW! 28646GS	220-240V (W/RCD)	18' (549cm)	24'x12' (732x366cm)	18'8" (569cm)	12" (305mm)	0.50	35 (16)	50 (23)	2,100 (7.9)	1,600 (6.0)	1	40.5 (18.4)
IMPROVED! 28647 / EG	110-120V (W/GFCI)	–	32'x16' (975x488cm)	–	14" (360mm)	0.75	55 (25)	77 (35)	2,800 (10.5)	2,150 (8.0)	1	48.1 (21.9)
IMPROVED! 28648	220-240V	–	32'x16' (975x488cm)	–	14" (360mm)	0.75	55 (25)	77 (35)	2,800 (10.5)	2,150 (8.0)	1	50.1 (22.8)
NEW! 28648GS	220-240V (W/RCD)	–	32'x16' (975x488cm)	–	14" (360mm)	0.75	55 (25)	77 (35)	2,800 (10.5)	2,150 (8.0)	1	51.3 (23.3)
IMPROVED! 28651 / EG	110-120V (W/GFCI)	–	–	–	16" (410mm)	0.95	85 (38)	120 (55)	3,000 (11.3)	2,450 (9.2)	1	54.1 (24.6)
IMPROVED! 28652	220-240V	–	–	–	16" (410mm)	0.95	85 (38)	120 (55)	3,200 (12.0)	2,650 (10.0)	1	55.0 (25.0)
NEW! 28652GS	220-240V (W/RCD)	–	–	–	16" (410mm)	0.95	85 (38)	120 (55)	3,200 (12.0)	2,650 (10.0)	1	56.9 (25.9)

POOL SANITATION SYSTEMS

KRYSTAL CLEAR SALTWATER SYSTEM™

The Eco-friendly Poolwater Sanitizer

The Krystal Clear Saltwater System™ combines a unique two-stage technology to sanitize pool water.

First, an undetectable level of natural swimmer-safe chlorine is produced when environmentally friendly natural salt is added to pool water and passes through a titanium coated electrolytic cell during the filtration process. The result is soft, fresh, clean water without the potential harsh side effects of packaged pool chemicals.

Second, with the copper ionization feature, highly active disinfectant ions are released which creates a potent biocide and attack algae more aggressively than chlorine or other packaged pool chemicals.

This second process, unique to the Intex Saltwater System, provides consumers with an important benefit. Because copper ionization is such a potent disinfectant, the amount of natural chlorine generated by the saltwater system is reduced by approximately 60%. Which means that your customers not only get the great benefits of a saltwater system, they enjoy it with much less chlorine than other saltwater systems generate!



#28661
#28662



#28663
#28664

KRYSTAL CLEAR SALTWATER SYSTEM™

MAX POOL SIZE: 7,000 GAL. (26,500 L)

#28661/EG

Krystal Clear Saltwater System™ CG-28661

- 110-120V with GFCI
 - Requires a filter pump with a flow rate between 700-4,000 gph (2,650-15,140 L/hr)
 - Chlorine output: 5 gram/hr
 - 24 hr. auto-clock cycle
 - Shelf box
- 2 Ea., 37.2 Lb. (16.9kg)

#28662

Krystal Clear Saltwater System™ CG-28662

- Same as 28661 except 220-240V
 - Shelf box
- 2 Ea., 35.5 Lb. (16.2kg)

#28662GS

Krystal Clear Saltwater System™ CG-28662GS

- Same as 28662 except 12V
 - Shelf box
- 2 Ea., 39.7 Lb. (18.1kg)

MAX POOL SIZE: 15,000 GAL. (56,800 L)

#28663/EG

Krystal Clear Saltwater System™ CG-28663

- 110-120V with GFCI
 - Requires a filter pump with a flow rate between 700-4,000 gph (2,650-15,140 L/hr)
 - Chlorine output: 12 gram/hr
 - 24 hr. auto-clock cycle
 - Shelf box
- 2 Ea., 45.7 Lb. (20.8kg)

#28664

Krystal Clear Saltwater System™ CG-28664

- Same as 28663 except 220-240V
 - Shelf box
- 2 Ea., 44.5 Lb. (20.2kg)

#28664GS

Krystal Clear Saltwater System™ CG-28664GS

- Same as 28664 except 12V
 - Shelf box
- 2 Ea., 50.1 Lb. (22.8kg)



#28665
#28666

KRYSTAL CLEAR™ OZONE AND SALTWATER SYSTEM

KRYSTAL CLEAR™ OZONE AND SALTWATER SYSTEM

Professionals Know That The Ultimate Pool Sanitation Method Is Ozone.

Only Ozone provides virtually complete, instantaneous, odorless, all-natural sanitation of pool water. Ozone eliminates bacteria over 3,000 times faster than chlorine. And because it has up to 100 times the oxidizing power of chlorine, it cleans pool water without the chemical smell that swimmers often associate with chlorine.

Intex has brought this powerful technology together with the benefits of our saltwater system to provide your customers with the very best in above ground pool sanitation. By combining the incredible sanitizing strength of ozone with the great swimming comfort that saltwater systems provide, your customers can enjoy truly wonderful pool ownership and great swimming experience for years.

A totally effective, odorless, effortless, all natural solution to maintaining crystal clear, soft, clean pool water... from Intex!



Easy-to-Use Control Panel



Ozone Generator Replacement Indicator



Titanium Plates

MAX POOL SIZE: 15,000 GAL. (56,800 L)

#28665/EG

Krystal Clear Saltwater System™ CG-28665

- 110-120V with GFCI
 - Requires a filter pump with a flow rate between 1,500-4,000 gph (5,678-15,140 L/hr)
 - Chlorine output: 11 gram/hr
 - Ozone output: 150 milligram/hr
 - 24 hr. auto-clock cycle
 - Shelf box
- 1 Ea., 36.9 Lb. (16.8kg)

#28666

Krystal Clear Saltwater System™ CG-28666

- Same as 28665 except 220-240V
 - Shelf box
- 1 Ea., 36.0 Lb. (16.4kg)

COMBINATION FILTRATION & SANITATION SYSTEMS

KRYSTAL CLEAR™ POOLWATER SYSTEM

Sand Filters are one of the most desirable methods to keep pool water clear and sparkling. Not only does the all-natural, inexpensive sand do an excellent job of filtering the water, it needs replacement only once every five years, making sand filter the easiest maintenance filtration option on the market. As an alternative, Intex Glass Filter Media (item# 29058) may also be used in place of conventional sand.

Saltwater systems are known for their ability to keep pool water clean and safe, while eliminating the harshness of traditional packaged chlorine.

Intex has **combined** these two excellent systems into one product, providing above ground pool owners with ONE low cost, low maintenance system that will keep pools clean, safe, and comfortable for swimmers. Both systems are controlled automatically with one 24-hour timer to make daily operation carefree!



KRYSTAL CLEAR™ CARTRIDGE FILTER PUMP & SALTWATER SYSTEM

MAX POOL SIZE: 7,000 GAL. (26,500 L)

#28671/EG

Krystal Clear™ Cartridge Filter Pump & Saltwater System CG-28671

- 110-120V with GFCI
- Same as 28661 with additional 1,200 gph (4,542 L/hr) filter pump set
- System flow rate 1,050 gph (3,974 L/hr)
- Chlorine output: 5 gram/hr
- Shelf box

1 Ea., 35.7 Lb. (16.2kg)

#28672

Krystal Clear™ Cartridge Filter Pump & Saltwater System CG-28672

- Same as 28671 except 220-240V • Shelf box

1 Ea., 37.2 Lb. (16.9kg)

Item#	Ultra Frame™ Pool Models
28671 / EG	16' (488cm)
28672	16' (488cm)



KRYSTAL CLEAR™ SAND FILTER PUMP & SALTWATER SYSTEMS

MAX POOL SIZE: 8,500 GAL. (32,200 L)

#28677/EG IMPROVED!

Krystal Clear™ Sand Filter Pump & Saltwater System CG-28677

- 110-120V with GFCI
- 14" (360mm) tank diameter
- 0.5 HP motor
- Pump flow rate 1,600 gph (6.0 m³/hr)
- System flow rate 1,500 gph (5.7 m³/hr)
- 55 Lb. (25kg) sand capacity or 40 Lb. (18kg) glass filtration media capacity
- Chlorine output: 7 gram/hr
- 2 pieces of 1½" (38mm) hoses
- 2-year warranty • Shelf box

1 Ea., 54.1 Lb. (24.6kg)

#28678

Krystal Clear™ Sand Filter Pump & Saltwater System CG-28678

- Same as 28677 except 220-240V • Shelf box

1 Ea., 55.4 Lb. (25.2kg)

Item#	Ultra Frame™ Pool Models	Ultra Frame™ Rectangular Pool Models	Wood-Grain Frame Pool Models
28677 / EG	18' (549cm)	24'x12' (732x366cm)	18'8" (569cm)
28678	18' (549cm)	24'x12' (732x366cm)	18'8" (569cm)



MAX POOL SIZE: 15,000 GAL. (56,800 L)

#28681/EG IMPROVED!

Krystal Clear™ Sand Filter Pump & Saltwater System CG-28681

- 110-120V with GFCI
- 16" (410mm) tank diameter
- 0.95 HP motor
- Pump flow rate 2,650 gph (10.0 m³/hr)
- System flow rate 2,200 gph (8.3 m³/hr)
- 100 Lb. (45kg) sand capacity or 70 Lb. (32kg) glass filtration media capacity
- Chlorine output: 11 gram/hr
- 2 pieces of 1½" (38mm) hoses
- 2-year warranty • Shelf box

1 Ea., 64.0 Lb. (29.1kg)

#28682

Krystal Clear™ Sand Filter Pump & Saltwater System CG-28682

- Same as 28681 except 220-240V • Shelf box

1 Ea., 64.9 Lb. (29.5kg)

Item#	Ultra Frame™ Rectangular Pool Models
28681 / EG	32'x16' (975x488cm)
28682	32'x16' (975x488cm)

KRYSTAL CLEAR™



English/Spanish and multi-language international packaging available

Pool Accessories



#28000

SURFACE SKIMMER

- #28000 / E**
Deluxe Wall Mount Surface Skimmer
- Attaches to filter pump for automatic skimming
 - Requires an Intex filter pump with a minimum flow rate of 800 gph (3,028 L/hr)
 - Easily mounts to Easy Set® or metal frame pool sidewalls with adjustable bracket
 - Helps catch leaves and other debris before they sink to the bottom of the pool
 - Durable polypropylene plastic is not affected by pool chemicals
 - Strainer basket pulls out for easy cleaning
 - Shelf box
- 4 Ea., 18.3 Lb. (8.3kg)



#28684

HEATER

- #28684**
Heater
- 220-240V with RCD
 - Compatible with round Easy Set® or Metal Frame pools 15' (457cm) diameter or smaller
 - Easy hook-up and operation
 - Water level sensor
 - Easily connects to new or existing pool filter system
 - Shelf box
- 4 Ea., 32.1 Lb. (14.6kg)



#28001


AUTO POOL CLEANER

- #28001 / E IMPROVED!**
Auto Pool Cleaner
- Newly redesigned powerful pool cleaner
 - Automatically vacuums the entire pool floor effectively hassle-free
 - Requires a filter pump with a flow rate between 1,200-3,500gph (4,542-13,248L/hr)
 - Attaches to the inlet connector in the pool with a 24'7" (750cm) hose
 - For Intex above ground pools with 1½" (38 mm) hose fittings
 - Not suitable for in-ground pools
 - Shelf box
- 1 Ea., 19.6 Lb. (8.9kg)

FILTER CARTRIDGES

- Easy to clean dacron filter material
- Shrink wrapped with litho label

Replace Filter Cartridge Every Two Weeks



#29000

#29005



#29002 / E **NEW!**
Filter Cartridge Twin Pack



#29003 / E **NEW!**
Filter Cartridge Tri-Pack

Item#	Type	For Filter Pump Item#	Case Pack	Case Weight Lb. (Kg)
29000 / E	A	28603 / 28604 / 28637 / 28638 / 28635 / 28636 / 28671 / 28672	6	2.8 (1.3)
29002 / E	A	28603 / 28604 / 28637 / 28638 / 28635 / 28636 / 28671 / 28672	6	5.2 (2.4)
29003 / E	A	28603 / 28604 / 28637 / 28638 / 28635 / 28636 / 28671 / 28672	6	7.3 (3.3)
29005 / E	B	28633 / 28634	6	7.0 (3.2)

POOL THERMOMETER


- #29039 / E**
Pool Thermometer
- Floats upright
- 12 Ea., 2.1 Lb. (1.0kg)



#29039

CARTRIDGE CLEANER

- #29082 / E NEW!**
Multi-Functional Cartridge Cleaner
- Designed to easily clean filter cartridges
 - Ridges on nozzle jets separate pleats for optimum cleaning
 - Nozzle provides 4 different spray patterns for multi-functional use
 - Easily connects to all standard garden hoses
 - Rear-trigger shutoff
- 6 Ea., 4.1 Lb. (1.9kg)



POOL ACCESSORIES



Filter cartridge displays serve as excellent POP to merchandise your cartridges in store!

FOOT BATH

- #29080 / E NEW!**
Pool Foot Bath
- Reduces debris & dirt from entering your pool
 - Easily connects to ladders to rinse off feet before entering pool
 - Anti-slip bottom designed for safety
 - Perfectly fits all Intex ladders
 - Size 22" x 18" x 3.5" (56cm x 46cm x 9cm)
 - Water Capacity: 3 gallons (11.5 liters)
- 12 Ea., 12.6 Lb. (5.7kg)



POOL MAINTENANCE KIT

- #28002 / E IMPROVED!**
Pool Maintenance Kit
- Includes 94" (239cm) telescoping aluminum shaft for use with 16' (488cm) and below pools
 - Interchangeable vacuum and skimmer heads
 - Pegable box
- 4 Ea., 13.3 Lb. (6.0kg)



#28002

DELUXE POOL MAINTENANCE KIT



- #28003 / E**
Deluxe Pool Maintenance Kit
- Includes 110" (279cm) telescoping aluminum shaft for use with 18' (549cm) diameter pools and above
 - Requires an Intex filter pump with a minimum flow rate of 800 gph (3,028 L/hr)
 - Vacuum sucks debris off the pool floor and through the filter
 - Attaches to the outlet connector in the pool with a 24' 7" (750cm) hose
 - Durable and deep mesh skimmer net
 - Shelf box
- 3 Ea., 24.9 Lb. (11.3kg)



#28003

SOLAR POOL COVERS



- Helps keep pool water warmer
- Easy to use
- Available in 8 sizes
- Economical
- Carry bag



English/Spanish and multi-language international packaging available



#29020 #29022
 #29021 #29023 (shown)



#29024 #29025
 #29026 (shown) #29027

Item#	Type	Fits	Diameter	Thickness	Case Pack	Case Weight Lb. (Kg)
29020 / E	Solar Cover	8' (244 cm) Easy Set®	81" (206cm)	120 micron (110g/m²)	3 Ea.	4.1 (1.9)
29021 / E	Solar Cover	10' (305 cm) Easy Set® & frame pools	114" (290cm)	120 micron (110g/m²)	3 Ea.	7.3 (3.3)
29022 / E	Solar Cover	12' (366 cm) Easy Set® & frame pools	137" (348cm)	120 micron (110g/m²)	2 Ea.	6.8 (3.1)
29023 / E	Solar Cover	15' (457 cm) Easy Set® & frame pools	176" (448cm)	160 micron (150g/m²)	2 Ea.	14.2 (6.5)
29024 / E	Solar Cover	16' (488 cm) Easy Set® & frame pools	185" (470cm)	160 micron (150g/m²)	2 Ea.	16.0 (7.3)
29025 / E	Solar Cover	18' (549 cm) Easy Set® & frame pools	212" (538cm)	160 micron (150g/m²)	1 Ea.	10.3 (4.7)
29026 / E	Solar Cover	18' x 9' (549 cm x 274 cm) Rectangular frame pools	212" x 100" (538cm x 253cm)	160 micron (150g/m²)	1 Ea.	6.8 (3.1)
NEW! 29027 / E	Solar Cover	24' x 12' (732 cm x 366 cm) Rectangular frame pools	282" x 136" (716cm x 346cm)	160 micron (150g/m²)	1 Ea.	11.0 (5.0)

POOL COVERS

- Durable 7 ga. (0.18mm) vinyl • Rope ties
- Drain holes to prevent water accumulation • Shelf box

Item#	Type	Diameter	Overhang	Case Pack	Case Weight Lb. (Kg)
28020 / E	Easy Set® Pool Cover	8' (244cm)	12" (30cm)	6 Ea.	21.2 (9.7)
28021 / E	Easy Set® Pool Cover	10' (305cm)	12" (30cm)	6 Ea.	31.2 (14.2)
28022 / E	Easy Set® Pool Cover	12' (366cm)	12" (30cm)	6 Ea.	42.8 (19.5)
28023 / E	Easy Set® Pool Cover	15' (457cm)	12" (30cm)	4 Ea.	39.8 (18.1)

Item#	Type	Diameter	Overhang	Case Pack	Case Weight Lb. (Kg)
28030 / E	Round Pool Cover	10' (305cm)	10" (25cm)	6 Ea.	34.0 (15.5)
28031 / E	Round Pool Cover	12' (366cm)	10" (25cm)	6 Ea.	45.7 (20.8)
28032 / E	Round Pool Cover	15' (457cm)	10" (25cm)	4 Ea.	44.6 (20.3)

DELUXE POOL COVERS

- UV-resistant polyethylene material • Rope ties
- Drain holes to prevent water accumulation • Shelf box

Item#	Type	Diameter	Overhang	Case Pack	Case Weight Lb. (Kg)
28040 / E	Deluxe Pool Cover	16' (488cm)	8" (20cm)	4 Ea.	33.4 (15.2)
28041 / E	Deluxe Pool Cover	18' (549cm)	8" (20cm)	3 Ea.	30.2 (13.7)

POOL GROUND CLOTH

- Durable material
- Shelf box
- Provide added protection for pool bottom

- #28048 / E**
Pool Ground Cloth
- Fits 8'/10'/12'/15' (244/305/366/457cm) Easy Set® and frame pools
 - 15½' (472cm) square
 - 2 Ea., 9.0 Lb. (4.1kg)



FLOOR PROTECTOR

- #29081 / E NEW!**
Interlocking Padded Floor Protector
- Provides added protection and cushion around pool & play area
 - Made with durable Polyethylene material
 - Easily stores and transports
 - Sold in packs of 8 pieces, 20 ft² (1.9 m²) of interlocking tiles
 - Piece Size: 20" x 20" x ¾" (50cm x 50cm x 1.0cm)
 - 6 Ea., 32.8 Lb. (14.9kg)



POOL ACCESSORIES

POOL LADDERS

- Coated steel frame
- Hi-impact plastic steps
- Shelf box

U.S. Patent #6,755,281

DELUXE POOL LADDERS WITH REMOVABLE STEPS

These pool ladders come with easily removable steps. When the pool is not in use, they can be quickly detached and removed from the pool area. Replacing them is simple and quick. Simply set the steps in the base, then snap and lock them into place. Available in two sizes, designed for 36" - 42" (91cm - 107cm) and 48" - 52" (122cm - 132cm) pools.

Item#	For 36" (91cm) wall height	For 42" (107cm) wall height	For 48" (122cm) wall height	For 52" (132cm) wall height	Removable Steps	Case Pack	Case Weight Lb. (Kg)
28060 / E	•					3	53.0 (24.1)
28061 / E		•				3	57.0 (25.9)
28062 / E			•			2	47.1 (21.4)
28063 / E				•		2	53.7 (24.4)
28072 / E	•	•			•	2	55.1 (25.0)
28074 / E		•	•	•	•	2	67.8 (30.8)

CHLORINE DISPENSERS

#29040 / E NEW!
5" (12.7cm) FLOATING CHEMICAL DISPENSER

- Holds up to 1" (2.5cm) chlorine or bromine tablets
- Made of durable non-corrosive polypropylene material
- Adjustable control ring to control the release of chemical
- Twist-lock cap
- Suitable for Intex pools up to 12' (305cm) and PureSpa™
- Tablets not included

24 Ea., 4.1 Lb. (1.9kg)



#29041 / E NEW!
7" (17.8cm) FLOATING CHEMICAL DISPENSER

- Holds up to 3" (7.6cm) chlorine or bromine tablets
- Made of durable non-corrosive polypropylene material
- Adjustable control ring to control the release of chemical
- Twist-lock cap
- Suitable for all Intex pools
- Tablets not included

12 Ea., 6.5 Lb. (3.0kg)



TELESCOPING POLES

#29054 / E
94" (239cm) Telescoping Aluminum Shaft

- Ideal for attaching accessories to clean pools
- 94" (239cm) lightweight telescoping aluminum shaft
- 1 1/16" (26.2mm) inner diameter

24 Ea., 29.3 Lb. (13.3kg)



#29054

#29055 / E
110" (279cm) Telescoping Aluminum Shaft

- Ideal for attaching accessories to clean pools
- 110" (279cm) lightweight telescoping aluminum shaft
- 1 3/16" (29.8mm) inner diameter

24 Ea., 36.6 Lb. (16.7kg)



#29055

ACCESSORY KITS

#29056 / E IMPROVED!
Basic Cleaning Kit

- Includes leaf skimmer, wall brush and vacuum head
- Vacuum head with reusable debris bag, requires connection with garden hose for usage
- Durable mesh skimmer net
- Wall brush can quickly remove algae and grime from pool walls or pool floor
- Compatible with 1 3/16" (26.2mm) inner diameter lightweight telescoping aluminum shaft (item# 50004, not included)

6 Ea., 10.9 Lb. (5.0kg)



#29056

#29057 / E
Deluxe Cleaning Kit

- Includes leaf rake, curved wall brush and vacuum head
- Vacuum sucks debris off the pool floor and through the filter
- Durable and deep mesh skimmer net
- Curved wall brush can quickly remove algae and grime from pool walls or pool floor
- Compatible with 1 3/16" (29.8mm) inner diameter lightweight telescoping aluminum shaft (item# 50005, not included)

6 Ea., 25.7 Lb. (11.7kg)



#29057

CLEANING ACCESSORIES

#29050 / E IMPROVED!
Leaf Skimmer

- Remove debris off pool water surface
- Improved design for easier debris collection
- Durable mesh skimmer net
- Compatible with 1 3/16" (26.2mm) inner diameter telescoping aluminum shaft (item# 29054, not included)

12 Ea., 6.4 Lb. (2.9kg)



#29050

#29051 / E
Leaf Rake

- Scoop debris from pool floor
- Deep and durable mesh skimmer net
- Compatible with 1 3/16" (29.8mm) inner diameter telescoping aluminum shaft (item# 29055, not included)

12 Ea., 7.8 Lb. (3.5kg)



#29051

#29052 / E
10" (254mm) Wall Brush

- Straight standard brush for pool cleaning and maintenance
- Quickly remove algae and grime from pool walls or pool floor
- Compatible with 1 3/16" (26.2mm) inner diameter telescoping aluminum shaft (item# 29054, not included)

12 Ea., 4.5 Lb. (2.0kg)



#29052

#29053 / E
16" (406mm) Curved Wall Brush

- Curved brush ideal for pool cleaning and maintenance
- Quickly remove algae and grime from pool walls or pool floor
- Compatible with 1 3/16" (29.8mm) inner diameter telescoping aluminum shaft (item# 29055, not included)

12 Ea., 6.7 Lb. (3.0kg)



#29053

ACCESSORY HOSES

#29059 / E
Accessory Hose 1 1/4" (32mm)

- Suitable for INTEX filter pumps and saltwater systems that use 1 1/4" (32mm) hoses

• 59" (150cm) length hose
 9 Ea., 5.1 Lb. (2.3kg)



#29059

#29060 / E
Accessory Hose 1 1/2" (38mm)

- Suitable for INTEX filter pumps and saltwater systems that use 1 1/2" (38mm) hoses

• 59" (150cm) length hose
 8 Ea., 10.7 Lb. (4.9kg)



#29060

#29083 / E NEW!
Spiral Hose 1 1/2" (38mm)

- 25ft (7.6m) length
- Lightweight and flexible
- Suitable for all Intex filter pumps and filtration systems

6 Ea., 22.4 Lb. (10.2kg)



#29083

GLASS FILTRATION MEDIA

#29058 / E
Glass Filter Media

Sand Filtration is one of the most commonly used methods of cleaning pools. But Intex's finely crushed Glass Filtration Media offers a better cleaning solution than sand.



#29058

- Cleans pool water more effectively
- Lasts 80% longer between replacements
- Requires 50% less backwashing
- Needs 20% less water to backwash
- For use in all Sand Filtration systems
- Particle size: 0.4 – 0.8mm
- 55 Lb. (25 kg) bag
- 36 Ea., 2,033 Lb. (924.0kg)



LED Lights



LED FLOATING POOL LIGHT


Light up your poolside evenings with our new Floating Pool Light. Our brand new Intex Floating Light includes 3 different function modes: Flood Light, 3-Color Changer, and Flood Light & Color Changer combo. At a touch of a button the lights change modes to provide the ideal environment for your family or guests. Perfect for all above ground pools up to 18' (549cm). This convenient floating light helps provide a safe and fun environment for all occasions.






#28690 / E **NEW!**

Floating Light

- Illuminate your summer evenings with this fun & convenient floating pool light
 - Includes 3 different colorful light-up modes
 - Suitable for above ground pools up to 18' (549cm)
 - 2 hour auto shut-off
 - Requires 4 AAA batteries (not included)
 - Shelf box
- 8 Ea., 9.2 Lb. (4.2kg)



Function		LED light color
Flood Light		Soft white
3-Color Changer Light		Red, green and blue
Flood + 3-Color Changer Combo Light		Soft white, red, green and blue

MAGNETIC LED POOL-WALL LIGHTS

Lighting up an above ground pool has always been difficult. Unlike in-ground pool owners, who could flip a switch to light up their pools, above ground pool owners had to either cut a hole in their sidewall, risking leaks and damage to their pool or use a floating light which got in the way of swimmers, and always seemed to end up in the farthest corner of the pool, lighting up only a small area.

The Intex LED light uses magnetic technology to create a light system that safely generates low voltage current THROUGH the pool's sidewall to a powerful LED light inside the pool. The advanced, energy efficient LED light delivers more brightness to your pool than a conventional 50-watt halogen pool light. So now, above ground pool owners can light their pools up just like in-ground pool owners, but without the expense and damage of cutting a hole in their pool.

The LED Pool-Wall light is the ultimate in flexibility and can be attached to any sidewall in any location – and be easily moved to different parts of the pool for different lighting effects. If the inner light unit becomes separated from the outer power source, it will automatically float to the surface for easy retrieval.

Beauty, convenience, innovation, performance, and value – all part of the Intex LED Pool-Wall light!



#28687 / E

- 110-120V
 - Led light
 - Magnetic wall mounting system
 - Easily illuminates up to 24' (732cm) pools
 - Shelf box
- 4 Ea., 18.8 Lb. (8.6kg)

#28688


- 220-240V
 - Led light
 - Magnetic wall mounting system
 - Easily illuminates up to 24' (732cm) pools
 - Shelf box
- 4 Ea., 21.4 Lb. (9.7kg)

Features	Benefits
LED light	Extra bright, long-lasting illumination
Magnetic hook-up	<ul style="list-style-type: none"> • Safely transfers power directly through pool sidewall so light level will never fade • No batteries to recharge • Light is flexible and can be easily moved around pool sidewall
Built-in floatation	If light becomes separated from magnet, it will automatically float to surface for easy retrieval
Below 12V	Low electricity level; safe to use around pool and water

LED LIGHTS



English/Spanish and multi-language international packaging available



The outside unit transmits power safely and wirelessly to inside the underwater LED where the magnetic technology holds the two parts together.



LED Lights



LAWN BRITE™ SOLAR LED LANDSCAPE LIGHT

The Intex LAWN BRITE™ solar LED light is designed to provide maximum light, look great, and last long in any yard. Each light comes with two separate base units: one for anchoring the light firmly into a lawn or garden, the other for placing the light on a solid surface such as a patio or around a pool. Both are interchangeable, so the location can be changed as needed!



- #28689 / E**
- Long-lasting LED light
 - Adjustable solar panel
 - Lithium rechargeable batteries
 - Power switch function
 - USB charging cable included
 - Compass to assist positioning
 - Shelf box
- 3 Ea., 9.1 Lb. (4.1kg)



5-IN-1 LED LIGHTS

Intex 5-in-1 LED light provides the perfect solution for all your portable lighting needs in one powerful product. This versatile, compact, multi-function light combines a powerful LED with a built-in micro processor that enables it to function as a flashlight, a hanging lantern, a table top lantern, a hazard light, and a safety beacon. For even more flexibility, the flashlight and the lantern modes can be operated at three power levels, allowing the operator to control the illumination and battery life according to their needs.



- #68690 / E**
- 5-in-1 LED Light**
- Optics design with 10x zoom lens
 - 360 degree beacon
 - Built-in easy access battery cartridge
 - Two additional battery holders in a convenient carry pack
 - Durable water resistant and impact resistant construction
 - Multiple patents pending
- Shelf box
6 Ea., 8.3 Lb. (3.8kg)



- #68691 / E**
- Deluxe 5-in-1 LED Light**
- Built-in lithium-iron rechargeable battery
 - Optics design with 10x zoom lens
 - 360 degree beacon
 - USB charger cable
 - 12V charger cable
 - External power pack
 - Durable water resistant and impact resistant construction
 - Multiple patents pending
- Shelf box
6 Ea., 13.0 Lb. (5.9kg)

Function	Operation
Flashlight	Pick flashlight mode, and choose between three power levels (8%, 50%, 100%) plus adjustable focus to meet all flashlight needs.
Hanging Lantern	Operate in floodlight mode with lantern suspended. Choose between three power levels to meet individual requirements.
Table Top Lantern	Operate in lantern mode. 8% power level is perfect for a nightlight at home or on the road, while 50% and 100% levels are ideal for campers, or to light up rooms, garages, RVs, or tents.
Hazard Light	Operate at full power as a flashing amber-colored warning light. A must-have for car & boat owners, campers, and other travelers.
Emergency Beacon	Operate at full power, automatically flashing the international SOS signal with a full 1 kilometer illumination range. Easily recognizable by rescue personnel.

LED LIGHTS



► Flash Light



► Hanging Lantern



► Tent Lumination



COMMITMENT TO EXCELLENCE

In today's rapidly evolving and highly competitive environment, this translates into a total commitment to product quality, including conformity to all relevant safety & quality regulations and standards. Examples include:

- Regulation (EC) No.1907/2006 "Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)"
- EN 71 "Safety of toys" (European standard)
- EN 13138 "Buoyant aids for swimming instruction" (European standard)
- EN15649 "Floating leisure articles for use on and in the water" (European standard for airmats, lounges and other similar items)
- EN 60335-2-41 "Safety of household and similar electrical appliances, particular requirements for pumps" (European standard for water pumps)
- ISO 6185-1 "Inflatable boats" (International standard for Sports Boats)
- NMMA-ABYC (USA standard for hi-end sports boats)
- ASTM F963 "Standard Consumer Safety Specification for Toy Safety" (USA toy standard)
- ANSI/APSP-4 "AGP standard" (USA standard for above ground pools)
- CPSIA "Consumer Product Safety Improvement Act" (USA regulation of consumer and children's products)
- ASTM F2666 "Small pools standard" (USA standard for pools under 36" water depth)
- UL1450 "Electric inflators" (USA standard for electric inflators)
- UL1081 "Swimming pool pumps, filters and chlorinators" (USA standard)
- UL1563 "Electric Spas" (USA standard for Spa)

Intex's commitment to Excellence extends to helping our environment and supporting the ecosystem. It begins with product design. Intex's filter pumps operate on much lower amps than most filter pumps in the market, reducing electricity consumption. Our saltwater systems clean pools using only natural salt, eliminating the ongoing need for environmentally unfriendly packaged chlorine.

Intex also operates one of the most comprehensive recycling programs in the industry. We are the first company in China to successfully obtain a license to ship consumers' returns in the original package back to China to be recycled. Therefore, used materials and product returns are prevented from going to landfills and instead re-used in the manufacturing process where up to 10% of annually produced PVC is recycled.

Intex designs all of our own packaging for our products. We constantly challenge our methods of packaging to improve efficiency and reduce waste. More compact packaging techniques save cardboard while cutting down on space utilization, saving freight and fuel consumption.

As a manufacturer, Intex knows it has a responsibility to manage the amount of waste produced. As an employer of over ten thousand people, we also encourage our own employees to recycle, reduce waste, and be conscious of the environment. Starting from recycling corners for all our worldwide office facilities, our Factory has worked with the local government as well as through sponsorships with key partners to strengthen our efforts to be more eco-friendly. Intex has worked to provide incentives and seminars to employees as well as setting targets to reduce energy consumption. In addition, Intex has made significant investment in technology to achieve these goals. For example, we have implemented a frequency converter system which converts diesel to natural gas, installed solar water heaters and set up a recycled sewage system, and invested in equipment that reduces gas emissions.

From product design, to more efficient processes that save energy and reduce waste, to a world class recycling program, to more energy efficient offices, the people at Intex are striving to provide the best value products anywhere while constantly keeping our global ecosystem in mind.



INTEX®

Global Customer Service



Intex Customer Service Center



Phone operators are ready to answer customer questions quickly and accurately



Extensive training ensures that Customer Service Centers are staffed with knowledgeable members

In addition to the products featured in this catalog, Intex also offers replacement & repair parts for many items. Please contact our Intex representatives or the following Customer Service locations for additional information.

ARGENTINA JARSE INDUSTRIAL Y COMERCIAL S.A. Tel: 011-4942-2238 (interno 139/145) mcosoleto@jarse.com.ar www.jarse.com.ar	CZECH REPUBLIC INTEX TRADING S.R.O. Tel: +420-267-313-188 service@intexcorp.cz info@intexcorp.cz	GERMANY STEINBACH VERTRIEBSGMBH Tel: 0180-5-405-100-200 service@intexcorp.de www.intexcorp.de	NICARAGUA SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 507-300-3800 suproadmin@supropanama.com www.supropanama.com	SOUTH AFRICA WOOD & HYDE Tel: 086-0000-881 / 27-21-505-5500 ygoldman@melbro.co.za www.intexcorp.co.za
AUSTRALIA IDEAL SOURCES PTY LTD Tel: 1800-359-947 enquiries@idealsources.com.au www.idealsources.com.au	DENMARK NORSTAR A/S Tel: +45-8944-2200 intex.dk@norstar.eu www.intexnordic.com	GUATEMALA CENTURY USA, LLC Tel: (561) 495-0648 sales@centuryusa.com	NORWAY NORSTAR AS Tel: +47-33-48-74-10 intex.no@norstar.eu www.intexnordic.com	SPAIN COLOR BABY S.L. Tel: 902-767-010 sac@intexserviceiberia.com www.intexserviceiberia.com
AUSTRIA STEINBACH VERTRIEBSGMBH Tel: 0820-200-100-200 service@intexcorp.at www.intexcorp.at	DOMINICAN REPUBLIC CENTURY USA, LLC Tel: (561) 495-0648 sales@centuryusa.com	HONDURAS SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 507-300-3800 suproadmin@supropanama.com www.supropanama.com	PANAMA SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 507-300-3800 suproadmin@supropanama.com www.intexnordic.com	SWEDEN NORSTAR AB Tel: +46-431-44-41-00 intex.se@norstar.eu www.intexnordic.com
BELGIUM NV SIMBA TOYS BENELUX SA Tel: 0800-92088 intexsupport@nicotoy.be www.nicotoy.be	EASTERN EUROPE INTEX TRADING S.R.O. Tel: +420-267-313-188 info@intexcorp.cz	HUNGARY RECONTRA LTD./RICKI LTD. Tel: +361-372-5200/113 service@recontra.hu	PARAGUAY SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 507-300-3800 suproadmin@supropanama.com www.supropanama.com	SWITZERLAND GWM AGENCY Tel: 0900-455456 gwm@gwm.ch www.gwm.ch
BRASIL KONESUL MARKETING & SALES LTDA Tel: 55 (11) 5181 4646 sacintexbrasil@uol.com.br www.intexstore.com.br	ECUADOR SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 507-300-3800 suproadmin@supropanama.com www.intex.com	ISRAEL ALFIT TOYS LTD Tel: +972-3-9076666 rachelit@chagim.co.il www.intex.co.il	PERU COMEXA S.A. Tel: 446-9014 Tiempolibre.st@silfa.cl	UK JOHN ADAMS LEISURE LTD Tel: 0844-561-7129 sales@johnadams.co.uk www.intexspares.com
CANADA INTEX RECREATION CORP. Tel: 1-800-234-6839 www.intexcorp.com	EL SALVADOR SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 507-300-3800 suproadmin@supropanama.com www.supropanama.com	ITALY A & A MARKETING SERVICE Tel: 199-12-19-78 inx@kathay.com www.intexitalia.com	POLAND KATHAY HASTER Tel: +48-61-8498-334 inx@kathay.com.pl www.intexdevelopment.pl	UNITED STATES INTEX RECREATION CORP. Tel: 1-800-234-6839 www.intexcorp.com
Chile COMEXA BARBADOS Tel: 600-822-0700 Tiempolibre.st@silfa.cl	EUROPE INTEX TRADING B.V. Tel: 31-(0)165-593939 service@intexcorp.nl www.intexcorp.nl	MEXICO KAY INTERNACIONAL S.A. DE C.V. Tel: 01-800-347-4020 servicenter@kayinternacional.com www.kayinternacional.com	PORTUGAL COLOR BABY S.L. Tel: 211-104-361 sacpt@intexserviceiberia.com www.intexserviceiberia.com	Uruguay COMEXA BARBADOS Tel: 600-822-0700 Tiempolibre.st@silfa.cl
COLOMBIA CENTURY USA, LLC Tel: (561) 495-0648 sales@centuryusa.com	FINLAND NORSTAR OY Tel: +358-9-8190-530 info.fi@norstar.eu www.intexnordic.com	MIDDLE EAST REGION FIRST GROUP INTERNATIONAL Tel: 00971-4-80046839 intex@firstgroupinternational.com www.intexservice.ru	RUSSIA CENTURY USA, LLC Tel: +7-499-249-9400 service.intex@gmail.com www.intexservice.ru	VENEZUELA CENTURY USA, LLC Tel: (561) 495-0648 sales@centuryusa.com
COSTA RICA CENTURY USA, LLC Tel: (561) 495-0648 sales@centuryusa.com	FRANCE UNITEX / INTEX SERVICE FRANCE S.A.S Tel: 08-90-71-20-39 www.intex.fr	NEW ZEALAND HAKA NEW ZEALAND LIMITED Tel: 0800 634434 geoff@hakanz.co.nz www.hakanz.co.nz	SAUDI ARABIA SAUDI ARABIAN MARKETING & AGENCIES CO. LTD. Tel: 966-2-693 8496 Intex@samaco.com.sa www.samaco.com.sa	

PRODUCT LOCATOR TABLE

ITEM #	DESCRIPTION	PAGE	ITEM #	DESCRIPTION	PAGE	ITEM #	DESCRIPTION	PAGE	ITEM #	DESCRIPTION	PAGE
28000	SURFACE SKIMMER	32	28163	15'X36" EASY SET®	09	28349	400CMX200CM ULTRA	21	28677	SALTWATER COMBO	31
28001	AUTO POOL CLEANER	32	28164	15'X36" EASY SET®	09	28350	400CMX200CM ULTRA	21	28678	SALTWATER COMBO	31
28002	MAINTENANCE KIT	34	28165	15'X42" EASY SET®	11	28351	18'X9'X52" ULTRA	21	28681	SALTWATER COMBO	31
28003	MAINTENANCE KIT	34	28166	15'X42" EASY SET®	11	28352	18'X9'X52" ULTRA	21	28682	SALTWATER COMBO	31
28020	8'X12" POOL COVER	36	28167	8'X12" POOL COVER	11	28361	24'X12'X52" ULTRA	21	28684	POOL HEATER	32
28021	10'X12" POOL COVER	36	28168	15'X48" EASY SET®	11	28362	24'X12'X52" ULTRA	21	28687	POOL WALL LIGHT	41
28022	12'X12" POOL COVER	36	28175	18'X48" EASY SET®	11	28363	24'X12'X52" ULTRA	21	28688	POOL WALL LIGHT	41
28023	15'X12" POOL COVER	36	28176	18'X48" EASY SET®	11	28364	24'X12'X52" ULTRA	21	28689	LANDSCAPE LIGHT	42
28030	10'X10" POOL COVER	36	28191	18'X10'X42" OVAL	17	28371	32'X16'X52" ULTRA	21	28690	FLOATING LIGHT	40
28031	12'X10" POOL COVER	36	28192	18'X10'X42" OVAL	17	28372	32'X16'X52" ULTRA	21	29000	CARTRIDGE A	33
28032	15'X10" POOL COVER	36	28193	20'X12'X48" OVAL	17	28373	32'X16'X52" ULTRA	21	29002	FILTER CARTRIDGE A	33
28040	16" POOL COVER	36	28194	20'X12'X48" OVAL	17	28374	32'X16'X52" ULTRA	21	29003	FILTER CARTRIDGE A	33
28041	18" POOL COVER	36	28200	10'X30" METAL	14	28381	15'8"X49" SEQUOIA	23	29005	FILTER CARTRIDGE B	33
28048	15.5' GROUND CLOTH	36	28201	10'X30" METAL	14	28382	15'8"X49" SEQUOIA	23	29020	8' SOLAR COVER	35
28060	36" POOL LADDER	37	28202	10'X30" METAL	14	28391	18'8"X53" SEQUOIA	23	29021	10' SOLAR COVER	35
28061	42" POOL LADDER	37	28210	12'X30" METAL	14	28392	18'8"X53" SEQUOIA	23	29022	12' SOLAR COVER	35
28062	48" POOL LADDER	37	28211	12'X30" METAL	14	28393	18'8"X53" SEQUOIA	23	29023	15' SOLAR COVER	35
28063	52" POOL LADDER	37	28212	12'X30" METAL	14	28394	18'8"X53" SEQUOIA	23	29024	16' SOLAR COVER	35
28072	36" & 42" POOL LADDER	37	28231	15'X36" METAL	15	28603	530 FILTER PUMP	26	29025	18' SOLAR COVER	35
28074	48" & 52" POOL LADDER	37	28232	15'X36" METAL	15	28604	530 FILTER PUMP	26	29026	9'X18' SOLAR COVER	35
28101	6'X20" EASY SET®	06	28233	15'X42" METAL	15	28633	2500 FILTER PUMP	26	29027	12'X24' SOLAR COVER	35
28110	8'X30" EASY SET®	09	28234	15'X42" METAL	15	28634	2500 FILTER PUMP	26	29039	POOL THERMOMETER	33
28111	8'X30" EASY SET®	09	28235	15'X48" METAL	15	28635	1500 FILTER PUMP	26	29040	CHLORINE DISPENSERS	38
28112	8'X30" EASY SET®	09	28236	15'X48" METAL	15	28636	1500 FILTER PUMP	26	29041	CHLORINE DISPENSERS	38
28120	10'X30" EASY SET®	09	28237	18'X48" METAL	15	28637	1000 FILTER PUMP	26	29050	LEAF SKIMMER	38
28121	10'X30" EASY SET®	09	28252	18'X48" METAL	15	28638	1000 FILTER PUMP	26	29051	LEAF RAKE	38
28122	10'X30" EASY SET®	09	28261	24'X52" METAL	15	28643	1200 SAND FILTER	27	29052	10" WALL BRUSH	38
28124	10'X30" EASY SET®	07	28262	24'X52" METAL	15	28644	1200 SAND FILTER	27	29053	16" WALL BRUSH	38
28125	10'X30" EASY SET®	07	28270	SMALL RECTANGULAR	13	28645	2100 SAND FILTER	27	29054	POLE (94")	38
28126	10'X30" EASY SET®	07	28271	SMALL RECTANGULAR	13	28646	2100 SAND FILTER	27	29055	POLE (110")	38
28130	12'X30" EASY SET®	09	28272	SMALL RECTANGULAR	13	28647	2650 SAND FILTER	27	29056	CLEANING KIT	39
28131	12'X30" EASY SET®	09	28273	SMALL RECTANGULAR	13	28648	2650 SAND FILTER	27	29057	CLEANING KIT	39
28132	12'X30" EASY SET®	09	28321	16'X48" ULTRA	19	28649	3200 SAND FILTER	27	29058	GLASS FILTER MEDIA	39
28134	12'X30" EASY SET®	07	28322	16'X48" ULTRA	19	28651	3200 SAND FILTER	27	29059	1-1/4" HOSE	39
28135	12'X30" EASY SET®	07	28323	16'X48" ULTRA	19	28652	3200 SAND FILTER	27	29060	1-1/2" HOSE	39
28136	12'X30" EASY SET®	07	28324	16'X48" ULTRA	19	28661	SALTWATER SYSTEM	28	29080	FOOT BATH	33
28144	12'X36" EASY SET®	09	28325	16'X48" ULTRA	19	28662	SALTWATER SYSTEM	28	29081	FLOOR PROTECTOR	36
28145	12'X36" EASY SET®	09	28326	16'X48" ULTRA	19	28663	SALTWATER SYSTEM	28	29082	CARTRIDGE CLEANER	33
28146	12'X36" EASY SET®	09	28331	18'X52" ULTRA	19	28664	SALTWATER SYSTEM	28	29083	SPIRAL HOSE	39
28160	15'X36" EASY SET®	09	28332	18'X52" ULTRA	19	28665	SALTWATER & OZONE	29	57172	MINI METAL	12
28161	15'X36" EASY SET®	09	28333	18'X52" ULTRA	19	28666	SALTWATER & OZONE	29	57173	MINI METAL	12
28162	15'X36" EASY SET®	09	28334	18'X52" ULTRA	19	28671	SALTWATER COMBO	30	68690	5-IN-1 LED LIGHT	43
						28672	SALTWATER COMBO	30	68691	5-IN-1 LED LIGHT	43

AGE GRADING



An icon indicates an item has an age recommendation

ALL ELECTRICAL ACCESSORIES:

- Conforms to UL/CSA standards (110-120V models)
- CE approved (220-240V models)
- TUV-GS approved (GS designation models)

As a part of our program of product development and improvement, the detail specifications of the products shown in this catalog may be changed. For current specifications on any product, please contact your supplier of Intex products.

Intex introduces two additional designations in our catalog that highlight additional safety features that are included on a number of our pools. These designations are:



Pools with these letters after the 5-digit item code incorporate a GFCI (ground fault circuit interrupter) built into the filter pump. The GFCI unit is an added safety feature and is designed to instantly shut the pump off if electrical current comes into contact with water. GFCI units are included in all 110-120V pool sets, filter pumps and saltwater systems.



Pools with the GS designation after the 5-digit item code either incorporate an RCD built into the 220-240V filter pump, or contain filter pumps that operate with a 12V step-down transformer, which reduces the voltage dramatically while retaining the same performance level as the 220-240V version. Both are designed to meet special national requirements in some EU markets.

AGP2014

ABOVE GROUND POOLS

INTERNATIONAL

Intex Development Co., Ltd.
9th Floor, Dah Sing Financial Centre,
108 Gloucester Road, Wanchai,
Hong Kong
Tel: (852) 2827-0000
Fax: (852) 2311-8200
E-mail: info@intexdevelopment.com
Web: www.intexdevelopment.com

USA

Intex Recreation Corp.
P.O. Box 1440
Long Beach, CA 90801-1440
USA
Tel: (310) 549-5400
Fax: (310) 513-6905
Web: www.intexcorp.com

EUROPE

Intex Trading B.V.
Venneveld 9,
4705 RR Roosendaal,
The Netherlands
Tel: (31) 165-593920
Fax: (31) 165-593969
E-mail: info@intexcorp.nl
Web: www.intexcorp.nl

Intex Trading s.r.o.
Benešovská 23
101 00 Praha 10
Czech Republic
Tel: (420) 267 312 645
Fax: (420) 267 312 552
E-mail: info@intexcorp.cz
Web: www.intexdevelopment.com

Unitex Service (France) S.A.S.
Z.A. de Milleure Bois du Ban - N°4
71480 LE MIROIR, France
Tel: (33) 385 75 64 64
Fax: (33) 385 75 64 65
E-mail: info@intexcorp.com.fr
Web: www.intex.fr



©2013 Intex Marketing Ltd. - Intex Development Co., Ltd. - Intex Trading Ltd.
- Intex Recreation Corp. All rights reserved. • Printed in China
®™ Trademarks used in some countries of the world under license from Intex Marketing Ltd.
to Intex Trading Ltd., Intex Development Co., Ltd., G.P.O Box 28829, Hong Kong, and
Intex Recreation Corp., P.O. Box 1440, Long Beach, CA 90801.

