

2013 AGP

ABOVE GROUND POOLS

INTERNATIONAL

Intex Development Co., Ltd.
9th Floor, Dah Sing Financial Centre,
108 Gloucester Road, Wanchai,
Hong Kong
Tel: (852) 2827-0000
Fax: (852) 2311-8200
E-mail: info@intexdevelopment.com
Website: www.intexdevelopment.com

USA

Intex Recreation Corp.
P.O. Box 1440,
Long Beach,
CA 90801-1440, USA
Tel: (310) 549-5400
Fax: (310) 513-6905
Website: www.intexcorp.com

EUROPE

Intex Trading B.V.
Venneveld 9,
4705 RR Roosendaal,
The Netherlands
Tel: (31) 165-593920
Fax: (31) 165-593969
E-mail: info@intexcorp.nl
Website: www.intexcorp.nl

Intex Trading s.r.o.
Benešovská 23
101 00 Praha 10
Czech Republic
Tel: (420) 267 312 645
Fax: (420) 267 312 552
E-mail: info@intexcorp.cz
Website: www.intexdevelopment.com

Unitex Service (France) S.A.S.
Z.A. de Milleure Bois du Ban - N°4
71480 LE MIROIR, France
Tel: (33) 385 75 64 64
Fax: (33) 385 75 64 65
E-mail: info@intexcorp.com.fr
Website: www.intex.fr



AGP 2013

ABOVE GROUND POOLS

INTEX®



©2012 Intex Marketing Ltd. - Intex Development Co., Ltd. - Intex Trading Ltd.
- Intex Recreation Corp. All rights reserved. • Printed in China
®™ Trademarks used in some countries of the world under license from Intex Marketing Ltd.
to Intex Trading Ltd., Intex Development Co., Ltd., G.P.O Box 28829, Hong Kong, and
Intex Recreation Corp., P.O. Box 1440, Long Beach, CA 90801.

AGP

ABOVE GROUND POOLS



INTRODUCTION

The Intex Family of companies is dedicated to developing and manufacturing the highest quality products that not only provide the best value in price, but are innovative, fun and exciting. Backed by excellent Customer Service, Intex also provides first-rate after sales support. The 100+ independently owned and locally operated companies that make up the Intex Family all embrace this commitment to quality, service and price and are committed to working together to ensure the satisfaction of the families and individuals in countries across the globe who enjoy these products. This has become the hallmark of Intex around the world.

As a true industry leader, Intex boasts state of the art factories, trained and motivated people, products that meet rigorous testing requirements and a Customer Service organization that will go extra lengths to ensure our customers are satisfied and happy with their purchases.

That's why when you purchase an Intex product you can be confident that you are buying the best product, at the best price, backed by the best Customer Service organization in the industry.

2013

Intex is committed to delivering top quality products at a great value with the backing of a responsive Customer Service organization. Our above ground pool line begins with our world famous Easy Set® pools that are great for families purchasing their first pool, to our deluxe Ultra Frame™ pools that are beautiful, incredibly strong, and large enough for the whole neighborhood to swim in! And no pool is complete without accessories. That's why Intex provides a full line, including sand filters, saltwater systems, filter pumps, cartridges, and much more that will extend your customers' swimming season and keep them coming back for more. Ask your Intex representative for any of our product catalogs – we are confident that you will agree that Intex's product line-up is unmatched in meeting your needs.



INTEX PROVIDES THE BROADEST,
MOST INNOVATIVE LINE OF ABOVE
GROUND POOLS IN THE WORLD.

Contents



EASY SET® POOLS

Some of the easiest family & friend-size pools in the world to set up and enjoy! A fantastic value as well as the perfect pool for young families.

06



SMALL FRAME POOLS

The perfect pools for younger children and small yards. Easy to assemble, easy to manage. Available in multiple sizes and fun colors.

12



METAL FRAME POOLS

The "classic" backyard line of pools. Built with solid, yet easy to assemble frames, these pools come in a broad range of sizes. Great for families, friends, and the whole neighborhood!

14



OVAL FRAME POOLS

The ideal blend of Easy Set® and Metal Frame Pool! Convenience in a shape that fits longer, more narrow yards. Perfect for laps and volleyball.

18



ULTRA FRAME™ POOLS

These pools are the ultimate: big, beautiful, elegant, and easy to set up and maintain. Their unique frame design makes them even stronger than standard Metal Frame Pools – built to enjoy and impress!

20



SEQUOIA SPIRIT™ WOOD-GRAIN FRAME POOLS

Looking for the beauty of a wood grain pool without the hassle of real wood? These are the perfect pools. A classic natural wood look, but with the convenience and strength of a Metal Frame Pool.

26



KRYSTAL CLEAR™ POOLWATER SYSTEMS

Intex's line of above ground pool cleaning systems are the most innovative and broadest in the market. It keeps pool water clean and fresh all summer long.

28



POOL ACCESSORIES

From pool maintenance kits to new ground cloths and pool covers, these accessories help make owning a pool easy and convenient.

36



LED LIGHTS

LED lights are easy to use and lets you enjoy your pool at night.

44

PERFECT STARTER POOL!

Are the kids ready for their first "big" pool? Intex has the answer: this new, unique, perfectly sized Easy Set® pool is super-easy for parents to set up, and just the right size for younger kids to enjoy their first 'big person' pool! Available in bold aqua color.



06

OCEAN REEF EASY SET® POOL

USES A NEW PHOTO-REALISTIC PRINTING PROCESS TO CAPTURE THE LOOK OF A LIFE-SIZE AQUARIUM

AQUARIUM IN THE BACKYARD!

Our Ocean Reef Easy Set® Pool uses a brand-new printing technology that makes it irresistible for kids who want to swim in a life-size aquarium. This photo-like pool will add visual interest to the backyard for many summers. Available in two sizes.



Easy Set® Pools: 6+



6' x 20" (183cm x 51cm) Approximate set-up size

FEATURES	VOLTAGE		CASE PACK	CASE WEIGHT
NEW! 54402 / E	—	—	2 Ea. 1 Box	15.1 Lb. (6.8kg)

Water Capacity (80%): 234 gal. (886 L)

Ready for Water in 10 Minutes

10' x 30" (305cm x 76cm) Approximate set-up size

FEATURES	VOLTAGE		CASE PACK	CASE WEIGHT
54900 / E	—	—	1 Ea. 1 Box	18.5 Lb. (8.4kg)
54901 / EG	110-120 volt W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	24.4 Lb. (11.1kg)
54902	220-240 volt	530 gal. (2,006 L)	1 Ea. 1 Box	24.2 Lb. (11.0kg)
54902GS	12 volt	600 gal. (2,271 L)	1 Ea. 1 Box	26.8 Lb. (12.2kg)

Water Capacity (80%): 1,018 gal. (3,853 L)

Ready for Water in 10 Minutes

12' x 30" (366cm x 76cm) Approximate set-up size

FEATURES	VOLTAGE		CASE PACK	CASE WEIGHT
54904 / E	—	—	1 Ea. 1 Box	27.4 Lb. (12.5kg)
54905 / EG	110-120 volt W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	33.6 Lb. (15.3kg)
54906	220-240 volt	530 gal. (2,006 L)	1 Ea. 1 Box	33.4 Lb. (15.2kg)
54906GS	12 volt	600 gal. (2,271 L)	1 Ea. 1 Box	35.9 Lb. (16.3kg)

Water Capacity (80%): 1,485 gal. (5,621 L)

Ready for Water in 10 Minutes



EASY SET® POOLS

These are the pools that revolutionized the industry, allowing millions of families to enjoy backyard swimming. And nobody has built more of them, or understands them better than Intex.

Incredibly easy to assemble, easy to maintain, and fun to own, Intex's broad line of Easy Set® pools include a range of accessories that will enhance your customers' pool ownership experience, and keep them coming back for years.




The 530 gal (2,006 L) cartridge filter pump is included in most 8' (244 cm), 10' (305 cm), and 12' (366 cm) Easy Set® pool sets and keeps pools fresh and clean all summer!




English/Spanish and multi-language international packaging available

8' x 30" (244cm x 76cm) Approximate set-up size

FEATURES	VOLTAGE		CASE PACK	CASE WEIGHT
56970 / E	—	—	1 Ea. 1 Box	13.9 Lb. (6.3kg)
NEW! 56971 / EG	110-120 volt W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	19.9 Lb. (9.1kg)
NEW! 56972	220-240 volt	530 gal. (2,006 L)	1 Ea. 1 Box	19.7 Lb. (9.0kg)
NEW! 56972GS	12 volt	600 gal. (2,271 L)	1 Ea. 1 Box	22.2 Lb. (10.1kg)





Water Capacity (80%): 639 gal. (2,419 L) Ready for Water in 10 Minutes

12' x 30" (366cm x 76cm) Approximate set-up size

FEATURES	VOLTAGE		CASE PACK	CASE WEIGHT
56420 / E	—	—	1 Ea. 1 Box	27.3 Lb. (12.4kg)
56421 / EG	110-120 volt W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	33.6 Lb. (15.3kg)
56422	220-240 volt	530 gal. (2,006 L)	1 Ea. 1 Box	33.3 Lb. (15.2kg)
56422GS	12 volt	600 gal. (2,271 L)	1 Ea. 1 Box	35.9 Lb. (16.3kg)

Water Capacity (80%): 1,485 gal. (5,621 L) Ready for Water in 10 Minutes


15' x 36" (457cm x 91cm) Approximate set-up size

FEATURES	VOLTAGE					CASE PACK	CASE WEIGHT
56410 / E	—	—	—	—	—	1 Ea. 1 Box	43.8 Lb. (19.9kg)
56411 / EG	110-120 volt (W/GFCI)	1,000 gal. (3,785 L)	—	—	—	1 Ea. 1 Box	50.8 Lb. (23.1kg)
56412	220-240 volt	1,000 gal. (3,785 L)	—	—	—	1 Ea. 1 Box	50.8 Lb. (23.1kg)
56412GS	12 volt	900 gal. (3,407 L)	—	—	—	1 Ea. 1 Box	54.3 Lb. (24.7kg)
NEW! 54913 / EG	110-120 volt (W/GFCI)	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	82.7 Lb. (37.6kg)
NEW! 54914	220-240 volt	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	82.7 Lb. (37.6kg)
NEW! 54914GS	12 volt	900 gal. (3,407 L)	•	•	•	1 Ea. 1 Box	86.0 Lb. (39.1kg)

Water Capacity (80%): 2,822 gal. (10,681 L)


Ready for Water in 15 Minutes

10' x 30" (305cm x 76cm) Approximate set-up size

FEATURES	VOLTAGE		CASE PACK	CASE WEIGHT
56920 / E	—	—	1 Ea. 1 Box	18.5 Lb. (8.4kg)
56921 / EG	110-120 volt W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	24.4 Lb. (11.1kg)
56922	220-240 volt	530 gal. (2,006 L)	1 Ea. 1 Box	24.2 Lb. (11.0kg)
56922GS	12 volt	600 gal. (2,271 L)	1 Ea. 1 Box	26.8 Lb. (12.2kg)

Water Capacity (80%): 1,018 gal. (3,853 L) Ready for Water in 10 Minutes

12' x 36" (366cm x 91cm) Approximate set-up size

FEATURES	VOLTAGE		CASE PACK	CASE WEIGHT
56930 / E	—	—	1 Ea. 1 Box	31.7 Lb. (14.4kg)
56931 / EG	110-120 volt W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	37.8 Lb. (17.2kg)
56932	220-240 volt	530 gal. (2,006 L)	1 Ea. 1 Box	37.6 Lb. (17.1kg)
56932GS	12 volt	600 gal. (2,271 L)	1 Ea. 1 Box	40.2 Lb. (18.3kg)

Water Capacity (80%): 1,779 gal. (6,734 L) Ready for Water in 10 Minutes

EXPERIENCE THE ULTIMATE SUMMER

Make a splash all summer long with the Intex Easy Set® with your family and friends in your own backyard!



INTEX 15' (457CM)
EASY SET® POOLS COME
IN THREE POPULAR
HEIGHTS!



15' (457cm) Easy Set® pool sets include the 1,000 gal (3,785 L) filter pump, which is ideal for excellent water filtration.



English/Spanish and multi-language international packaging available

15' x 42" (457cm x 107cm) Approximate set-up size

FEATURES	VOLTAGE					CASE PACK	CASE WEIGHT
NEW! 54907 / EG	110-120 volt (W/GFCI)	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	89.3 Lb. (40.6kg)
NEW! 54908	220-240 volt	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	89.3 Lb. (40.6kg)
NEW! 54908GS	12 volt	900 gal. (3,407 L)	•	•	•	1 Ea. 1 Box	92.4 Lb. (42.0kg)

Water Capacity (80%): 3,284 gal. (12,430 L)

Ready for Water in 15 Minutes

15' x 48" (457cm x 122cm) Approximate set-up size

FEATURES	VOLTAGE					CASE PACK	CASE WEIGHT
NEW! 54915 / EG	110-120 volt (W/GFCI)	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	98.3 Lb. (44.7kg)
NEW! 54916	220-240 volt	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	98.1 Lb. (44.6kg)
NEW! 54916GS	12 volt	900 gal. (3,407 L)	•	•	•	1 Ea. 1 Box	101.6 Lb. (46.2kg)

Water Capacity (80%): 3,736 gal. (14,141 L)

Ready for Water in 15 Minutes

18' x 48" (549cm x 122cm) Approximate set-up size

FEATURES	VOLTAGE					CASE PACK	CASE WEIGHT
NEW! 54919 / EG	110-120 volt (W/GFCI)	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	138.6 Lb. (63.0kg)
NEW! 54920	220-240 volt	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	138.6 Lb. (63.0kg)
NEW! 54920GS	12 volt	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	145.2 Lb. (66.0kg)

Water Capacity (80%): 5,455 gal. (20,647 L)

Ready for Water in 30 Minutes

MINI FRAME™ POOLS

Looking for that first frame pool for growing children? Intex's new Mini Frame™ Pools are the perfect solution! These colorful, easy to assemble, sturdy pools are an ideal size and depth for younger children ready for their first "big person" pool. Available in aqua, orange, and yellow colors.



12



Small Frame Pools




Rectangular Frame Pools are not only easy to set up but are fun for the whole family!



English/Spanish and multi-language international packaging available



4' x 4' x 12" (122cm x 122cm x 30cm) Approximate set-up size

FEATURES	VOLTAGE		CASE PACK	CASE WEIGHT
NEW! 57171NP / EP	-	-	3 Ea., Asst. 1 Box	31.2 Lb. (14.2kg)
Water Capacity (80%): 89 gal. (337 L)			Ready for Water in 10 Minutes	

FEATURES	APPROXIMATE SET-UP SIZE	WATER CAPACITY (90%)	READY FOR WATER IN	CASE PACK	CASE WEIGHT
58983 / E	86 ⁵ / ₈ " x 59" x 23 ⁵ / ₈ " (2.2m x 1.5m x 0.60m)	439 gal. (1,662 L)	30 Minutes	1 Ea. 1 Box	35.2 Lb. (16.0kg)
58980 / E	102 ¹ / ₂ " x 63" x 25 ⁵ / ₈ " (2.6m x 1.6m x 0.65m)	603 gal. (2,282 L)	30 Minutes	1 Ea. 1 Box	40.0 Lb. (18.2kg)
58981 / E	118" x 78 ³ / ₄ " x 29 ¹ / ₂ " (3.0m x 2.0m x 0.75m)	1,013 gal. (3,834 L)	30 Minutes	1 Ea. 1 Box	47.3 Lb. (21.5kg)
58982 / E	177 ¹ / ₄ " x 86 ⁵ / ₈ " x 33" (4.5m x 2.2m x 0.84m)	1,883 gal. (7,127 L)	30 Minutes	1 Ea. 1 Box	95.7 Lb. (43.5kg)



The 1,000 gal (3,785 L) filter pump is included in 15' (457cm) metal frame pool sets and ensures sparkling fresh water.



English/Spanish and multi-language international packaging available

NOTHING BEATS AN INTEX METAL FRAME POOL

This line of "classics" is broad enough to meet virtually any family's requirements: from beginning swimmers to neighborhood-size holiday parties!



10' x 30" (305cm x 76cm) Approximate set-up size

FEATURES	VOLTAGE		CASE PACK	CASE WEIGHT
56997 / E	-	-	1 Ea. 1 Box	41.8 Lb. (19.0kg)
56998 / EG	110-120 volt W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	47.5 Lb. (21.6kg)
56999	220-240 volt	530 gal. (2,006 L)	1 Ea. 1 Box	47.3 Lb. (21.5kg)
56999GS	12 volt	600 gal. (2,271 L)	1 Ea. 1 Box	49.8 Lb. (22.7kg)

Water Capacity (90%): 1,185 gal. (4,485 L) Ready for Water in 30 Minutes

12' x 30" (366cm x 76cm) Approximate set-up size

FEATURES	VOLTAGE		CASE PACK	CASE WEIGHT
56994 / E	-	-	1 Ea. 1 Box	55.0 Lb. (25.0kg)
56995 / EG	110-120 volt W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	61.2 Lb. (27.8kg)
56996	220-240 volt	530 gal. (2,006 L)	1 Ea. 1 Box	61.2 Lb. (27.8kg)
56996GS	12 volt	600 gal. (2,271 L)	1 Ea. 1 Box	63.5 Lb. (28.9kg)

Water Capacity (90%): 1,718 gal. (6,503 L) Ready for Water in 30 Minutes

15' x 36" (457cm x 91cm) Approximate set-up size

FEATURES	VOLTAGE					CASE PACK	CASE WEIGHT
NEW! 54941 / EG	110-120 volt (W/GFCI)	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	132.0 Lb. (60.0kg)
NEW! 54942	220-240 volt	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	132.0 Lb. (60.0kg)
NEW! 54942GS	12 volt	900 gal. (3,407 L)	•	•	•	1 Ea. 1 Box	135.3 Lb. (61.5kg)

Water Capacity (90%): 3,282 gal. (12,422 L) Ready for Water in 45 Minutes

15' x 42" (457cm x 107cm) Approximate set-up size

FEATURES	VOLTAGE					CASE PACK	CASE WEIGHT
NEW! 54939 / EG	110-120 volt (W/GFCI)	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	139.7 Lb. (63.5kg)
NEW! 54940	220-240 volt	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	139.7 Lb. (63.5kg)
NEW! 54940GS	12 volt	900 gal. (3,407 L)	•	•	•	1 Ea. 1 Box	143.0 Lb. (65.0kg)

Water Capacity (90%): 3,861 gal. (14,614 L) Ready for Water in 45 Minutes

POOLS BIG ENOUGH FOR THE WHOLE FAMILY AND NEIGHBORHOOD!

Beautiful, easy-to-assemble, durable, and designed for years of family and neighborhood fun, Metal Frame Pools have become a backyard classic. And Intex Metal Frame Pools are the best in class. Nobody offers consumers more Metal Frame Pools than Intex. From our 10' (305cm) starter pool, which is great for a family's first pool and perfect for smaller children, to our huge 24' (732cm) pool which can hold all the neighbors' kids, there is an Intex Metal Frame Pool for every family and for every occasion!



The 1,500 gal (5,678 L) filter pump, one of the most powerful and effective cartridge pumps, is included in 18' (549 cm) metal frame pools.



English/Spanish and multi-language international packaging available

15' x 48" (457cm x 122cm) Approximate set-up size

FEATURES	VOLTAGE					CASE PACK	CASE WEIGHT
NEW! 54945 / EG	110-120 volt (W/GFCI)	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	154.0 Lb. (70.0kg)
NEW! 54946	220-240 volt	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	154.0 Lb. (70.0kg)
NEW! 54946GS	12 volt	900 gal. (3,407 L)	•	•	•	1 Ea. 1 Box	158.2 Lb. (71.9kg)

Water Capacity (90%): 4,440 gal. (16,805 L)

Ready for Water in 45 Minutes

18' x 48" (549cm x 122cm) Approximate set-up size

FEATURES	VOLTAGE					CASE PACK	CASE WEIGHT
NEW! 54951 / EG	110-120 volt (W/GFCI)	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	197.6 Lb. (89.8kg)
NEW! 54952	220-240 volt	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	198.0 Lb. (90.0kg)
NEW! 54952GS	12 volt	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	203.9 Lb. (92.7kg)

Water Capacity (90%): 6,423 gal. (24,311 L)

Ready for Water in 60 Minutes

24' x 52" (732cm x 132cm) Approximate set-up size

FEATURES	VOLTAGE					CASE PACK	CASE WEIGHT
NEW! 54937 / EG	110-120 volt (W/GFCI)	2,500 gal. (9,464 L)	•	•	•	1 Ea. 1 Box	308.2 Lb. (140.1kg)
NEW! 54938	220-240 volt	2,500 gal. (9,464 L)	•	•	•	1 Ea. 1 Box	310.2 Lb. (141.0kg)

Water Capacity (90%): 12,481 gal. (47,241 L)

Ready for Water in 60 Minutes

Oval Frame Pools



18



Our 1,000 gal (3,785 L) filter pump included in the 18' x 10' x 42" (549cm x 305cm x 107cm) Oval Frame Pool set completely filters the pool's water in under 4 hours!



English/Spanish and multi-language international packaging available

THE VALUE OF AN EASY SET® POOL COMBINED WITH THE CLASSIC SHAPE OF A RECTANGULAR POOL!

For many consumers, a standard rectangular pool is their preferred choice. Intex oval shaped pools are a great bridge between Easy Set® and Rectangular Metal Frame pools, combining the benefits of both. It is quick and easy to assemble, with additional support from the frame, as well as a rectangular shape to maximize swimming area!

The frames are rust-proof coated, and assembled with snap-on joints eliminating the need for tools. The collection comes in two popular and family-friendly sizes. Perfect for narrower backyards, or lap swimmers! Available in 18' x 10' x 42" (549cm x 305cm x 107cm) and 20' x 12' x 48" (610cm x 366cm x 122cm) sizes.



18' x 10' x 42" (549cm x 305cm x 107cm) Approximate set-up size

FEATURES	VOLTAGE					CASE PACK	CASE WEIGHT
NEW! 54931 / EG	110-120 volt (W/GFCI)	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	135.2 Lb. (61.5kg)
NEW! 54932	220-240 volt	1,000 gal. (3,785 L)	•	•	•	1 Ea. 1 Box	135.2 Lb. (61.5kg)
NEW! 54932GS	12 volt	900 gal. (3,407 L)	•	•	•	1 Ea. 1 Box	138.9 Lb. (63.2kg)

Water Capacity (80%): 2,885 gal. (10,920 L)

Ready for Water in 30 Minutes

20' x 12' x 48" (610cm x 366cm x 122cm) Approximate set-up size

FEATURES	VOLTAGE					CASE PACK	CASE WEIGHT
NEW! 54933 / EG	110-120 volt (W/GFCI)	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	173.4 Lb. (78.8kg)
NEW! 54934	220-240 volt	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	173.6 Lb. (78.9kg)
NEW! 54934GS	12 volt	1,500 gal. (5,678 L)	•	•	•	1 Ea. 1 Box	179.7 Lb. (81.7kg)

Water Capacity (80%): 4,393 gal. (16,628 L)

Ready for Water in 30 Minutes



INTEX® PREMIUM POOL LINE

These pools, with their unique frames, are stronger than traditional Metal Frame Pools. They're easier to assemble because the shape allows the pieces to fit together so smoothly and securely that separate locking pins are not needed.

They come with a broad line of accessories guaranteed to make pool ownership and maintenance easier and enjoyable.



Some 16' x 48" (488cm x 122cm) Ultra Frame™ Pool sets come with the 1,200 gal (4,542 L) per hour Sand Filter Pump, which promises to keep pool water in fantastic condition!



English/Spanish and multi-language international packaging available

THE ULTRA FRAME™ COMES WITH THE ULTIMATE COMBINATION

For the ultimate combination of pool filtration, water sanitation, and convenience, these Ultra Frame™ Pools come with our Krystal Clear™ Sand Filter Pump & Saltwater System Combo. No other system on the market combines the gentle, thorough, environmentally-sensitive filtration and sanitation properties of sand and salt.

Maintenance is incredibly easy since sand only needs routine backwashing and replacement every 5 years, and salt never needs replacement under normal conditions. To make daily operation even easier, the combo comes with a built-in 24-hour timer that runs the system automatically.



16' x 48" (488cm x 122cm) Approximate set-up size

	FEATURES	VOLTAGE							CASE PACK	CASE WEIGHT
NEW!	54923 / EG	110-120 volt (W/GFCI)	1,200 gal. (4,542 L)	—	●	●	—	—	1 Ea. 1 Box	225.3 Lb. (102.4kg)
NEW!	54924	220-240 volt	1,200 gal. (4,542 L)	—	●	●	—	—	1 Ea. 1 Box	227.7 Lb. (103.5kg)
IMPROVED!	54469 / EG	110-120 volt (W/GFCI)	—	CG-54615 (1,200 gal./4,542 L)	●	●	●	●	1 Ea. 1 Box	228.8 Lb. (104.0kg)
IMPROVED!	54470	220-240 volt	—	CG-54616 (1,200 gal./4,542 L)	●	●	●	●	1 Ea. 1 Box	233.2 Lb. (106.0kg)

Water Capacity (90%): 5,061 gal. (19,156 L)

Ready for Water in 45 Minutes

18' x 52" (549cm x 132cm) Approximate set-up size

	FEATURES	VOLTAGE							CASE PACK	CASE WEIGHT
NEW!	54925 / EG	110-120 volt (W/GFCI)	1,600 gal. (6,056 L)	—	●	●	—	—	1 Ea. 1 Box	270.2 Lb. (122.8kg)
NEW!	54926	220-240 volt	1,600 gal. (6,056 L)	—	●	●	—	—	1 Ea. 1 Box	271.7 Lb. (123.5kg)
IMPROVED!	54957 / EG	110-120 volt (W/GFCI)	—	1,600 gal. (6,056 L)	●	●	●	●	1 Ea. 1 Box	297.0 Lb. (135.0kg)
	54958	220-240 volt	—	1,600 gal. (6,056 L)	●	●	●	●	1 Ea. 1 Box	299.6 Lb. (136.2kg)

Water Capacity (90%): 6,981 gal. (26,423 L)

Ready for Water in 60 Minutes

Ultra Frame™ Pools / Ultra Frame™ Rectangular Pools



Ultra Frame™ Pools:








Ultra Frame™ Rectangular Pools:



16' x 48" (488cm x 122cm) Approximate set-up size

157½" x 78¾" x 39⅜" (400cm x 200cm x 100cm) Approximate set-up size

	FEATURES	VOLTAGE				CASE PACK	CASE WEIGHT
NEW!	54921 / EG	110-120 volt (W/GFCI)	1,500 gal. (5,678 L)	•	•	1 Ea. 1 Box	198.0 Lb. (90.0kg)
NEW!	54922	220-240 volt	1,500 gal. (5,678 L)	•	•	1 Ea. 1 Box	197.6 Lb. (89.8kg)
NEW!	54922GS	12 volt	1,500 gal. (5,678 L)	•	•	1 Ea. 1 Box	204.2 Lb. (92.8kg)

	FEATURES	VOLTAGE			CASE PACK	CASE WEIGHT
NEW!	54181 / EG	110-120 volt (W/GFCI)	530 gal. (2,006 L)	•	1 Ea. 1 Box	128.7 Lb. (58.5kg)
NEW!	54182	220-240 volt	530 gal. (2,006 L)	•	1 Ea. 1 Box	128.7 Lb. (58.5kg)
NEW!	54182GS	12 volt	600 gal. (2,271 L)	•	1 Ea. 1 Box	131.2 Lb. (59.7kg)

Water Capacity (90%): 5,061 gal. (19,156 L)

Ready for Water in 45 Minutes

Water Capacity (90%): 1,806 gal. (6,836 L)

Ready for Water in 45 Minutes

ULTRA FRAME™ RECTANGULAR POOLS

The ultimate in above ground pools. Soft gray laminated pool liner, brilliant white copings and pool-water blue tile print interior make a fashion statement anywhere. With this luxury pool, add summer fun and beauty to any backyard!



22



Krystal Clear™ Sand Filters offer the best possible filtration and are extremely economical.



English/Spanish and multi-language international packaging available

Ultra Frame™ Rectangular Pools



DVD
included

Ultra Frame™ Rectangular Pools: 6+

BEAUTY, STRENGTH, AND FLEXIBILITY IN A SIZE THAT WILL FIT IN ANY YARD!

Our larger Rectangular Pools are designed for pool enthusiasts with an eye for value and beauty.

The ultimate in above ground pools - our 18' x 9' x 52" (549cm x 274cm x 132cm), 24' x 12' x 52" (732cm x 366cm x 132cm) and 32' x 16' x 52" (975cm x 488cm x 132cm) rectangular pools come in a beautiful gray color with our sleek, extra-strong Ultra Frame™.

Combine these great pools with our broad line of accessories, and you will have satisfied customers for years to come!

18' x 9' x 52" (549cm x 274cm x 132cm) Approximate set-up size

FEATURES	VOLTAGE					CASE PACK	CASE WEIGHT
NEW! 54981 / EG	110-120 volt (W/GFCI)	1,200 gal. (4,542 L)	•	•	•	1 Ea. 1 Box	289.3 Lb. (131.5kg)
NEW! 54982	220-240 volt	1,200 gal. (4,542 L)	•	•	•	1 Ea. 1 Box	291.7 Lb. (132.6kg)

Water Capacity (90%): 4,545 gal. (17,203 L)

Ready for Water in 60 Minutes

Ultra Frame™ Rectangular Pools



24



The 2,650 gal (10,030 L) per hour Sand Filter and Saltwater System Combo comes with the 32' x 16' x 52' pool set and is the top of the line in pool sanitation.



English/Spanish and multi-language international packaging available

TRUE NEIGHBORHOOD-SIZE POOLS PLUS DELUXE CLEANING SYSTEMS!

For the ultimate combination of pool filtration, water sanitation, and convenience, these Ultra Frame™ Rectangular pools come with our Krystal Clear™ Sand Filter Pump & Saltwater System Combos. No other system on the market combines the gentle, thorough, environmentally-sensitive filtration and sanitation properties of sand and salt.

All-natural salt and eco-friendly sand filter and sanitize the water without harsh, packaged chlorine.

Maintenance is incredibly easy since sand only needs routine backwashing and replacement every 5 years, and salt never needs replacement under normal conditions. To make daily operation even easier, the combo comes with a built-in 24-hour timer that runs the system automatically.

And for even better water filtration than sand, read about Intex's Glass Filtration Media on page 43.



24' x 12' x 52" (732cm x 366cm x 132cm) Approximate set-up size

FEATURES	VOLTAGE							CASE PACK	CASE WEIGHT
NEW! 54983 / EG	110-120 volt (W/GFCI)	1,600 gal. (6,056 L)	—	●	●	—	—	1 Ea. 2 Boxes	400.4 Lb. (182.0kg)
NEW! 54984	220-240 volt	1,600 gal. (6,056 L)	—	●	●	—	—	1 Ea. 2 Boxes	402.6 Lb. (183.0kg)
IMPROVED! 54979 / EG	110-120 volt (W/GFCI)	—	1,600 gal. (6,056 L)	●	●	●	●	1 Ea. 2 Boxes	427.5 Lb. (194.3kg)
54980	220-240 volt	—	1,600 gal. (6,056 L)	●	●	●	●	1 Ea. 2 Boxes	430.1 Lb. (195.5kg)

Water Capacity (90%): 8,403 gal. (31,805 L)

Ready for Water in 60 Minutes

32' x 16' x 52" (975cm x 488cm x 132cm) Approximate set-up size

FEATURES	VOLTAGE							CASE PACK	CASE WEIGHT
NEW! 54989 / EG	110-120 volt (W/GFCI)	2,650 gal. (10,030 L)	—	●	●	—	—	1 Ea. 2 Boxes	543.4 Lb. (247.0kg)
NEW! 54990	220-240 volt	2,650 gal. (10,030 L)	—	●	●	—	—	1 Ea. 2 Boxes	543.4 Lb. (247.0kg)
IMPROVED! 54987 / EG	110-120 volt (W/GFCI)	—	2,650 gal. (10,030 L)	●	●	●	●	1 Ea. 2 Boxes	573.5 Lb. (260.7kg)
54988	220-240 volt	—	2,650 gal. (10,030 L)	●	●	●	●	1 Ea. 2 Boxes	575.1 Lb. (261.4kg)

Water Capacity (90%): 14,364 gal. (54,368 L)

Ready for Water in 90 Minutes



The 1,600 gal (6,056 L) per hour Sand Filter and Saltwater System Combo uses state-of-the-art technology to keep pool water unbelievably clean and fresh and comes with the 18'8" x 53" (569cm x 135cm) Sequoia Spirit™ Pool set.



English/Spanish and multi-language international packaging available

INTEX'S BEAUTIFUL SEQUOIA SPIRIT™ WOOD-GRAIN FRAME POOLS – CLASSIC BEAUTY AT A GREAT VALUE!

Nothing matches an Intex Sequoia Spirit™ Wood-Grain Frame Pool. Our wood-grain pool comes in two popular sizes - 15'8" x 49" (478cm x 124cm) and 18'8" x 53" (569cm x 135cm) that is sure to fit most backyards and make a beautiful addition to any home!

For the ultimate combination of pool filtration, water sanitation, and convenience, the Sequoia Spirit™ comes with our Krystal Clear™ Sand Filter Pump & Saltwater System Combo. No other system on the market combines the gentle, thorough, environmentally-sensitive filtration and sanitation properties of sand and salt.



15'8" x 49" (478cm x 124cm) Approximate set-up size

FEATURES	VOLTAGE					CASE PACK	CASE WEIGHT
NEW! 54927 / EG	110-120 volt (W/GFCI)	1,200 gal. (4,542 L)	•	•	•	1 Ea. 3 Boxes	510.4 Lb. (232.0kg)
NEW! 54928	220-240 volt	1,200 gal. (4,542 L)	•	•	•	1 Ea. 3 Boxes	511.5 Lb. (232.5kg)

Water Capacity (90%): 4,440 gal. (16,805 L)

Ready for Water in 120 Minutes

18'8" x 53" (569cm x 135cm) Approximate set-up size

FEATURES	VOLTAGE							CASE PACK	CASE WEIGHT
NEW! 54929 / EG	110-120 volt (W/GFCI)	1,600 gal. (6,056 L)	–	•	•	–	–	1 Ea. 3 Boxes	638.0 Lb. (290.0kg)
NEW! 54930	220-240 volt	1,600 gal. (6,056 L)	–	•	•	–	–	1 Ea. 3 Boxes	641.1 Lb. (291.4kg)
IMPROVED! 54967 / EG	110-120 volt (W/GFCI)	–	1,600 gal. (6,056 L)	•	•	•	•	1 Ea. 3 Boxes	655.4 Lb. (297.9kg)
54968	220-240 volt	–	1,600 gal. (6,056 L)	•	•	•	•	1 Ea. 3 Boxes	659.1 Lb. (299.6kg)

Water Capacity (90%): 6,981 gal. (26,423 L)

Ready for Water in 150 Minutes

INTEX PROVIDES THE BROADEST, MOST INNOVATIVE LINE OF ABOVE GROUND POOL CLEANING SYSTEMS IN THE WORLD.

POOL FILTRATION SYSTEMS



4 models
(Details on page 30)

CARTRIDGE FILTER PUMPS

Advantages:

- Cartridges provide excellent water filtration
- Easy to use: simply replace old cartridge with a new one every 2 weeks
- Intex high quality replacement cartridges are widely available
- 24-hour auto timer on some models

POOL SANITATION SYSTEMS



2 models
(Details on page 32)

SALTWATER SYSTEM WITH COPPER IONIZATION

Advantages:

- Eliminates bacteria & algae from pool water using a virtually undetectable amount of all natural salt
- Much gentler on skin, eyes, clothes, and hair than packaged chlorine
- Salt is economical & much more environmentally friendly than packaged chlorine
- 24-hour auto timer included

COMBINATION FILTRATION & SANITATION SYSTEMS



1 model
(Details on page 34)

CARTRIDGE FILTER PUMP & SALTWATER SYSTEMS

Combines cartridge filter pump with saltwater system



3 models
(Details on page 31)

SAND FILTER PUMPS

Advantages:

- All natural sand provides excellent water filtration
- Economical & environmentally friendly
- Requires virtually no maintenance except replacement of sand every 5 years
- 24-hour auto timer included



1 model
(Details on page 33)

SALTWATER SYSTEM WITH OZONE

Advantages:

- Ozone is the most powerful sanitizing method for poolwater.
- The only 100% natural and biodegradable pool sanitizing agent.
- Odorless
- Saltwater system provides residual cleaning action and soft, smooth water for swimmers.
- 24-hour auto timer included.



2 models
(Details on page 35)

SAND FILTER PUMP & SALTWATER SYSTEMS

Combines sand filter pump with saltwater system

POOL FILTRATION SYSTEMS

KRYSTAL CLEAR™ CARTRIDGE FILTER PUMPS

Cartridge Filter Pump Features Include:

- Easy installation – just hook-up hoses and plug in
- Double insulated pump
- Air release valve for air trapped inside filter chamber
- Sediment flush valve at bottom of filter chamber (56635/56636/56633/56634)
- Auto timer for easier use (56635/56636/56633/56634), except 56636GS
- Conforms to UL/CSA standards (110-120 volt models)
- CE approved (220-240 volt models)
- TUV approved (12 volt models) • Shelf box

Efficient filtration is essential for a quality swim experience. Who wants to swim in a dirty pool?

Intex's line of pumps and cartridges has been greatly improved to guarantee a cleaner pool with:

- Powerful pumps in several of our most popular pool sets
- Filter cartridges with thicker, heavier paper and more pleats
- Water inlet jets for enhanced water flow back into the pool

The results will be faster water circulation, improved filtration, and best of all – a superior swim experience!



#58603
#58604



#56637
#56638



#56635
#56636



#56633
#56634

KRYSTAL CLEAR™ SAND FILTER PUMPS



6-Way Valve



Pressure Gauge



Heavy Duty Tank

Tank Sizes:

12"	305mm
14"	360mm
16"	410mm



Strainer Basket



Built-in Timer



Powerful Motor



#56685
#56686



#56673
#56674



#56671
#56672

30

Item#	Voltage	Easy Set® Pool Models	Frame Pool Models	Oval Frame Pool Models	Pump flow rate Gal. (L)/hr	System flow rate Gal. (L)/hr	Case Pack	Case Weight Lb. (Kg)
58603 / EG	110-120 (W/GFCI)	8'/10'/12' (244/305/366cm)	10'/12' (305/366cm)	–	530 (2,006)	475 (1,798)	4	29.4 (13.4)
58604	220-240	8'/10'/12' (244/305/366cm)	10'/12' (305/366cm)	–	530 (2,006)	475 (1,798)	4	26.5 (12.1)
58604GS	12	8'/10'/12' (244/305/366cm)	10'/12' (305/366cm)	–	600 (2,271)	500 (1,893)	4	38.9 (17.7)
56637 / EG	110-120 (W/GFCI)	15' (457cm)	15' (457cm)	18'x10' (549x305cm)	1,000 (3,785)	750 (2,839)	4	34.8 (15.8)
56638	220-240	15' (457cm)	15' (457cm)	18'x10' (549x305cm)	1,000 (3,785)	750 (2,839)	4	32.6 (14.8)
56638GS	12	15' (457cm)	15' (457cm)	18'x10' (549x305cm)	900 (3,407)	700 (2,650)	4	50.6 (23.0)
56635 / EG	110-120 (W/GFCI)	18' (549cm)	18' (549cm)	20'x12' (610x366cm)	1,500 (5,678)	1,180 (4,466)	1	18.3 (8.3)
56636	220-240	18' (549cm)	18' (549cm)	20'x12' (610x366cm)	1,500 (5,678)	1,180 (4,466)	1	17.8 (8.1)
56636GS	12	18' (549cm)	18' (549cm)	20'x12' (610x366cm)	1,500 (5,678)	1,100 (4,164)	1	24.4 (11.1)
56633 / EG	110-120 (W/GFCI)	–	24' (732cm)	–	2,500 (9,463)	1,900 (7,192)	1	25.2 (11.5)
56634	220-240	–	24' (732cm)	–	2,500 (9,463)	1,900 (7,192)	1	26.4 (12.0)

FEATURES

- 6-function control
- 24-hour automatic timer
- 0.95 horse power pump with 2,650 gph (10,030 L/hr) flow
- 0.50 horse power pump with 1,600 gph (6,056 L/hr) flow
- 0.25 horse power pump with 1,200 gph (4,542 L/hr) flow
- GFCI unit (110-120 V version)
- Skimmer basket

BENEFITS

- Enables pool owner to Filter, Backwash, Rinse, Recirculate, Drain & Close system
- Automatic daily setting
- Ideal for above ground pools
- Safety shut-off; meets UL standard
- Easy-cleaning, prolongs life of sand

Item#	Voltage	Ultra Frame™ Pool Models	Ultra Frame™ Rectangular Pool Models	Wood-Grain Frame Pool Models	Size	HP	Glass Capacity Lb. (Kg)	Sand Capacity Lb. (Kg)	Pump flow rate Gal. (L)/hr	System flow rate Gal. (L)/hr	Case Pack	Case Weight Lb. (Kg)
56685 / EG	110-120 (W/GFCI)	16' (488cm)	18'x19' (549x274cm)	15'8" (478cm)	12" (305mm)	0.25	26 (12)	40 (18)	1,200 (4,542)	1,050 (3,974)	1	44.0 (20.0)
56686	220-240	16' (488cm)	18'x19' (549x274cm)	15'8" (478cm)	12" (305mm)	0.25	26 (12)	40 (18)	1,200 (4,542)	1,050 (3,974)	1	45.3 (20.6)
56673 / EG	110-120 (W/GFCI)	18' (549cm)	24'x12' (732x366cm)	18'8" (569cm)	14" (360mm)	0.5	40 (18)	55 (25)	1,600 (6,056)	1,500 (5,678)	1	48.1 (21.9)
56674	220-240	18' (549cm)	24'x12' (732x366cm)	18'8" (569cm)	14" (360mm)	0.5	40 (18)	55 (25)	1,600 (6,056)	1,500 (5,678)	1	49.5 (22.5)
56671 / EG	110-120 (W/GFCI)	–	32'x16' (975x488cm)	–	16" (410mm)	0.95	70 (32)	100 (45)	2,650 (10,030)	2,200 (8,327)	1	60.5 (27.5)
56672	220-240	–	32'x16' (975x488cm)	–	16" (410mm)	0.95	70 (32)	100 (45)	2,650 (10,030)	2,200 (8,327)	1	61.3 (27.9)

IMPROVED!

IMPROVED!

POOL SANITATION SYSTEMS

KRYSTAL CLEAR SALTWATER SYSTEM™

The Eco-friendly Poolwater Sanitizer

The Krystal Clear Saltwater System™ combines a unique two-stage technology to sanitize pool water.

First, an undetectable level of natural swimmer-safe chlorine is produced when environmentally friendly natural salt is added to pool water and passes through a titanium coated electrolytic cell during the filtration process. The result is soft, fresh, clean water without the potential harsh side effects of packaged pool chemicals.

Second, with the copper ionization feature, highly active disinfectant ions are released which create a potent biocide and attack algae more aggressively than chlorine or other packaged pool chemicals.

This second process, unique to the Intex Saltwater System, provides consumers with an important benefit. Because copper ionization is such a potent disinfectant, the amount of natural chlorine generated by the saltwater system is reduced by approximately 60%. Which means that your customers not only get the great benefits of a saltwater system, they enjoy it with much less chlorine than other saltwater systems generate!



#54605
#54606

#54601
#54602

KRYSTAL CLEAR SALTWATER SYSTEMS™

MAX POOL SIZE: 7,000 GAL. (26,500 L)

#54605/EG NEW!

Krystal Clear Saltwater System™ CG-54605

- 110-120 volt with GFCI
 - Requires a filter pump with a flow rate between 700-4,000 gph (2,650-15,140 L/hr)
 - Chlorine output: 5 gram/hr
 - 24 hr. auto-clock cycle
 - Shelf box
- 2 Ea., 39.4 Lb. (17.9kg)

#54606 NEW!

Krystal Clear Saltwater System™ CG-54606

- Same as 54605 except 220-240 volt
 - Shelf box
- 2 Ea., 37.9 Lb. (17.2kg)

#54606GS NEW!

Krystal Clear Saltwater System™ CG-54606GS

- Same as 54606 except 12 volt
 - Shelf box
- 2 Ea., 41.5 Lb. (18.9kg)

MAX POOL SIZE: 15,000 GAL. (56,800 L)

#54601/EG IMPROVED!

Krystal Clear Saltwater System™ CG-54601

- 110-120 volt with GFCI
 - Requires a filter pump with a flow rate between 700-4,000 gph (2,650-15,140 L/hr)
 - Chlorine output: 12 gram/hr
 - 24 hr. auto-clock cycle
 - Shelf box
- 2 Ea., 47.8 Lb. (21.7kg)

#54602 IMPROVED!

Krystal Clear Saltwater System™ CG-54602

- Same as 54601 except 220-240 volt
 - Shelf box
- 2 Ea., 46.6 Lb. (21.2kg)

#54602GS IMPROVED!

Krystal Clear Saltwater System™ CG-54602GS

- Same as 54602 except 12 volt
 - Shelf box
- 2 Ea., 50.2 Lb. (22.8kg)

KRYSTAL CLEAR™ OZONE AND SALTWATER SYSTEM

Professionals Know That The Ultimate Pool Sanitation Method Is Ozone.

Only Ozone provides virtually complete, instantaneous, odorless, all-natural sanitation of pool water. Ozone eliminates bacteria over 3,000 times faster than chlorine. And because it has up to 100 times the oxidizing power of chlorine, it cleans pool water without the chemical smell that swimmers often associate with chlorine.

Intex has brought this powerful technology together with the benefits of our saltwater system to provide your customers with the very best in above ground pool sanitation. By combining the incredible sanitizing strength of ozone with the great swimming comfort that saltwater systems provide, your customers can enjoy truly wonderful pool ownership and great swimming experience for years.

A totally effective, odorless, effortless, all natural solution to maintaining crystal clear, soft, clean pool water... from Intex!



Built-in 24-hour Timer



Ozone



Titanium Plates



#56607
#56608

KRYSTAL CLEAR™ OZONE AND SALTWATER SYSTEM

MAX POOL SIZE: 15,000 GAL. (56,800 L)

#56607/EG NEW!

Krystal Clear Saltwater System™ CG-56607

- 110-120 volt with GFCI
 - Requires a filter pump with a flow rate between 1,500-4,000 gph (5,678-15,140 L/hr)
 - Chlorine output: 11 gram/hr
 - Ozone output: 150 miligram/hr
 - 24 hr. auto-clock cycle
 - Shelf box
- 1 Ea., 35.8 Lb. (16.3kg)

#56608 NEW!

Krystal Clear Saltwater System™ CG-56608

- Same as 56607 except 220-240 volt
 - Shelf box
- 1 Ea., 34.4 Lb. (15.6kg)

COMBINATION FILTRATION & SANITATION SYSTEMS

KRYSTAL CLEAR™ POOLWATER SYSTEM

Sand Filters are one of the most desirable methods to keep pool water clear and sparkling. Not only does the all-natural, inexpensive sand do an excellent job of filtering the water, it needs replacement only once every five years, making sand filter the easiest maintenance filtration option on the market. As an alternative, Intex Glass Filter Media (item# 50008) may also be used in place of conventional sand.

Saltwater systems are known for their ability to keep pool water clean and safe, while eliminating the harshness of traditional packaged chlorine.

Intex has **combined** these two excellent systems into one product, providing above ground pool owners with ONE low cost, low maintenance system that will keep pools clean, safe, and comfortable for swimmers. Both systems are controlled automatically with one 24-hour timer to make daily operation carefree!



#54615
#54616

KRYSTAL CLEAR™ CARTRIDGE FILTER PUMP & SALTWATER SYSTEM

MAX POOL SIZE: 7,000 GAL. (26,500 L)

#54615/EG **NEW!**

Krystal Clear™ Cartridge Filter Pump & Saltwater System CG-54615

- 110-120 volt with GFCI
- Same as 54605 with additional 1,200 gph (4,542 L/hr) filter pump set
- System flow rate 1,050 gph (3,974 L/hr)
- Chlorine output: 5 gram/hr
- Shelf box

1 Ea., 41.1 Lb. (18.7kg)

#54616 **NEW!**

Krystal Clear™ Cartridge Filter Pump & Saltwater System CG-54616

- Same as 54615 except 220-240 volt
- Shelf box

1 Ea., 42.1 Lb. (19.2kg)

Item#	Ultra Frame™ Pool Models
54615 / EG	16' (488cm)
54616	16' (488cm)



#56677
#56678

KRYSTAL CLEAR™ SAND FILTER PUMP & SALTWATER SYSTEMS

MAX POOL SIZE: 8,500 GAL. (32,200 L)

#56677/EG **IMPROVED!**

Krystal Clear™ Sand Filter Pump & Saltwater System CG-56677

- 110-120 volt with GFCI
- 14" (360mm) tank diameter
- 0.5 HP motor
- Pump flow rate 1,600 gph (6,056 L/hr)
- System flow rate 1,500 gph (5,678 L/hr)
- 55 Lb. (25kg) sand capacity or 40 Lb. (18kg) glass filtration media capacity
- Chlorine output: 7 gram/hr
- 2 pieces of 1½" (38mm) hoses
- 2-year warranty
- Shelf box

1 Ea., 59.8 Lb. (27.2kg)

#56678 **IMPROVED!**

Krystal Clear™ Sand Filter Pump & Saltwater System CG-56678

- Same as 56677 except 220-240 volt
- Shelf box

1 Ea., 60.3 Lb. (27.4kg)

Item#	Ultra Frame™ Pool Models	Ultra Frame™ Rectangular Pool Models	Wood-Grain Frame Pool Models
56677 / EG	18' (549cm)	24'x12' (732x366cm)	18'8" (569cm)
56678	18' (549cm)	24'x12' (732x366cm)	18'8" (569cm)



#56681
#56682

MAX POOL SIZE: 15,000 GAL. (56,800 L)

#56681/EG **IMPROVED!**

Krystal Clear™ Sand Filter Pump & Saltwater System CG-56681

- 110-120 volt with GFCI
- 16" (410mm) tank diameter
- 0.95 HP motor
- Pump flow rate 2,650 gph (10,030 L/hr)
- System flow rate 2,200 gph (8,327 L/hr)
- 100 Lb. (45kg) sand capacity or 70 Lb. (32kg) glass filtration media capacity
- Chlorine output: 11 gram/hr
- 2 pieces of 1½" (38mm) hoses
- 2-year warranty
- Shelf box

1 Ea., 72.2 Lb. (32.8kg)

#56682 **IMPROVED!**

Krystal Clear™ Sand Filter Pump & Saltwater System CG-56682

- Same as 56681 except 220-240 volt
- Shelf box

1 Ea., 73.4 Lb. (33.4kg)

Item#	Ultra Frame™ Rectangular Pool Models
56681 / EG	32'x16' (975x488cm)
56682	32'x16' (975x488cm)



Filter cartridge displays serve as excellent POP to merchandise your cartridges in store!



#58949

#58949 / E

Deluxe Wall Mount Surface Skimmer

- Attaches to filter pump for automatic skimming
 - Requires an Intex filter pump with a minimum flow rate of 800 gph (3,028 L/hr)
 - Easily mounts to Easy Set® or metal frame pool sidewalls with adjustable bracket
 - Helps catch leaves and other debris before they sink to the bottom of the pool
 - Durable polypropylene plastic is not affected by pool chemicals
 - Strainer basket pulls out for easy cleaning
 - Shelf box
- 4 Ea., 18.4 Lb. (8.4kg)



#56684

#56684

Heater

- 220-240 volt with RCD
 - Compatible with round Easy Set® or Metal Frame pools 15' (457cm) diameter or smaller
 - Easy hook-up and operation
 - Water level sensor
 - Easily connects to new or existing pool filter system
 - Shelf box
- 4 Ea., 32.3 Lb. (14.7kg)



#58948

#58948 / E IMPROVED!

Auto Pool Cleaner

- Cleans your pool without effort!
 - Requires a filter pump with a flow rate between 1,600-4,000 gph (6,056 -15,140 L/hr)
 - Automatically vacuums the entire pool floor with venturi effect suction
 - Attaches to the inlet connector in the pool with a 24.7" (750cm) hose
 - For Intex above ground pools with 1½" (38mm) hose fittings
 - Not suitable for in-ground pools
 - Shelf box
- 1 Ea., 20.0 Lb. (9.1kg)

FILTER CARTRIDGES

- Easy to clean dacron filter material
- Shrink wrapped with litho label

Replace Filter Cartridge Every Two Weeks



#59900

#59905



Item#	Type	For Filter Pump Item#	Case Pack	Case Weight Lb. (Kg)
59900 / E	A	58603 / 58604 / 56637 / 56638 / 56635 / 56636 / 54615 / 54616	6	2.8 (1.3)
59905 / E	B	56633 / 56634	6	7.0 (3.2)

POOL THERMOMETER

#59634 / E

Pool Thermometer

- Floats upright
- 12 Ea., 2.1 Lb. (1.0kg)



#59634

POOL MAINTENANCE KIT



#58958



#58958 / E Pool Maintenance Kit

- Includes 94" (239cm) telescoping aluminum shaft for use with 16' (488cm) and below pools
 - Interchangeable vacuum and skimmer heads
 - Pegable box
- 4 Ea., 13.2 Lb. (6.0kg)



#59958
#59952

#59953
#59954 (shown)

#59956
#59955





#59957



DELUXE POOL MAINTENANCE KIT



#58959



#58959 / E Deluxe Pool Maintenance Kit

- Includes 110" (279cm) telescoping aluminum shaft for use with 18' (549cm) diameter pools and above
 - Requires an Intex filter pump with a minimum flow rate of 800 gph (3,028 L/hr)
 - Vacuum sucks debris off the pool floor and through the filter
 - Attaches to the outlet connector in the pool with a 24' 7"(750cm) hose
 - Durable and deep mesh skimmer net
 - Shelf box
- 3 Ea., 24.9 Lb. (11.3kg)



Item#	Type	Fits	Diameter	Thickness	Case Pack	Case Weight Lb. (Kg)
NEW! 59958 / E	Solar Cover	8'(244 cm) Easy Set®	75"(190cm)	120 micron (110g/m ²)	3 Ea.	3.9 (1.8)
59952 / E	Solar Cover	10'(305 cm) Easy Set® & frame pools	113"(287cm)	120 micron (110g/m ²)	3 Ea.	7.2 (3.3)
59953 / E	Solar Cover	12'(366 cm) Easy Set® & frame pools	135"(344cm)	120 micron (110g/m ²)	2 Ea.	6.7 (3.0)
59954 / E	Solar Cover	15'(457 cm) Easy Set® & frame pools	176"(448cm)	160 micron (150g/m ²)	2 Ea.	14.0 (6.4)
NEW! 59956 / E	Solar Cover	16'(488 cm) Easy Set® & frame pools	185"(470cm)	160 micron (150g/m ²)	2 Ea.	19.0 (8.7)
59955 / E	Solar Cover	18'(549 cm) Easy Set® & frame pools	210"(534cm)	160 micron (150g/m ²)	1 Ea.	10.0 (4.5)
59957 / E	Solar Cover	18' x 9' (549 cm x 274 cm) Rectangular frame pools	211" x 100"(535cm x 253cm)	160 micron (150g/m ²)	1 Ea.	6.8 (3.1)

SOLAR POOL COVERS

- Helps keep pool water warmer
- Easy to use
- Available in 7 sizes
- Economical
- Carry bag



POOL GROUND CLOTH

- Durable material
- Shelf box
- Provide added protection for pool bottom

- #58932 / E
Pool Ground Cloth
- Fits 8'/10'/12'/15' (244/305/366/457cm) Easy Set® and frame pools
 - 15½' (472cm) square
- 2 Ea., 8.9 Lb. (4.1kg)



#58932

POOL COVERS

- Durable 7 ga. (0.18mm) vinyl • Rope ties
- Drain holes to prevent water accumulation • Shelf box

Item#	Type	Diameter	Overhang	Case Pack	Case Weight Lb. (Kg)
58939 / E	Easy Set® Pool Cover	8'(244cm)	12"(30cm)	6 Ea.	21.1 (9.6)
58938 / E	Easy Set® Pool Cover	10'(305cm)	12"(30cm)	6 Ea.	30.9 (14.1)
58919 / E	Easy Set® Pool Cover	12'(366cm)	12"(30cm)	6 Ea.	42.6 (19.4)
58920 / E	Easy Set® Pool Cover	15'(457cm)	12"(30cm)	4 Ea.	39.6 (18.0)



#58939 #58919
#58938 #58920



#58974



#58910 #58907



#58975

POOL LADDERS

- Coated steel frame
- Hi-impact plastic steps
- Shelf box

U.S. Patent #6,755,281

Item#	Type	Diameter	Overhang	Case Pack	Case Weight Lb. (Kg)
58406 / E	Round Pool Cover	10'(305cm)	10"(25cm)	6 Ea.	33.9 (15.4)
58411 / E	Round Pool Cover	12'(366cm)	10"(25cm)	6 Ea.	45.4 (20.7)
58901 / E	Round Pool Cover	15'(457cm)	10"(25cm)	4 Ea.	44.3 (20.2)



#58406
#58411 #58901



#58969



#58971



DELUXE POOL LADDERS WITH REMOVABLE STEPS

These pool ladders come with easily removable steps. When the pool is not in use, they can be quickly detached and removed from the pool area. Replacing them is simple and quick. Simply set the steps in the base, then snap and lock them into place. Available in two sizes, designed for 36" - 42" (91cm - 107cm) and 48" - 52" (122cm - 132cm) pools.

DELUXE POOL COVERS

- UV-resistant polyethylene material • Rope ties
- Drain holes to prevent water accumulation • Shelf box

Item#	Type	Diameter	Overhang	Case Pack	Case Weight Lb. (Kg)
57901 / E	Deluxe Pool Cover	16'(488cm)	8"(20cm)	4 Ea.	33.1 (15.1)
57900 / E	Deluxe Pool Cover	18'(549cm)	8"(20cm)	3 Ea.	29.9 (13.6)



#57900 #57901

Item#	For 36" (91cm) wall height	For 42" (107cm) wall height	For 48" (122cm) wall height	For 52" (132cm) wall height	Removable Steps	Case Pack	Case Weight Lb. (Kg)
NEW! 58910 / E	•					3	53.2 (24.2)
NEW! 58907 / E		•				3	57.0 (25.9)
58974 / E			•			2	47.1 (21.4)
58975 / E				•		2	53.7 (24.4)
58969 / E	•	•			•	2	55.1 (25.0)
58971 / E			•	•	•	2	67.8 (30.8)



#50004



#50005

TELESCOPING POLES

#50004 / E

94"(239cm) Telescoping Aluminum Shaft

- Ideal for attaching accessories to clean pools
- 94" (239cm) lightweight telescoping aluminum shaft
- 1 7/16" (26.2mm) inner diameter

24 Ea., 29.3 Lb. (13.3kg)

#50005 / E

110"(279cm) Telescoping Aluminum Shaft

- Ideal for attaching accessories to clean pools
- 110" (279cm) lightweight telescoping aluminum shaft
- 1 7/16" (29.8mm) inner diameter

24 Ea., 36.6 Lb. (16.7kg)



#50006



#50007

ACCESSORIES KIT

#50006 / E

Basic Cleaning Kit

- Includes leaf skimmer, wall brush and vacuum head
- Vacuum head with reusable debris bag, requires connection with garden hose for usage
- Durable mesh skimmer net
- Wall brush can quickly remove algae and grime from pool walls or pool floor
- Compatible with 1 7/16" (26.2mm) inner diameter lightweight telescoping aluminum shaft (item# 50004, not included)

6 Ea., 10.6 Lb. (4.8kg)

#50007 / E

Deluxe Cleaning Kit

- Includes leaf rake, curved wall brush and vacuum head
- vacuum sucks debris off the pool floor and through the filter
- Durable and deep mesh skimmer net
- curved wall brush can quickly remove algae and grime from pool walls or pool floor
- Compatible with 1 7/16" (29.8mm) inner diameter lightweight telescoping aluminum shaft (item# 50005, not included)

6 Ea., 25.9 Lb. (11.8kg)

42



#50000



#50001



#50002



#50003

CLEANING ACCESSORIES

#50000 / E

Leaf Skimmer

- Remove debris off pool water surface
- Improved design for easier debris collection
- Durable mesh skimmer net
- Compatible with 1 7/16" (26.2mm) inner diameter telescoping aluminum shaft (item# 50004, not included)

12 Ea., 5.4 Lb. (2.5kg)

#50001 / E

Leaf Rake

- Scoop debris from pool floor
- Deep and durable mesh skimmer net
- Compatible with 1 7/16" (29.8mm) inner diameter telescoping aluminum shaft (item# 50005, not included)

12 Ea., 7.8 Lb. (3.5kg)

#50002 / E

10" (254mm) Wall Brush

- Straight standard brush for pool cleaning and maintenance
- Quickly remove algae and grime from pool walls or pool floor
- Compatible with 1 7/16" (26.2mm) inner diameter telescoping aluminum shaft (item# 50004, not included)


12 Ea., 4.5 Lb. (2.0kg)

#50003 / E


16" (406mm) Curved Wall Brush

- Curved brush ideal for pool cleaning and maintenance
- Quickly remove algae and grime from pool walls or pool floor
- Compatible with 1 7/16" (29.8mm) inner diameter telescoping aluminum shaft (item# 50005, not included)

12 Ea., 6.7 Lb. (3.0kg)



#51149



#51009

ACCESSORY HOSES

#51149 / E

Accessory Hose 1-1/4" (32mm)

- Suitable for INTEX filter pumps and saltwater systems that use 1 1/4" (32mm) hoses
- 59" (150cm) length hose

9 Ea., 5.5 Lb. (2.5kg)

#51009 / E

Accessory Hose 1-1/2" (38mm)

- Suitable for INTEX filter pumps and saltwater systems that use 1 1/2" (38mm) hoses
- 59" (150cm) length hose

8 Ea., 11.0 Lb. (5.0kg)



#50008



GLASS FILTRATION MEDIA


#50008 / E

Glass Filter Media

Sand Filtration is one of the most commonly used methods of cleaning pools. But Intex's finely crushed Glass Filtration Media offers a better cleaning solution than sand.

- Cleans pool water more effectively
- Lasts 80% longer between replacements
- Requires 50% less backwashing
- Needs 20% less water to backwash
- For use in all Sand Filtration systems
- Particle size: 0.4 – 0.8mm
- 55 lb. (25 kg) bag

36 Ea., 2,033 Lb. (924.0kg)



The outside part transmits power safely and wirelessly to inside the underwater LED where the magnetic technology holds the two parts together.



English/Spanish and multi-language international packaging available

LED POOL-WALL LIGHTS

Lighting up an above ground pool has always been difficult. Unlike in-ground pool owners, who could flip a switch to light up their pools, above ground pool owners had to either cut a hole in their sidewall, risking leaks and damage to their pool or use a floating light which got in the way of swimmers, and always seemed to end up in the farthest corner of the pool, lighting up only a small area.

The Intex LED light uses magnetic technology to create a light system that safely generates low voltage current THROUGH the pool's sidewall to a powerful LED light inside the pool. The advanced, energy efficient LED light delivers more brightness to your pool than a conventional 50-watt halogen pool light. So now, above ground pool owners can light their pools up just like in-ground pool owners, but without the expense and damage of cutting a hole in their pool.

The LED Pool-Wall light is the ultimate in flexibility and can be attached to any sidewall in any location – and be easily moved to different parts of the pool for different lighting effects. If the inner light unit becomes separated from the outer power source, it will automatically float to the surface for easy retrieval.

Beauty, convenience, innovation, performance, and value – all part of the Intex LED Pool-Wall light!

LED Lights



#56687
#56688


#56687 / E

- 110-120 volt
- Led light
- Magnetic wall mounting system
- Easily illuminates up to 18' (549cm) pools
- Shelf box
- 4 Ea., 18.8 Lb. (8.6kg)

#56688

- 220-240 volt
- Led light
- Magnetic wall mounting system
- Easily illuminates up to 18' (549cm) pools
- Shelf box
- 4 Ea., 21.4 Lb. (9.7kg)

FEATURES	BENEFITS
LED light	Extra bright, long-lasting illumination
Magnetic hook-up	<ul style="list-style-type: none"> • Safely transfers power directly through pool sidewall so light level will never fade • No batteries to recharge • Light is flexible and can be easily moved around pool sidewall
Built-in floatation	If light becomes separated from magnet, it will automatically float to surface for easy retrieval
Below 12 volt	Low electricity level; safe to use around pool and water



LAWN BRITE™ SOLAR LED LANDSCAPE LIGHT

The Intex LAWN BRITE™ solar LED light is designed to provide maximum light, look great, and last long in any yard. Each light comes with two separate base units: one for anchoring the light firmly into a lawn or garden, the other for placing the light on a solid surface such as a patio or around a pool. Both are interchangeable, so the location can be changed as needed!



#56695 / E

- Long-lasting LED light
- Adjustable solar panel
- Lithium rechargeable batteries
- Power switch function
- USB charging cable included
- Compass to assist positioning
- Shelf box

3 Ea., 9.1 Lb. (4.1kg)



► Flash Light



► Hanging Lantern



► Tent Lumination

5-IN-1 LED LIGHTS

Intex 5-in-1 LED light provides the perfect solution for all your portable lighting needs in one powerful product. This versatile, compact, multi-function light combines a powerful LED with a built-in micro processor that enables it to function as a flashlight, a hanging lantern, a table top lantern, a hazard light, and a safety beacon. For even more flexibility, the flashlight and the lantern modes can be operated at three power levels, allowing the operator to control the illumination and battery life according to their needs.



#68690 / E
5-in-1 LED Light

- Optics design with 10x zoom lens
- 360 degree beacon
- Built-in easy access battery cartridge
- Two additional battery holders in a convenient carry pack
- Durable water resistant and impact resistant construction
- Multiple patents pending • Shelf box

6 Ea., 8.5 Lb. (3.9kg)




#68691 / E
Deluxe 5-in-1 LED Light

- Built-in lithium-iron rechargeable battery
- Optics design with 10x zoom lens
- 360 degree beacon • USB charger cable
- 12V charger cable • External power pack
- Durable water resistant and impact resistant construction
- Multiple patents pending
- Shelf box

6 Ea., 12.6 Lb. (5.7kg)

FUNCTION	OPERATION
Flashlight	Pick flashlight mode, and choose between three power levels (8%, 50%, 100%) plus adjustable focus to meet all flashlight needs.
Hanging Lantern	Operate in floodlight mode with lantern suspended. Choose between three power levels to meet individual requirements.
Table Top Lantern	Operate in lantern mode. 8% power level is perfect for a nightlight at home or on the road, while 50% and 100% levels are ideal for campers, or to light up rooms, garages, RVs, or tents.
Hazard Light	Operate at full power as a flashing amber-colored warning light. A must-have for car & boat owners, campers, and other travelers.
Emergency Beacon	Operate at full power, automatically flashing the international SOS signal with a full 1 kilometer illumination range. Easily recognizable by rescue personnel.



COMMITMENT TO EXCELLENCE

In today's rapidly evolving and highly competitive environment, this translates into a total commitment to product quality, including conformity to all relevant safety & quality regulations and standards. Examples include:

- EU directive 2005/84/EC “restrictions on the marketing and use of certain dangerous substances and preparations (phthalates in toys and childcare articles)”
- EN 71 “Safety of toys” (European standard)
- EN 13138 “Buoyant aids for swimming instruction” (European standard)
- EN15649 “Floating leisure articles for use on and in the water” (European standard for airmats, lounges and other similar items)
- EN 60335-2-41 “Safety of household and similar electrical appliances, particularly pumps” (European standard for water pumps)
- ISO 6185-1 “Inflatable boats” (International standard for Sports Boats)
- NMMA-ABYC (USA standard for hi-end sports boats)
- ASTM F963 “Standard Consumer Safety Specification for Toy Safety” (USA toy standard)
- ANSI-4 “AGP standard” (USA standard for above ground pools)
- CPSIA “Consumer Product Safety Improvement Act” (USA regulation of consumer and children’s products)
- ASTM F2666 “Small pools standard” (USA standard for pools under 36” water depth)
- UL507 “Electric inflators” (USA standard for electric inflators)
- UL1081 “Swimming pool pumps, filters and chlorinators” (USA standard)

Intex's commitment to Excellence extends to helping our environment and supporting the ecosystem. It begins with product design. Intex's filter pumps operate on much lower amps than most filter pumps in the market, reducing electricity consumption. Our saltwater systems clean pools using only natural salt, eliminating the ongoing need for environmentally unfriendly packaged chlorine.

Intex also operates one of the most comprehensive recycling programs in the industry. We are the first company in China to successfully obtain a license to ship consumers' returns in the original package back to China to be recycled. Therefore, used materials and product returns are prevented from going to landfills and instead re-used in the manufacturing process where up to 10% of annually produced PVC is recycled.

Intex designs all of our own packaging for our products. We constantly challenge our methods of packaging to improve efficiency and reduce waste. More compact packaging techniques save cardboard while cutting down on space utilization, saving freight and fuel consumption.

As a manufacturer, Intex knows it has a responsibility to manage the amount of waste produced. As an employer of over ten thousand people, we also encourage our own employees to recycle, reduce waste, and be conscious of the environment. Starting from recycling corners for all our worldwide office facilities, our Factory has worked with the local government as well as through sponsorships with key partners to strengthen our efforts to be more eco-friendly. Intex has worked to provide incentives and seminars to employees as well as setting targets to reduce energy consumption. In addition, Intex has made significant investment in technology to achieve these goals. For example, we have implemented a frequency converter system which converts diesel to natural gas, installed solar water heaters and set up a recycled sewage system, and invested in equipment that reduces gas emissions.

From product design, to more efficient processes that save energy and reduce waste, to a world class recycling program, to more energy efficient offices, the people at Intex are striving to provide the best value products anywhere while constantly keeping our global ecosystem in mind.



INTEX® Global Customer Service



Intex Customer Service Center



Phone operators are ready to answer customer questions quickly and accurately



Extensive training ensures that Customer Service Centers are staffed with knowledgeable members

In addition to the products featured in this catalog, Intex also offers replacement & repair parts for many items. Please contact our Intex representatives or the following Customer Service locations for additional information.

ARGENTINA JARSE INDUSTRIAL Y COMERCIAL S.A. Tel: 011-4942-2238 (interno 139/145) mcosoleto@jarse.com.ar www.jarse.com.ar	CZECH REPUBLIC INTEX TRADING S.R.O. Tel: +420-267-313-188 info@intexcorp.cz	GERMANY STEINBACH VERTRIEBSGMBH Tel: 0180-5-405-100-200 service@intexcorp.de www.intexcorp.de	NICARAGUA SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 507-300-3800 suproadmin@supropanama.com	SOUTH AFRICA WOOD & HYDE Tel: 0-800-204-692 27-21-505-5500 ygoldman@melbro.co.za
AUSTRALIA IDEAL SOURCES PTY LTD Tel: 1800-359-947 enquiries@idealsources.com.au	DENMARK K.E. MATHIASSEN A/S Tel: +45-8944-2200 intex@keleg.dk www.intexnordic.com	GUATEMALA CENTURY USA, LLC Tel: (561) 495-0648 sales@centuryusa.com	NORWAY NORSTAR AS Tel: +34-902101339 intex@norstar.no www.intexnordic.com	SPAIN Nostrum Iberian Market S.A. Tel: +34-902101339 sat@intexiberian.com www.intexiberian.com
AUSTRIA STEINBACH VERTRIEBSGMBH Tel: 0820-200-100-200 service@intexcorp.at www.intexcorp.at	DOMINICAN REPUBLIC CENTURY USA, LLC Tel: (561) 495-0648 sales@centuryusa.com	HONDURAS SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 507-300-3800 suproadmin@supropanama.com	PANAMA SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 507-300-3800 suproadmin@supropanama.com	SWEDEN LEKSAM AB Tel: +46-431-44-41-00 intex@leksam.se www.intexnordic.com
BELGIUM N.V. SIMBA-DICKIE BELGIUM S.A. Tel: 0800-92088 intexsupport@nicotoy.be www.nicotoy.be	EASTERN EUROPE INTEX TRADING S.R.O. Tel: +420-267-313-188 info@intexcorp.cz	HUNGARY RECONTRA LTD./RICKI LTD. Tel: +361-372-5200/113 service@recontra.hu	PARAGUAY SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 507-300-3800 suproadmin@supropanama.com	SWITZERLAND GWM AGENCY Tel: 0900-455456 gwm@gwm.ch www.gwm.ch
BRASIL KONESUL MARKETING & SALES LTDA Tel: 55 (11) 5181 4646 sacintexbrasil@uol.com.br	ECUADOR SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 507-300-3800 suproadmin@supropanama.com	ISRAEL ALFIT TOYS LTD Tel: +972-3-9076666 michald@chagim.co.il	PERU COMEXA S.A. Tel: 446-9014 Tiempolibre.st@silfa.cl	UK JOHN ADAMS LEISURE LTD Tel: 0844-561-7129 sales@johnadams.co.uk www.intexspares.com
CANADA INTEX RECREATION CORP. Tel: 1-800-234-6839 www.intexcorp.com	EL SALVADOR SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 507-300-3800 suproadmin@supropanama.com	ITALY A & A MARKETING SERVICE Tel: 199-12-19-78 info@kathay.com www.intexitalia.com	POLAND KATHAY HASTER Tel: +48-61-8498-334 info@kathay.com.pl www.intexdevelopment.pl	UNITED STATES INTEX RECREATION CORP. Tel: 1-800-234-6839 www.intexcorp.com
Chile COMEXA BARBADOS Tel: 600-822-0700 Tiempolibre.st@silfa.cl	EUROPE INTEX TRADING B.V. Tel: 31-(0)165-593939 service@intexcorp.nl www.intexcorp.nl	MEXICO KAY INTERNACIONAL S.A. DE C.V. Tel: +34-902101339 servicenter@kayinternacional.com www.kayinternacional.com	PORTUGAL Nostrum Iberian Market S.A. Tel: 600-822-0700 spv-pt@intexiberian.com www.intexiberian.com	Uruguay COMEXA BARBADOS Tel: 600-822-0700 Tiempolibre.st@silfa.cl
COLOMBIA CENTURY USA, LLC Tel: (561) 495-0648 sales@centuryusa.com	FINLAND NORSTAR OY Tel: +358-9-8190-530 info@norstar.fi www.intexnordic.com	MIDDLE EAST REGION FIRST GROUP INTERNATIONAL Tel: 00971-4-80046839 info@firstgroupinternational.com www.firstgroupinternational.com	RUSSIA LLC BAUER Tel: 499-249-9400 intex.russia@gmail.com www.intex.su	VENEZUELA CENTURY USA, LLC Tel: (561) 495-0648 sales@centuryusa.com
COSTA RICA CENTURY USA, LLC Tel: (561) 495-0648 sales@centuryusa.com	FRANCE UNITEK / INTEX SERVICE FRANCE S.A.S Tel: 08-90-71-20-39 www.intex.fr	NEW ZEALAND HAKA NEW ZEALAND LIMITED Tel: 0800 634434 geoff@hakanz.co.nz www.hakanz.co.nz	SAUDI ARABIA SAUDI ARABIAN MARKETING & AGENCIES CO. LTD. Tel: 966-2-693 8496 Intex@samaco.com.sa www.samaco.com.sa	

PRODUCT LOCATOR TABLE

ITEM #	DESCRIPTION	PAGE	ITEM #	DESCRIPTION	PAGE	ITEM #	DESCRIPTION	PAGE	ITEM #	DESCRIPTION	PAGE
50000	LEAF SKIMMER	42	54927	15'8"X49" SEQUOIA	27	56607	SALTWATER & OZONE	33	57900	18' POOL COVER	40
50001	LEAF RAKE	42	54928	15'8"X49" SEQUOIA	27	56608	SALTWATER & OZONE	33	57901	16' POOL COVER	40
50002	WALL BRUSH(10")	42	54929	18'8"X53" SEQUOIA	27	56633	2500 FILTER PUMP	30	58406	10'X10" POOL COVER	40
50003	WALL BRUSH(16")	42	54930	18'8"X53" SEQUOIA	27	56634	2500 FILTER PUMP	30	58411	12'X10" POOL COVER	40
50004	POLE (94")	42	54931	18'X10'X42" OVAL	19	56635	1500 FILTER PUMP	30	58603	530 FILTER PUMP	30
50005	POLE (110")	42	54932	18'X10'X42" OVAL	19	56636	1500 FILTER PUMP	30	58604	530 FILTER PUMP	30
50006	CLEANING KIT	43	54933	20'X12'X48" OVAL	19	56637	1000 FILTER PUMP	30	58901	15'X10" POOL COVER	40
50007	CLEANING KIT	43	54934	20'X12'X48" OVAL	19	56638	1000 FILTER PUMP	30	58907	42" POOL LADDER	41
50008	GLASS FILTER MEDIA	43	54937	24'X52" METAL	17	56671	16" SAND FILTER	31	58910	36" POOL LADDER	41
51009	1-1/2" HOSE	43	54938	24'X52" METAL	17	56672	16" SAND FILTER	31	58919	12'X12" POOL COVER	40
51149	1-1/4" HOSE	43	54939	15'X42" METAL	15	56673	14" SAND FILTER	31	58920	15'X12" POOL COVER	40
54402	6'X20" EASY SET®	6	54940	15'X42" METAL	15	56674	14" SAND FILTER	31	58932	15.5' GROUND CLOTH	39
54469	16'X48" ULTRA	21	54941	15'X36" METAL	15	56677	SAND FILTER COMBO	35	58938	10'X12" POOL COVER	40
54470	16'X48" ULTRA	21	54942	15'X36" METAL	15	56678	SAND FILTER COMBO	35	58939	8'X12" POOL COVER	40
54601	SALTWATER SYSTEM	32	54945	15'X48" METAL	17	56681	SAND FILTER COMBO	35	58948	AUTO CLEANER	37
54602	SALTWATER SYSTEM	32	54946	15'X48" METAL	17	56682	SAND FILTER COMBO	35	58949	SURFACE SKIMMER	37
54605	SALTWATER SYSTEM	32	54951	18'X48" METAL	17	56684	POOL HEATER	37	58958	MAINTENANCE KIT	38
54606	SALTWATER SYSTEM	32	54952	18'X48" METAL	17	56685	12" SAND FILTER	31	58959	MAINTENANCE KIT	38
54615	SALTWATER COMBO	34	54957	18'X52" ULTRA	21	56686	12" SAND FILTER	31	58969	36"X42" POOL LADDER	41
54616	SALTWATER COMBO	34	54958	18'X52" ULTRA	21	56687	POOL WALL LIGHT	45	58971	48"X52" POOL LADDER	41
54900	10'X30" EASY SET®	7	54967	18'8"X53" SEQUOIA	27	56688	POOL WALL LIGHT	45	58974	48" POOL LADDER	41
54901	10'X30" EASY SET®	7	54968	18'8"X53" SEQUOIA	27	56695	LANDSCAPE LIGHT	46	58975	52" POOL LADDER	41
54902	10'X30" EASY SET®	7	54979	24'X12'X52" ULTRA	25	56920	10'X30" EASY SET®	9	58980	SMALL RECTANGULAR	13
54904	12'X30" EASY SET®	7	54980	24'X12'X52" ULTRA	25	56921	10'X30" EASY SET®	9	58981	SMALL RECTANGULAR	13
54905	12'X30" EASY SET®	7	54981	18'X9'X52" ULTRA	23	56922	10'X30" EASY SET®	9	58982	SMALL RECTANGULAR	13
54906	12'X30" EASY SET®	7	54982	18'X9'X52" ULTRA	23	56930	12'X36" EASY SET®	9	58983	SMALL RECTANGULAR	13
54907	15'X42" EASY SET®	11	54983	24'X12'X52" ULTRA	25	56931	12'X36" EASY SET®	9	59634	THERMOMETER	37
54908	15'X42" EASY SET®	11	54984	24'X12'X52" ULTRA	25	56932	12'X36" EASY SET®	9	59900	CARTRIDGE A	37
54913	15'X36" EASY SET®	9	54987	32'X16'X52" ULTRA	25	56970	8'X30" EASY SET®	9	59905	CARTRIDGE B	37
54914	15'X36" EASY SET®	9	54988	32'X16'X52" ULTRA	25	56971	8'X30" EASY SET®	9	59952	10' SOLAR COVER	39
54915	15'X48" EASY SET®	11	54989	32'X16'X52" ULTRA	25	56972	8'X30" EASY SET®	9	59953	12' SOLAR COVER	39
54916	15'X48" EASY SET®	11	54990	32'X16'X52" ULTRA	25	56994	15'X30" METAL	15	59954	15' SOLAR COVER	39
54919	18'X48" EASY SET®	11	56410	15'X36" EASY SET®	9	56995	12'X30" METAL	15	59955	18' SOLAR COVER	39
54920	18'X48" EASY SET®	11	56411	15'X36" EASY SET®	9	56996	12'X30" METAL	15	59956	16' SOLAR COVER	39
54923	16'X48" ULTRA	21	56412	15'X36" EASY SET®	9	56997	10'X30" METAL	15	59957	9'X18" SOLAR COVER	39
54924	16'X48" ULTRA	21	56420	12'X30" EASY SET®	9	56998	10'X30" METAL	15	59958	8' SOLAR COVER	39
54925	18'X52" ULTRA	21	56421	12'X30" EASY SET®	9	56999	10'X30" METAL	15	68690	5-IN-1 LED LIGHT	47
54926	18'X52" ULTRA	21	56422	12'X30" EASY SET®	9	57171	MINI METAL	12	68691	5-IN-1 LED LIGHT	47

AGE GRADING



An icon indicates an item has an age recommendation

ALL ELECTRICAL ACCESSORIES:

- Conforms to UL/CSA standards (110-120 volt models)
- CE approved (220-240 volt models)
- TUV approved (12 volt models)

TRADEMARKS

®™ Trademarks used in some countries of the world under license from Intex Marketing Ltd. to Intex Trading Ltd., Intex Development Co., Ltd. and Intex Recreation Corp.

As a part of our program of product development and improvement, the detail specifications of the products shown in this catalog may be changed. For current specifications on any product, please contact your supplier of Intex products.

Intex introduces two additional designations in our catalog that highlight additional safety features that are included on a number of our pools. These designations are:



Pools with these letters after the 5-digit item code incorporate a GFCI (ground fault circuit interrupter) built into the filter pump. The GFCI unit is an added safety feature and is designed to instantly shut the pump off if electrical current comes into contact with water. GFCI units are included in all 110-120 volt pool sets, filter pumps and saltwater systems.



Pools with the GS designation after the 5-digit item code will contain filter pumps that operate with a 12 volt step-down transformer, which reduces the voltage dramatically while retaining the same performance level as the 220-240 volt version. The 12 volt pumps are designed to meet special national requirements in some EU markets.