INTEX®









PureSpa™ Bubble Therapy

INTERNATIONAL

Intex Development Co., Ltd. 9th Floor, Dah Sing Financial Centre, 108 Gloucester Road, Wanchai, Hong Kong Tel: (852) 2827-0000 Fax: (852) 2311-8200 E-mail: info@intexdevelopment.com

Web: www.intexdevelopment.com

USA

Intex Recreation Corp. P.O. Box 1440 Long Beach, CA 90801-1440 Tel: (310) 549-5400 Fax: (310) 513-6905 Web: www.intexcorp.com

EUROPE

Intex Trading B.V. Venneveld 9, 4705 RR Roosendaal, The Netherlands Tel: (31) 165-593920 Fax: (31) 165-593969 E-mail: info@intexcorp.nl Web: www.intexcorp.nl

Intex Trading s.r.o. Benešovská 23 Z.A. de Milleure Bois du Ban – N°4 101 00 Praha 10 Tel: (33) 385 75 64 64 Czech Republic Tel: (420) 267 312 645 Fax: (33) 385 75 64 65 Fax: (420) 267 312 552 Web: www.intex.fr E-mail: info@intexcorp.cz Web: www.intexdevelopment.com

Unitex Service (France) S.A.S.

71480 LE MIROIR, France E-mail: info@intexcorp.com.fr







The world's leading above ground pool manufacturer is bringing a new level of performance and relaxation to portable spas.

> Intex's all new patent pending Fiber-Tech™ Construction is designed to provide the Ultimate Spa Experience.





SPECIFICATIONS

	20104/5	20122/55/52	20102/5	20101/56/50
Item#	28401/E	28402/EC/ED	28403/E	28404/EC/ED
Seating Capacity	4	4	4	4
Water Capacity	210 gallons	795 liters	210 ga ll ons	795 liters
Inner/Outer Diameter	58"/75"	147cm/191cm	58"/75"	147cm/191cm
Height	28"	71cm	28"	71cm
Gauge	33.6 ga	0.84mm	33.6 ga	0.84mm
Material	Laminate PVC	Laminate PVC	Laminate PVC	Laminate PVC
Internal Construction	48 Fiber-Tech™ beams	48 Fiber-Tech™ beams	48 Fiber-Tech™ beams	48 Fiber-Tech™ beams
Shipping Weight	100.3 lbs	46.0 kg	104.3 l bs	46.2 kg
Carton Dimensions	22¼"x 20¼/"x 33%" 56.5cm x 51.5cm x 86.1cm	31¾"x 22¼"x 20%" 80.5cm x 56.5cm x 52.4cm	22¼"x 20¼/"x 33¾" 56.5cm x 51.5cm x 86.1cm	31¾"x 22¼"x 20%" 80.5cm x 56.5cm x 52.4cm
Carton Cube	8.83 ft ³ /0.251m ³	8.43 ft ³ /0.238m ³	8.83 ft ³ /0.251m ³	8.43 ft ³ /0.238m ³
Bubble Air Blower	0.9HP/110-120V	650W/220-240V	0.9HP/110-120V	650W/220-240V
Heater	1,300W/110-120V	2,200W/220-240V	1,300W/110-120V	2,200W/220-240V
Flow Rate	500 gallons/hr	1,893 liters/hr	500 gallons/hr	1,893 liters/hr
Temperature Range	68°~104°F	20°∼ 40°C	68°~104°F	20°∼ 40°C
Temperature Rise	2°~3°F/hr	1.5°~ 2.5°C/hr	2°~3°F/hr	1.5°~ 2.5°C/hr
Bubble Jets	120	120	120	120
Hard Water System	-	_	10W	10W

PERFORMANCE

PureSpa[™] provides relaxation at the touch of a button. The easy-to-use control panel activates the high performance bubble jets surrounding the interior of the spa for a refreshing massage. The heating system adjusts to fit your personal temperature preference allowing a stress-free spa experience. PureSpa[™] provides simple maintenance with easy-to-replace filter cartridges for lasting enjoyment for up to 4 people.



Fiber-Tech™ Construction provides the ultimate comfort and support.

FEATURES





User-friendly interface and replaceable filter cartridge





120 high-powered bubble jets for relaxtion





Insulated cover and floor mat to minimize heat loss





Carry bag and grab handles for easy storage and transport





Floating chemical dispenser and test strips for easy maintenance



Built-in Hard Water Treatment System makes water gentler on skin, clothes and the entire spa system (For #28403/E and #28404/EC/ED)

PureSpa[™] Bubble Therapy with **Fiber-Tech[™] Construction**



DESIGNED FOR COMFORT. ENGINEERED FOR DURABILITY.

Introducing Fiber-Tech™ Construction, designed to offer superior structural stability while maintaining a comfortable surface for a luxurious and refreshing spa experience.



stry standard spa interior has been enhanced with lightweight, high-strength fibers for amazing durability and comfort.

INTEX®







INTERNATIONAL

Intex Development Co., Ltd. 9th Floor, Dah Sing Financial Centre, 108 Gloucester Road, Wanchai. Hong Kong Tel: (852) 2827-0000 Fax: (852) 2311-8200 E-mail: info@intexdevelopment.com

Web: www.intexdevelopment.com

USA

Intex Recreation Corp. P.O. Box 1440 Long Beach, CA 90801-1440 Tel: (310) 549-5400 Fax: (310) 513-6905 Web: www.intexcorp.com

Intex Trading B.V. Venneveld 9, 4705 RR Roosendaal, The Netherlands Tel: (31) 165-593920 Fax: (31) 165-593969 E-mail: info@intexcorp.nl Web: www.intexcorp.nl

EUROPE

Intex Trading s.r.o. Z.A. de Milleure Bois du Ban - N°4 101 00 Praha 10 71480 LE MIROIR, France Tel: (33) 385 75 64 64 Tel: (420) 267 312 645 Fax: (33) 385 75 64 65 Fax: (420) 267 312 552 E-mail: info@intexcorp.cz Web: www.intex.fr Web: www.intexdevelopment.com

Unitex Service (France) S.A.S.

E-mail: info@intexcorp.com.fr



The world's leading above ground pool manufacturer is bringing a new level of performance and relaxation to portable spas.

> Intex's all new patent pending Fiber-Tech™ Construction is designed to provide the Ultimate Spa Experience.



Benešovská 23

Czech Republic



SPECIFICATIONS

Item#	28421/E	28422/EC/ED	28423/E	28424/EC/ED
Seating Capacity	4	4	4	4
Water Capacity	210 gallons	795 liters	210 gallons	795 liters
Inner/Outer Diameter	58"/75"	147cm/191cm	58"/75"	147cm/191cm
Height	28"	71cm	28"	71cm
Gauge	33.6 ga	0.84mm	33.6 ga	0.84mm
Material	Laminate PVC	Laminate PVC	Laminate PVC	Laminate PVC
Internal Construction	48 Fiber-Tech™ beams	48 Fiber-Tech™ beams	48 Fiber-Tech™ beams	48 Fiber-Tech™ beams
Shipping Weight	133.8 lbs	60.4 kg	135.7 lbs	61.2 kg
Carton Dimensions	26%"x 20%"x 43½" 68.3cm x 51.1cm x 110.5cm	26%"x 20%"x 43½" 68.3cm x 51.1cm x 110.5cm	26%"x 20%"x 43½" 68.3cm x 51.1cm x 110.5cm	26%"x 20%"x 43½" 68.3cm x 51.1cm x 110.5cr
Carton Cube	13.62 ft ³ /0.385m ³			
Jet Pump	0.9HP/110-120V	650W/220-240V	0.9HP/110-120V	650W/220-240V
Heater	1,300W/110-120V	2,200W/220-240V	1,300W/110-120V	2,200W/220-240V
Filter Pump Flow Rate	500 gallons/hr	1,893 liters/hr	500 gallons/hr	1,893 liters/hr
Temperature Range	68° ~ 104°F	20° ~ 40° C	68° ~ 104°F	20° ~ 40° C
Temperature Rise	2°~ 3°F/hr	1.5° ~ 2.5°C/hr	2°~ 3°F/hr	1.5° ~ 2.5°C/hr
Jet Nozzles	4	4	4	4
Jet Pressure	7 ~ 10 psi	0.48 ~ 0.69 bar	7 ~ 10 psi	0.48 ~ 0.69 bar
Hard Water System	10W	10W	10W	10W
Saltwater System	-	-	30W	30W

PERFORMANCE

PureSpa[™] Jet Massage series provides relaxation at the touch of a button. The easy-to-use control panel activates the high performance jets for a refreshing massage. The heating system adjusts to fit your personal temperature preference allowing a stress-free spa experience. PureSpa[™] Jet Massage comes with either an electronic hard water treatment system or a combination electronic hard water treatment and saltwater sanitation system. The saltwater sanitation combo system gives the added benefit of spa water that is soft and gentle without harsh packaged chemicals. PureSpa[™] provides simple maintenance with easy-to-replace filter cartridges for lasting enjoyment for up to 4 people.



Fiber-Tech™ Construction provides the ultimate comfort and support.

FEATURES





User-friendly interface and replaceable filter cartridg





4 high-powered massage jets for relaxation





Insulated cover and floor mat to minimize heat loss





Carry bag and grab handles for easy storage and transport





Floating chemical dispenser and test strips for easy maintenance





Built-in Hard Water Treatmo System makes water gentl on skin, clothes and the entire spa system

Eco-friendly saltwater spa sanitizer naturally cleanses water (For #28423/E and #28424/EC/ED)

PureSpa[™] Jet Massage with **Fiber-Tech[™] Construction**

Thousands of high-strength fibers

DESIGNED FOR COMFORT. ENGINEERED FOR DURABILITY.

Introducing Fiber-Tech™ Construction, designed to offer superior structural stability while maintaining a comfortable surface for a luxurious and refreshing spa experience.

