INTEX®









INTERNATIONAL

Intex Development Co., Ltd. 9th Floor, Everbright Centre, 108 Gloucester Road, Wanchai, Hong Kong T: (852) 2827-0000

E: info@intexdevelopment.com

W: www.intexdevelopment.com

EUROPE Unitex Service (France) S.A.S. Z.A. de Milleure Bois du Ban – N°4 71480 LE MIROIR. France T: (33) 385 75 64 64 E: info@intexcorp.com.fr W: www.intex.fr

Intex Recreation Corp.

W: www.intexcorp.com

Long Beach, CA 90801-1440

P.O. Box 1440

T: (310) 549-5400

EUROPE Intex Trading B.V.

EUROPE

Intex Trading s.r.o. Benešovská 23 101 00 Praha 10

E: info@intexcorp.cz

W: www.intexdevelopment.com

Czech Republic T: (420) 267 312 645

Ettenseweg 46, 4706 PB Roosendaal, The Netherlands T: (31) 165-593939 E: info@intexcorp.nl W: www.intexcorp.nl

EUROPE Unitex Italia S.R.L.


Via Liguria 3 24041 Brembate BG, Italy T: (39) 039 2296998 E: commerciale@intexcorp.it W: www.intexitalia.com

©2024 Intex Marketing Ltd. - Intex Development Co., Ltd. - Intex Recreation Corp. All rights reserved. Printed in China.

®™ Trademarks used in some countries of the world under license from Intex Marketing Ltd. to Intex Development Co., Ltd. and Intex Recreation Corp.







The INTEX family of companies develops and manufactures high-quality products that deliver on reasonable pricing and optimal excitement. We also provide first-rate after-sales support, backed by excellent customer service. More than 100 independently owned and locally operated companies are committed to the satisfaction of families and individuals across the globe. It's a source of pride wherever we go.

ABOUT US



Buyers trust our state-of-the-art factories, motivated sales staff and rigorously tested products to add value to their shelves. In return, we go to great lengths to ensure they're happy partnering with us.



Our above ground pool line begins with our world-famous Easy Set® and Metal Frame pools, which are great for families purchasing their first pool. Our elegant Prism Frame™ pools are an attractive step up, featuring additive structural innovations and enhanced durability. Above these, our deluxe Ultra XTR® Frame pools are gorgeous, incredibly strong and large enough for the whole neighborhood to swim in!

2025





Of course, pools need a reliable source of accessories. That's why INTEX® provides a full line, including sand filters, saltwater systems, filter pumps, cartridges and much more to extend your customers' swimming season and keep them coming back. Ask your INTEX® representative for any of our product catalogs—we are confident you'll agree our product lineup is unmatched in meeting your needs.



CONTENTS

SMALL FRAME™



METAL FRAME™

PREMIUM



EASY SET®

CHEVRON PRISM FRAME™ **GRAPHITE GRAY PANEL™**

PRISM FRAME™



ULTRA XTR® FRAME

POOLWATER










INTEX's patented HydroAeration™ Technology improves water circulation, clarity and freshness in thousands of above ground pools.





HYDROAERATION™ TECHNOLOGY

INTEX's patented HydroAeration™ Technology is precision engineered to improve filtration, clarity and freshness in thousands of above ground pools. This revolutionary and innovative feature has been incorporated into all our cartridge filter pumps, sand filter pumps, and combination filtration systems.

ADVANCED FILTRATION & CIRCULATION

The injection of air into the water accelerates circulation and joins fine particles into larger clusters that can be filtered more effectively.




IMPROVED CLARITY

Aeration removes minerals such as manganese and iron through oxidation for ultimate water clarity.



INCREASED FRESHNESS

More negative ions are generated through the activation of air bubbles, improving overall air quality around the pool.



STANDARD Pool Series

Our Standard Pool series is comprised of the ideal starter pools—easy to install and built with a child's safety in mind. Every pool in the series features our SuperTough™, puncture-resistant, 3-ply liner material for durability. Our Small Frame pools are perfect for younger children or families with smaller spaces. Meanwhile, our Easy Set® and Metal Frame lines come in an array of sizes to fit any backyard. Best of all, every one of our Standard pools provides hours of fun!



SMALL FRAME™



EASY SET®



METAL FRAME™



SMALL FRAME™ POOLS





Soft foam padding on frame

Mini Frame[™] Pool SF

Kids will enjoy splashing and playing in the INTEX Mini Frame™ Pool. This fun little frame pool works as a beginner, with easy setup and a ideal size for young children. Plus, it's sturdy enough to withstand hours of splashy playtime.

SPECIFICATIONS	ITEM#	CASE PACK	CASE WEIGHT
4' x 4' x 12" (1.22m x 1.22m x 30cm) Approximate set-up size Vater capacity (79%): 90 gal (342L)	57173NP/EP	3 ea 1 box	29.7 lb (13.5 kg)

Rectangular Frame Pools

In our Rectangular Frame Pool selections, strength meets simplicity. Fortified by durable steel frames and laminated sidewalls, these pools are sturdy and stay firmly in place. Yet, they're easy enough to assemble in just 30 minutes. Families with limited space will love the relatively small dimensions. And for those who value filtration, ready connection points ensure easy pump installation. When playtime is done, a convenient drain plug releases the water.







PUNCTURE-RESISTANT 3-ply material

Approximate set-up size

Ready for water in 30 minutes

Water capacity (90%): 1,883 gal (7,127L)













		\mathcal{V}			(lb/kg)
SPECIFICATIONS	ITEM#	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
7'25%" x 4'11" x 235%"	28266NP	-	-		33.4 lb (15.2 kg)
(2.20m x 1.50m x 60cm)	28266EH	-	-	1 ea 1 box	35.2 lb (16.0 kg)
Approximate set-up size Water capacity (90%): 439 gal (1,662L)	28270NP	-	-	r ea r box	33.4 lb (15.2 kg)
Ready for water in 30 minutes	28270EH •	-	-		35.2 lb (16.0 kg)
8'6½" x 5'3" x 255%" (2.60m x 1.60m x 65cm)	28271NP •	-	-	1 ea 1 box	38.1 lb (17.3 kg)
Water capacity (90%): 603 gal (2,282L) Ready for water in 30 minutes	28271EH •	_		40.0 lb (18.2 kg)	
9'10" x 6'6 ³ / ₄ " x 29 ¹ / ₂ " (3.00m x 2.00m x 75cm) Approximate set-up size	28272NP •	-	-	1 ea 1 box	44.9 lb (20.4 kg)
Water capacity (90%): 1,013 gal (3,834L) Ready for water in 30 minutes	28272EH •	-	-		46.9 lb (21.3 kg)
14'9¼" x 7'25%" x 33" (4.50m x 2.20m x 84cm) Approximate set-up size	28273NP •	-	-	1 ea 1 box	79.9 lb (36.3 kg)
Water capacity (90%): 1,883 gal (7,127L) Ready for water in 30 minutes	28273EH •	-	-		81.0 lb (36.8 kg)
14'9¼" x 7'25/8" x 33"	28279	110-120V	530 gal (2,006L)		85.8 lb (39.0 kg)
(4.50m x 2.20m x 84cm)	28279EH •	110-120V (W/GFCI)	530 gal (2,006L)	1 1 h	86.5 lb (39.3 kg)

86.9 lb (39.5 kg)

89.1 lb (40.5 kg)

EASY SET® POOLS









6' X 20" Easy Set® Pool

This pool works as a kid's first "big pool," offering the perfect length and height for safety and a splashing good time. Parents will enjoy the super-easy setup, which takes about 10 minutes.





SPECIFICATIONS	ITEM#	CASE PACK	CASE WEIGHT
6' x 20" (1.83m x 51cm) Approximate set-up size	28101NP	2 ea 1 box	15.2 lb (6.9 kg)
Water capacity (80%): 232 gal (880L) Ready for water in 10 minutes	28101EH	2 ea 1 box	19.1 lb (8.7 kg)



Bring fun and excitement to any backyard this summer. Simply spread out on level ground, inflate the top ring, fill the pool with water, and enjoy the fun our Easy Set(R) pools bring!



3-ply material

		<i>V</i>		~	
SPECIFICATIONS	ITEM#	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
01 v 2/"	28106NP	-	-	1 ea 1 box	11.4 lb (5.2 kg)
8' x 24" (2.44m x 61cm)	28106EH	-	-	1 ea 1 box	13.4 lb (6.1 kg)
Approximate set-up size	28107EH	110-120V (W/GFCI)	330 gal (1,250L)	1 ea 1 box	18.0 lb (8.2 kg)
Water capacity (80%): 513 gal (1,942L)	28108NP	220-240V	330 gal (1,250L)	1 ea 1 box	16.9 lb (7.7 kg)
Ready for water in 10 minutes	28108GN	12V	330 gal (1,250L)	1 ea 1 box	17.6 lb (8.0 kg)




EASY SET® POOLS







		\$			(lb/kg)
SPECIFICATIONS	ITEM#	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
10' x 24" (3.05m x 61cm) Approximate set-up size Water capacity (80%): 813 gal (3,077L) Ready for water in 10 minutes	28116NP 28118NP 28118GN	- 220-240V 12V	- 330 gal (1,250L) 330 gal (1,250L)	1 ea 1 box 1 ea 1 box 1 ea 1 box	16.7 lb (7.6 kg) 22.4 lb (10.2 kg) 23.1 lb (10.5 kg)
10' x 30" (3.05m x 76cm) Approximate set-up size Water capacity (80%): 1,018 gal (3,853L) Ready for water in 10 minutes	28120NP 28120EH 28121EH 28122NP 28122GN	- 110-120V (W/GFCI) 220-240V 12V	- 330 gal (1,250L) 330 gal (1,250L) 330 gal (1,250L)	1 ea 1 box	18.0 lb (8.2 kg) 20.0 lb (9.1 kg) 24.6 lb (11.2 kg) 23.7 lb (10.8 kg) 24.2 lb (11.0 kg)
12' x 30" (3.66m x 76cm) Approximate set-up size Water capacity (80%): 1,485 gal (5,621L) Ready for water in 10 minutes	28130NP 28130EH 28131EH 28132NP 28132GN	- 110-120V (W/GFCI) 220-240V 12V	- 530 gal (2,006L) 530 gal (2,006L) 600 gal (2,271L)	1 ea 1 box	25.0 lb (11.4 kg) 26.6 lb (12.1 kg) 32.8 lb (14.9 kg) 32.6 lb (14.8 kg) 33.9 lb (15.4 kg)







		\$		租租	型角	13	25		(lb/kg)
SPECIFICATIONS	ITEM#	VOLTAGE	FILTER PUMP	LADDER	SAFETY LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
15' X 42"	26165EH	110-120V (W/GFCI)	1,000 gal (3,785L)	✓	-	√	✓	1 ea 1 box	88.2 lb (40.1 kg)
(4.57m x 1.07m) Approximate set-up size	26166NP	220-240V	1,000 gal (3,785L)	-	\checkmark	\checkmark	\checkmark	1 ea 1 box	94.6 lb (43.0 kg)
Water capacity (80%): 3,284 gal (12,430L) Ready for water in 15 minutes	26166GN	12V	900 gal (3,407L)	-	\checkmark	\checkmark	\checkmark	1 ea 1 box	97.0 lb (44.1 kg)
15' X 48"	26167EH	110-120V (W/GFCI)	1,000 gal (3,785L)	✓	-	✓	✓	1 ea 1 box	94.2 lb (42.8 kg)
(4.57m x 1.22m) Approximate set-up size	26168NP	220-240V	1,000 gal (3,785L)	-	\checkmark	\checkmark	✓	1 ea 1 box	101.0 lb (45.9 kg)
Water capacity (80%): 3,736 gal (14,141L) Ready for water in 15 minutes	26168GN	12V	900 gal (3,407L)	-	\checkmark	✓	\checkmark	1 ea 1 box	104.3 lb (47.4 kg)
18' X 48" (5.49m x 1.22m) Approximate set-up size Water capacity (80%): 5,455 gal (20,647L) Ready for water in 30 minutes	26175EH	110-120V (W/GFCI)	1,500 gal (5,678L)	✓	-	✓	√	1 ea 1 box	130.7 lb (59.4 kg)

14

METAL FRAME™ POOLS







Canopy Metal Frame[™] Pool

This kiddie pool offers watery fun with protection from the sun. The easy-to-install canopy is UPF 50+ shaded, and the polymer material of the pool is UV stabilized. The canopy even features a sprayer to beat the heat. Innovative T-joints make the pool itself a snap to put together. Meanwhile, the snug fit of the pool's outer layer keeps the frame moisture and rust free.





SPECIFICATIONS	ITEM#	CASE PACK	CASE WEIGHT
6' x 15" (1.83m x 38cm) Approximate set-up size	28209NP	1 ea 1 box	18.7 lb (8.5 kg)
Water capacity (80%): 185 gal (700L)	28209EP	1 ea 1 box	18.7 lb (8.5 kg)



Built-in sprayer keeps kids cool





PUNCTURE-RESISTANT

Beachside





3-ply material



INNOVATIVE T-JOINT Precision engineered



Realistic photo printing on the pool bottom



Our Beachside Metal Frame™ Pool brings the ocean right into your customer's backyard. Thanks to captivating photo-realistic print, the pool's sidewalls and floor feature a vibrant seascape that blends right in with the water. A sturdy steel frame matches those striking aesthetics with reliable durability. And setup is a snap with the innovative T-joint design, leaving more time for fun in the sun.



1		
/[
77		
V		







SPECIFICATIONS	ITEM#	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
	28206NP	-	-	1 ea 1 box	38.3 lb (17.4 kg)
10' x 30"	28206EH	-	-	1 ea 1 box	40.0 lb (18.2 kg)
(3.05m x 76cm) Approximate set-up size	28207	110-120V	330 gal (1,250L)	1 ea 1 box	42.5 lb (19.3 kg)
Water capacity (90%):	28207EH	110-120V (W/GFCI)	330 gal (1,250L)	1 ea 1 box	44.7 lb (20.3 kg)
1,185 gal (4,485L) Ready for water in 30 minutes	28208NP	220-240V	330 gal (1,250L)	1 ea 1 box	43.3 lb (19.7 kg)
	28208GN	12V	330 gal (1,250L)	1 ea 1 box	44.0 lb (20.0 kg)

METAL FRAME™ POOLS



Our Metal Frame[™] pools are a good choice for beating the heat all summer long. These pools feature strong and durable steel frames that are built to last. SUPER-TOUGH™ laminated sidewalls are reinforced with an all-around band to keep frame legs firmly in place. With their sturdy construction and easy setup, these pools are the perfect

addition to any backyard.



PUNCTURE-RESISTANT
3-ply material



PUNCTURE-RESISTANT 3-ply material







			(lb/kg)	
SPECIFICATIONS	ITEM#	CASE PA	CK CASE WEIG	нт
8' x 20" (2.44m x 51cm) Approximate set-up size Water capacity (80%): 483 gal (1,828L) Ready for water in 30 minutes	28205NP 28205EH	1 ea 1 bo		
8' x 30" (2.44m x 76cm) Approximate set-up size	28290NP	1 ea 1 bo	ox 25.5 lb (11.6	kg)
Water capacity (90%): 751 gal (2,843L) Ready for water in 30 minutes	28290EH	1 ea 1 bo	ox 27.1 lb (12.3	kg)













		,		•	
SPECIFICATIONS	ITEM#	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
10' X 30" (3.05m x 76cm) Approximate set-up size Water capacity (90%): 1,185 gal (4,485L) Ready for water in 30 minutes	28200NP 28200EH 28201 28201EH 28202NP	- 110-120V 110-120V (W/GFCI) 220-240V	- 330 gal (1,250L) 330 gal (1,250L) 330 gal (1,250L)	1 ea 1 box	38.3 lb (17.4 kg) 40.0 lb (18.2 kg) 42.5 lb (19.3 kg) 44.7 lb (20.3 kg) 43.3 lb (19.7 kg)
	28202GN	12V	330 gal (1,250L)	1 ea 1 box	44.0 lb (20.0 kg)
	28210NP	-	-	1 ea 1 box	48.2 lb (21.9 kg)
12' X 30"	28210EH	-	-	1 ea 1 box	50.2 lb (22.8 kg)
(3.66m x 76cm) Approximate set-up size	28211	110-120V	530 gal (2,006L)	1 ea 1 box	53.9 lb (24.5 kg)
Water capacity (90%): 1,718 gal (6,503L)	28211EH	110-120V (W/GFCI)	530 gal (2,006L)	1 ea 1 box	55.7 lb (25.3 kg)
Ready for water in 30 minutes	28212NP	220-240V	530 gal (2,006L)	1 ea 1 box	55.4 lb (25.2 kg)
	28212GN	12V	600 gal (2,271L)	1 ea 1 box	57.0 lb (25.9 kg)





INNOVATIVE T-JOINT
Precision engineered

		\$		異					(lb/kg)
SPECIFICATIONS	ITEM#	VOLTAGE	FILTER PUMP	LADDER	SAFETY LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
15' x 48" (4.57m x 1.22m)	28241EH	110-120V (W/GFCI)	1,000 gal (3,785L)	✓	_	✓	✓	1 ea 1 box	145.6 lb (66.2 kg)
Approximate set-up size	28242NP	220-240V	1,000 gal (3,785L)	-	\checkmark	\checkmark	\checkmark	1 ea 1 box	151.6 lb (68.9 kg)
Water capacity (90%): 4,440 gal (16,805L) Ready for water in 45 minutes	28242GN	12V	900 gal (3,407L)	-	✓	√	\checkmark	1 ea 1 box	153.3 lb (69.7 kg)



PREMIUM Pool Series

Constructed with SuperTough™ puncture-resistant 3-ply liner material and strong, powder-coated frames, our Premium pool series comes in a range of shapes and sizes. Each pool also is designed to enhance the look of most backyards.



PRISM FRAME™



CHEVRON PRISM FRAME™



GRAPHITE GRAY PANEL™




PRISM FRAME™

PREMIUM POOLS



PUNCTURE-RESISTANT
3-ply material



INNOVATIVE T-JOINT
Precision engineered












SPECIFICATIONS	ITEM#	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
	26700NP	-	-	1 ea 1 box	37.5 lb (17.1 kg)
10' X 30" (3.05m x 76cm)	26700EH	-	-	1 ea 1 box	39.4 lb (17.9 kg)
Approximate set-up size	26701	110-120V	330 gal (1,250L)	1 ea 1 box	41.8 lb (19.0 kg)
Water capacity (90%): 1,185 gal (4,485L)	26701EH	110-120V (W/GFCI)	330 gal (1,250L)	1 ea 1 box	44.0 lb (20.0 kg)
Ready for water in 30 minutes	26702NP	220-240V	330 gal (1,250L)	1 ea 1 box	42.9 lb (19.5 kg)
	26702GN	12V	330 gal (1,250L)	1 ea 1 box	43.3 lb (19.7 kg)
	26710NP	-	-	1 ea 1 box	47.7 lb (21.7 kg)
12' X 30"	26710EH	-	-	1 ea 1 box	49.3 lb (22.4 kg)
(3.66m x 76cm) Approximate set-up size	26711	110-120V	530 gal (2,006L)	1 ea 1 box	53.2 lb (24.2 kg)
Water capacity (90%): 1,718 gal (6,503L)	26711EH	110-120V (W/GFCI)	530 gal (2,006L)	1 ea 1 box	54.8 lb (24.9 kg)
Ready for water in	26712NP	220-240V	530 gal (2,006L)	1 ea 1 box	54.8 lb (24.9 kg)
30 minutes					
30 minutes	26712GN	12V	600 gal (2,271L)	1 ea 1 box	56.1 lb (25.5 kg)












26726GN

4,440 gal (16,805L)

Ready for water in 45 minutes







PRISM FRAME™ RECTANGULAR PREMIUM POOL



Our Prism Frame™ Rectangular Pools provides optimal swimming space with backyard-enhancing aesthetics. Constructed with SuperTough™ puncture-resistant 3-ply material, the inside liner also features an attractive mosaic tile pattern. Families can rely on the sturdy INTEX® Prism Frame™ Rectangular pool for solid summer fun!



LARGE PROFILE FRAME for enhanced strength



3-ply material



530 - 1000 GPH (2006 - 3785 LPH) Filtration




530 gal (2,006 L) filter pump included in the 9'10" x 5'9" x 311/2" (3.00m x 1.75m x 80cm)







		\$		穓	題				(lb/kg)
SPECIFICATIONS	ITEM#	VOLTAGE	FILTER PUMP	LADDER	SAFETY LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
9'10" X 5'9" x 31½" (3.00m x 1.75m x 80cm) Approximate set-up size Water capacity (90%): 935 gal (3,539L) Ready for water in 45 minutes	26784NP 26784GN	220-240V 12V	530 gal (2,006L) 600 gal (2,271L)	√ √	-	-	-	1 ea 1 box 1 ea 1 box	102.5 lb (46.6 kg) 105.6 lb (48.0 kg)
13'1½" X 6'6¾" x 39½" (4.00m x 2.00m x 1.00m) Approximate set-up size Water capacity (90%): 1,806 gal (6,836L) Ready for water in 45 minutes	26788NP 26788GN	220-240V 12V	530 gal (2,006L) 600 gal (2,271L)	-	✓	-	-	1 ea 1 box 1 ea 1 box	146.5 lb (66.6 kg) 147.8 lb (67.2 kg)
13'1½" X 6'6¾" x 48" (4.00m x 2.00m x 1.22m) Approximate set-up size Water capacity (90%): 2,224 gal (8,418L) Ready for water in 45 minutes	26790NP 26790GN	220-240V 12V	530 gal (2,006L) 600 gal (2,271L)	-	✓	-	-	1 ea 1 box 1 ea 1 box	186.1 lb (84.6 kg) 188.8 lb (85.8 kg)
16' X 8' x 42" (4.88m x 2.44m x 1.07m) Approximate set-up size Water capacity (90%): 2,873 gal (10,874L) Ready for water in 60 minutes	26791EH 26792NP 26792GN	110-120V (W/GFCI) 220-240V 12V	1,000 gal (3,785L) 1,000 gal (3,785L) 900 gal (3,407L)	✓ - -	- ✓	√ √	✓ ✓ ✓	1 ea 1 box 1 ea 1 box 1 ea 1 box	180.2 lb (81.9 kg) 186.1 lb (84.6 kg) 188.5 lb (85.7 kg)



PRISM FRAME™ OVAL PREMIUM POOL



These elegantly shaped pools with 48" high walls provide a great combination of size and water volume for a great backyard pool. Paired with a powerful 1500 GPH pump with HydroAeration™ Technology, the Prism Frame™ Oval pools are sure to provide a pristine pool experience.



LARGE PROFILE FRAME for enhanced strength



PUNCTURE-RESISTANT
3-ply material



Prism Frame™ Oval Premium Pool set completely filters the pool's water in under 4 hours!

1,500 gal (5,678 L) filter pump included in the 16'6" x 9' x 48" (5.03m x 2.74m x 1.22m) and 20' x 10' x 48" (6.10m x 3.05m x 1.22m)



		\$						(lb/kg)
SPECIFICATIONS	ITEM#	VOLTAGE	FILTER PUMP	SAFETY LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
16'6" X 9' X 48" (5.03m X 2.74m X 1.22m Approximate Set-Up Size Water Capacity (90%): 3,531 gal (13,365L) Ready For Water In 60 Minutes) 26796NP 26796GN	220-240V 12V	1,500 gal (5,678L) 1,500 gal (5,678L)	✓	✓ ✓	✓ ✓	1 ea 1 box 1 ea 1 box	243.3 lb (110.6 kg) 246.0 lb (111.8 kg)
20' X 10' X 48" (6.10m X 3.05m X 1.22m Approximate Set-Up Size) 26798NP	220-240V	1,500 gal (5,678L)	✓	√	√	1 ea 1 box	282.5 lb (128.4 kg)
Water Capacity (90%): 4,809 gal (18,202L) Ready For Water In 60 Minutes	26798GN	12V	1,500 gal (5,678L)	✓	✓	\checkmark	1 ea 1 box	285.3 lb (129.7 kg)




PRISM FRAME™ GREYWOOD PREMIUM POOL





The Greywood Prism Frame™ Pool brings a level of elegance to one of our most popular and reputable lines. Thanks to our industry-leading realistic print technology, the sophisticated Greywood woodgrain pattern complements the pool's sturdy, round frame, conveying strength and class. Setup is simple, as innovative T-joints eliminate the need for pins.



targe profile frame for enhanced strength



PUNCTURE-RESISTANT
3-ply material



INNOVATIVE T-JOINT
Precision engineered



1000 - 1500 GPH (3785 - 5678 LPH) Filtration



1,000 gal (3,785 L) filter pump included in the 15' x 48" (4.57m x 1.22m)



		\$		雕					(lb/kg)
SPECIFICATIONS	ITEM#	VOLTAGE	FILTER PUMP	LADDER	SAFETY LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
15' X 48" (4.57m X 1.22m)	26741EH	110-120V (W/GFCI)	1,000 gal (3,785L)	√	_	√	√	1 ea 1 box	151.4 lb (68.8 kg)
Approximate Set-Up Size	26742NP	220-240V	1,000 gal (3,785L)	_	\checkmark	\checkmark	\checkmark	1 ea 1 box	158.4 lb (72.0 kg)
Water Capacity (90%): 4,440 gal (16,805L) Ready For Water In 45 Minutes	26742GN	12V	900 gal (3,407L)	-	\checkmark	\checkmark	\checkmark	1 ea 1 box	160.6 lb (73.0 kg)
18' X 48" (5.49m X 1.22m)	26743EH	110-120V (W/GFCI)	1,500 gal (5,678L)	\checkmark	-	\checkmark	\checkmark	1 ea 1 box	206.8 lb (94.0 kg)
Approximate Set-Up Size	26744NP	220-240V	1,500 gal (5,678L)	-	\checkmark	\checkmark	\checkmark	1 ea 1 box	215.6 lb (98.0 kg)
Water Capacity (90%): 6,423 gal (24,311L) Ready For Water In 60 Minutes	26744GN	12V	1,500 gal (5,678L)	-	\checkmark	✓	\checkmark	1 ea 1 box	218.0 lb (99.1 kg)



PRISM FRAME™ **CLEARVIEW PREMIUM POOL**





Premium Pool to interact. For durability, the pool features all the hallmarks of the Prism Frame™ line, including strong frames with



LARGE PROFILE FRAME for enhanced strength



PUNCTURE-RESISTANT 3-ply material



INNOVATIVE T-JOINT Precision engineered



Filtration





SPECIFICATIONS	ITEM#	VOLTAGE	FILTER PUMP	LADDER	SAFETY LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
14' X 42" (4.27m x 1.07m)	26721EH	110-120V (W/GFCI)	1,000 gal (3,785L)	\checkmark	-	\checkmark	\checkmark	1 ea 1 box	139.5 lb (63.4 kg)
Approximate set-up size	26722NP	220-240V	1,000 gal (3,785L)	-	\checkmark	\checkmark	\checkmark	1 ea 1 box	145.6 lb (66.2 kg)
Water capacity (90%): 3,357 gal (12,706L) Ready for water in 45 minutes	26722GN	12V	900 gal (3,407L)	-	\checkmark	✓	\checkmark	1 ea 1 box	148.1 lb (67.3 kg)
16' X 48" (4.88m x 1.22m)	26729EH	110-120V (W/GFCI)	1,500 gal (5,678L)	\checkmark	-	\checkmark	\checkmark	1 ea 1 box	184.4 lb (83.8 kg)
Approximate set-up size	26730NP	220-240V	1,500 gal (5,678L)	-	\checkmark	\checkmark	\checkmark	1 ea 1 box	192.1 lb (87.3 kg)
Water capacity (90%): 5,061 gal (19,156L) Ready for water in 45 minutes	26730GN	12V	1,500 gal (5,678L)	-	✓	✓	\checkmark	1 ea 1 box	197.8 lb (89.9 kg)



It's a pool with a view! Swimmers and bystanders can have added fun using the panoramic window on the Prism Frame™ Clearview powder coating for rust protection and puncture-resistant 3-ply liner material. Plus, its innovative T-joints mean easy assembly.

PRISM FRAME™ CHEVRON PREMIUM POOL






The Chevron Prism Frame™ Pool showcases familiar, attractive pattern to go with the line's standard quality features. In bright, pastel colors, the chevron design ties the pool together with other backyard elements. Meanwhile, powder-coated rust protection, puncture-resistant 3-ply liner material, and easy-assembly T-joints deliver the durability and simplicity expected of Prism Frame™ Premium pools.



LARGE PROFILE FRAME for enhanced strength




PUNCTURE-RESISTANT
3-ply material



INNOVATIVE T-JOINT
Precision engineered



Filtration



1,500 gal (5,678 L) filter pump included in the 16' x 48" (4.88m x 1.22m)



		\$		雕					(lb/kg)
SPECIFICATIONS	ITEM#	VOLTAGE	FILTER PUMP	LADDER	SAFETY LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
16' X 48" (4.88m x 1.22m)	26745EH	110-120V (W/GFCI)	1,500 gal (5,678L)	✓	-	✓	✓	1 ea 1 box	172.3 lb (78.3 kg)
Approximate set-up size	26746NP	220-240V	1,500 gal (5,678L)	-	\checkmark	\checkmark	\checkmark	1 ea 1 box	182.6 lb (83.0 kg)
Water capacity (90%): 5,061 gal (19,156L) Ready for water in 45 minutes	26746GN	12V	1,500 gal (5,678L)	_	\checkmark	\checkmark	\checkmark	1 ea 1 box	185.0 lb (84.1 kg)



PRISM FRAME™

CHEVRON RECTANGULAR PREMIUM POOL



As it does on our round Prism Frame™ Premium Pool, the popular chevron pattern infuses the rectangular version with additional elegance. In substance, the Chevron Prism Frame™ Rectangular Premium Pool bears all the widely recognized Prism Frame hallmarks, such as powder-coated rust protection, puncture-resistant 3-ply liner material, and easy-assembly T-joints. The familiar chevron zig-zag design elevates its aesthetic impact, making it a nice addition to any backyard.



LARGE PROFILE FRAM for enhanced strength



PUNCTURE-RESISTANT
3-ply material



530 - 600 GPH (2006 - 2271 LPH) Filtration

Chevron Prism Frame™ Rectangular Premium Pool set completely filters the pool's water in under 4 hours!

530 gal (2,006 L) filter pump included in the 13'1½" x 6'6¾" x 39½" (4.00m x 2.00m x 1.00m)



		V		2 40	TIL.	\	
SPECIFICATIONS	ITEM#	VOLTAGE	FILTER PUMP	LADDER	SAFETY LADDER	CASE PACK	CASE WEIGHT
13'1½" X 6'6¾" x 39½" (4.00m x 2.00m x 1.00m) Approximate set-up size Water capacity (90%): 1,806 gal (6,836L) Ready for water in 45 minutes	26779EH 26780NP 26780GN	110-120V (W/GFCI) 220-240V 12V	530 gal (2,006L) 530 gal (2,006L) 600 gal (2,271L)	✓	- ✓ ✓	1 ea 1 box 1 ea 1 box 1 ea 1 box	139.0 lb (63.2 kg) 144.8 lb (65.8 kg) 146.7 lb (66.7 kg)



GRAPHITE GRAY PANEL™ PREMIUM POOL





Following the latest color trends in exterior decking and home siding, the Graphite Gray Panel™ Pool offers the appearance of a high-end, custom-built swimming pool at a reasonable price point. The panels have the look of real wood, but they are made of high-density plastic, eliminating the need for weather staining or termite protection. Best of all, the Graphite Gray Panel™ Pool is easy to assemble and comes equipped with our highest-grade pool accessories, including the Krystal Clear® Sand Filter Pump.



Realistic wood pattern with reinforced panel support system



		\$		雕	A				(lb/kg)
SPECIFICATIONS	ITEM#	VOLTAGE	SAND FILTER PUMP	LADDER	SAFETY LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
15'8" X 49" (4.78m x 1.24m)	26383EH	110-120V (W/GFCI)	1,500 gal (5.7m³)	✓	_	✓	✓	1 ea 1 box	454.5 lb (206.6 kg)
Approximate set-up size	26384NP	220-240V	1,500 gal (5.7m³)	-	\checkmark	\checkmark	\checkmark	1 ea 1 box	458.3 lb (208.3 kg)
Water capacity (90%): 4,440 gal (16,805L) Ready for water in 120 minutes	26384GS	220-240V (W/RCD)	1,500 gal (5.7m³)	-	\checkmark	\checkmark	✓	1 ea 1 box	461.1 lb (209.6 kg)





INNOVATIVE T-JOINT
Precision engineered





DELUXE Pool Series

Our Deluxe Pool Series are uniquely designed to offer you the ultimate performance and user experience.

Constructed with SuperTough™ puncture-resistant 3-ply liner material and high quality galvanized steel frames, these pools are engineered for long-lasting summers of fun.



ULTRA XTR® FRAME













EXPERIENCE THE ULTRA DIFFERENCE


An innovative frame design combines high-quality galvanized steel with a precision-engineered locking system, enhancing the overall quality, durability and stability of the pools.



T-JOINT Precision engineered



EASY LOCK SYSTEM™ Snaps together with no additional tools



INNOVATIVE FRAME DESIGN Sturdy, durable and unique



PUNCTURE-RESISTANT 3-ply material



- Encapsulating inner and outer powder coating ensures the ultimate resistance to rust
- Easy to assemble frame components simply snap together with no locking pins needed
- Extra strong and durable liner
- Equipped with Krystal Clear® Sand Filter Pump with Hydro Aeration™ Technology
- 2-year warranty that guarantees a peace of mind pool ownership







		\$		雕	租	322			(lb/kg)
SPECIFICATIONS	ITEM#	VOLTAGE	SAND FILTER PUMP	LADDER	SAFETY LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
16' X 48" (4.88m x 1.22m) Approximate set-up size Water capacity (90%): 5,061 gal (19,156L) Ready for water in 45 minutes	26325EH 26326NP 26326GN	110-120V (W/GFCI) 220-240V 220-240V (W/RCD)	1,500 gal (5.7m³) 1,500 gal (5.7m³) 1,500 gal (5.7m³)	✓--	- ✓	✓ ✓ ✓	✓ ✓ ✓	1 ea 1 box 1 ea 1 box 1 ea 1 box	213.8 lb (97.2 kg) 220.7 lb (100.3 kg) 222.2 lb (101.0 kg)
18' X 52" (5.49m x 1.32m) Approximate set-up size Water capacity (90%): 6,981 gal (26,423L) Ready for water in 60 minutes	26329EH 26330NP 26330GN	110-120V (W/GFCI) 220-240V 220-240V (W/RCD)	2,100 gal (7.9m³) 2,100 gal (7.9m³) 2,100 gal (7.9m³)	✓ - -	- ✓	✓ ✓ ✓	✓ ✓ ✓	1 ea 1 box 1 ea 1 box 1 ea 1 box	269.9 lb (122.7 kg) 275.0 lb (125.0 kg) 276.5 lb (125.7 kg)
20' X 48" (6.10m x 1.22m) Approximate set-up size Water capacity (90%): 7,947 gal (30,079L) Ready for water in 60 minutes	26333EH 26334NP 26334GN	110-120V (W/GFCI) 220-240V 220-240V (W/RCD)	2,100 gal (7.9m³) 2,100 gal (7.9m³) 2,100 gal (7.9m³)	✓ - -	- ✓ ✓	√ √ √	✓ ✓ ✓	1 ea 1 box 1 ea 1 box 1 ea 1 box	280.7 lb (127.6 kg) 287.1 lb (130.5 kg) 288.2 lb (131.0 kg)
24' X 52" (7.32m x 1.32m) Approximate set-up size Water capacity (90%): 12,481 gal (47,241L) Ready for water in 60 minutes	26339EH 26340NP 26340GN	110-120V (W/GFCI) 220-240V 220-240V (W/RCD)	2,800 gal (10.5m³) 2,800 gal (10.5m³) 2,800 gal (10.5m³)	✓ - -	- ✓ ✓	√ √ √	✓ ✓ ✓	1 ea 1 box 1 ea 1 box 1 ea 1 box	364.5 lb (165.7 kg) 369.2 lb (167.8 kg) 370.9 lb (168.6 kg)

RECTANGULAR **FRAME POOL**





EASY LOCK SYSTEM™

Snaps together with no additional tools



INNOVATIVE FRAME DESIGN

Sturdy, durable and unique



PUNCTURE-RESISTANT 3-ply material








MAXIMIZE YOUR POOL EXPERIENCE

Our Ultra XTR® Rectangular Frame Pool eclipses its class as the ultimate above ground pool swimming experience. Its classic rectangular shape evokes the water capacity and swimming space of some in-ground pools. Stylistically, its elegant dark-gray liner, water-blue tile print interior, and brilliant white copings are a transformative ensemble.





		\$	COMP	異	A Decision of the second			Fr			(lb/kg)
SPECIFICATIONS	ITEM#	VOLTAGE	SAND FILTER PUMP & SALTWATER SYSTEM	LADDER	SAFETY LADDER	GROUND CLOTH	POOL COVER	DELUXE POOL MAINTENANCE KIT	VOLLEYBALL SET	CASE PACK	CASE WEIGHT
24' X 12' x 52" (7.32m x 3.66m x 1.32m) Approximate set-up size	26367ЕН	110-120V (W/GFCI)	2,100 gal (7.9m³)	✓	-	✓	✓	✓	√	1 ea 2 boxes	438.9 lb (199.5 kg)
Water capacity (90%): 8,403 gal (31,805L) Ready for water in 60 minutes	26368NP	220-240V	2,100 gal (7.9m³)	-	✓	✓	✓	✓	✓	1 ea 2 boxes	445.3 lb (202.4 kg)
32' X 16' x 52" (9.75m x 4.88m x 1.32m) Approximate set-up size	26377ЕН	110-120V (W/GFCI)	2,650 gal (10.0m³)	✓	-	√	✓	✓	√	1 ea 2 boxes	589.4 lb (267.9 kg)
Water capacity (90%): 14,364 gal (54,368L) Ready for water in 90 minutes	26378NP	220-240V	2,650 gal (10.0m³)	-	✓	✓	✓	✓	✓	1 ea 2 boxes	618.2 lb (281.0 kg)



Filtration Systems

Sanitation Systems

Krystal Clear® POOLWATER SYSTEMS

Innovation in Pool Maintenance

Difficulty of maintenance is a huge part of the pool-owning experience.

INTEX understands that the process of keeping pool water clean can be overwhelming, so we developed Krystal Clear® filtration and sanitation systems to eliminate the legwork.

CARTRIDGE FILTER PUMPS

MODEL C

- Cartridges provide excellent water filtration
- Easy to use: simply replace the old cartridge with a new one every 2 weeks
- INTEX® high quality replacement cartridges are widely available
- 24-hour auto timer on some models



SAND FILTER PUMPS

MODEL **SX**

- All natural sand provides excellent water filtration
- Economical & environmentally friendly
- Requires virtually no maintenance except replacement of sand every 5 years
- Compatible with INTEX® Fiber Ball Filtration Media
- 24-hour auto timer included



SALTWATER SYSTEM

MODEL QS

- Eliminates bacteria & algae from pool water using a virtually undetectable amount of all natural salt
- Much gentler on skin, eyes, clothes, and hair than packaged chlorine
- Salt is economical & much more environmentally friendly than packaged chlorine
- 24-hour auto timer included



SALTWATER SYSTEM WITH OZONE

MODEL **QZ**

- Ozone is the most powerful sanitizing method for pool water
- The only 100% natural and biodegradable pool sanitizing agent
- Odorless
- Saltwater system provides residual cleaning action and soft, smooth water for swimmers
- 24-hour auto timer included



Pool Filtration System

Krystal Clear® CARTRIDGE FILTER PUMPS

MODEL







MODEL **C530**



MODEL C1000








MODEL C2500

Efficient filtration is essential for a quality swim experience, and at INTEX® we settle for nothing less than pristine pool water. INTEX's line of pumps and cartridges guarantee a cleaner pool with:

- Powerful pumps in several of our most popular pool sets
- Filter cartridges with thicker, heavier paper and more pleats
- Water inlet jets for enhanced water flow back into the pool
- 2-year warranty
- Easy installation Just hook-up hoses and plug in
- Double insulated pump
- Air release valve for air trapped inside filter chamber

- Sediment flush valve at bottom of filter chamber (26635/26636/26633/26634)
- Auto timer for easier use (26601EG/26603EG/ 26637EG/26635/26636/26633/26634)
- Conforms to ul/csa standards (110-120V models)
- Ce approved (220-240V models)
- BV or DEKRA approved (GS designation models)
- Shelf box



Cartridge Gauge

Easily find out if it is time to clean or change the cartridge.



Model C1000 / C1500 / C2500 Equipped with Built-in Cartridge Gauge: Lets you know when it is time to clean or change the filter cartridge.



DOE compliant timer for 110V W/GFCI models only

ITEM#	MODEL	VOLTAGE	EASY SET® POOL MODELS	FRAME™ POOL MODELS	PRISM FRAME™ RECTANGULAR POOL MODELS	PRISM FRAME™ OVAL POOL MODELS	PUMP FLOW RATE GAL (L)/HR	SYSTEM FLOW RATE GAL (L)/HR	CASE PACK	CASE WEIGHT
NEW 26601	C330	110-120V	6'/8'10' (1.83m/2.44m/3.05m)	10' (3.05m)	-	-	330 gal (1,250L)	300 gal (1,136L)	4 ea	21.9 lb (10.0 kg)
NEW 26601EG	C330	110-120V (W/GFCI)	6'/8'10' (1.83m/2.44m/3.05m)	10' (3.05m)	-	-	330 gal (1,250L)	300 gal (1,136L)	4 ea	23.6 lb (10.7 kg)
NEW 26602	C330	220-240V	6'/8'10' (1.83m/2.44m/3.05m)	10' (3.05m)	-	-	330 gal (1,250L)	265 gal (1,003L)	4 ea	22.4 lb (10.2 kg)
NEW 26602GS	C330	12V	6'/8'10' (1.83m/2.44m/3.05m)	10' (3.05m)	-	-	330 gal (1,250L)	300 gal (1,136L)	4 ea	28.9 lb (13.1 kg)
NEW 26603	C530	110-120V	12'/13'/15' (3.66m/3.96m/4.57m)	12' (3.66m)	9'10"/13'1½" (3.00m/4.00m)	-	530 gal (2,006L)	475 gal (1,798L)	4 ea	27.6 lb (12.6 kg)
NEW 26603EG	C530	110-120V (W/GFCI)	12'/13'/15' (3.66m/3.96m/4.57m)	12' (3.66m)	9'10"/13'1½" (3.00m/4.00m)	-	530 gal (2,006L)	475 gal (1,798L)	4 ea	29.6 lb (13.4 kg)
NEW 26604	C530	220-240V	12'/13'/15' (3.66m/3.96m/4.57m)	12' (3.66m)	9'10"/13'1½" (3.00m/4.00m)	-	530 gal (2,006L)	450 gal (1,703L)	4 ea	29.8 lb (13.6 kg)
NEW 26604GS	C600	12V	12'/13'/15' (3.66m/3.96m/4.57m)	12' (3.66m)	9'10"/13'1½" (3.00m/4.00m)	-	600 gal (2,271L)	500 gal (1,893L)	4 ea	40.0 lb (18.2 kg)
NEW 26637EG	C1000	110-120V (W/GFCI)	15' (4.57m)	14'/15' (4.27m/4.57m)	16' x 8' (4.88m x 2.44m)	-	1,000 gal (3,785L)	750 gal (2,839L)	4 ea	34.4 lb (15.6 kg)
NEW 26638	C1000	220-240V	15' (4.57m)	14'/15' (4.27m/4.57m)	16' x 8' (4.88m x 2.44m)	-	1,000 gal (3,785L)	710 gal (2,687L)	4 ea	32.1 lb (14.6 kg)
NEW 26638GS	C900	12V	15' (4.57m)	14'/15' (4.27m/4.57m)	16' x 8' (4.88m x 2.44m)	-	900 gal (3,407L)	700 gal (2,650L)	4 ea	51.7 lb (23.5 kg)
26635EG	C1500	110-120V (W/GFCI)	18' (5.49m)	16'/18'/20' (4.88m/5.49m/6.10m)	-	16½'/20' (5.03m/6.10m)	1,500 gal (5,678L)	1,180 gal (4,466L)	1 ea	16.0 lb (7.3 kg)
NEW 26636	C1500	220-240V	18' (5.49m)	16'/18'/20' (4.88m/5.49m/6.10m)	-	16½'/20' (5.03m/6.10m)	1,500 gal (5,678L)	1,150 gal (4,353L)	1 ea	17.1 lb (7.8 kg)
NEW 26636GS	C1500	12V	18' (5.49m)	16'/18'/20' (4.88m/5.49m/6.10m)	-	16½'/20' (5.03m/6.10m)	1,500 gal (5,678L)	1,100 gal (4,164L)	1 ea	23.3 lb (10.6 kg)
NEW 26633EG	C2500	110-120V (W/GFCI)	-	-	-	-	2,500 gal (9,463L)	1,900 gal (7,192L)	1 ea	26.7 lb (12.1 kg)
NEW 26634	C2500	220-240V	-	-	-	-	2,500 gal (9,463L)	1,900 gal (7,192L)	1 ea	27.6 lb (12.5 kg)
NEW 26634GS	C2500	220-240V (W/RCD)	-	-	-	-	2,500 gal (9,463L)	1,750 gal (6,624L)	1 ea	29.7 lb (13.5 kg)

46

Pool Filtration System

Krystal Clear® SAND **FILTER PUMPS**





MODEL SX 925



MODEL SX1500



MODEL SX 2100



MODEL SX 2800



MODEL SX 3200

Sand-based pool filtration is popular because it's effective, time-saving and cost-efficient. The sand needs replacement just once every five years, making our Krystal Clear® Sand Filter Pumps some of the easiest to maintain.











(not available for SX925 & SX1500)

FEATURES	BENEFITS
4-function for 26641/26642 6-function control	Enables pool owner to filter, backwash, rinse, recirculate, drain, & close system
24-hour automatic timer	Automatic daily setting
0.75 horse power pump 0.60 horse power pump 0.30 horse power pump 0.18 horse power pump 0.12 horse power pump	Ideal for above ground pool
GFCI unit (110-120V version)	Safety shut-off; meets UL standard
Strainer basket	Easy-cleaning, prolongs life of sand

ITEM#	MODEL	VOLTAGE	RECTANGULAR FRAME™ POOL MODELS	EASY SET® POOL MODELS	METAL FRAME™ POOL MODELS	PRISM FRAME™ POOL MODELS	PRISM FRAME™ RECTANGULAR POOL MODELS	PUMP FLOW RATE GAL (m³)/HR	SYSTEM FLOW RATE GAL (m³)/HR	CASE PACK	CASE WEIGHT
26641EG	SX925	110-120V (W/GFCI)	7'25%"/8'6½"/9'10"/14'9½" (2.20m/2.60m/3.00m/4.50m)	6'/8'/10'/12'/13'/15' (1.83m/2.44m/3.05m/ 3.66m/3.96m/4.57m)	8'/10'/12'/15' (2.44m/3.05m/ 3.66m/4.57m)	10'/12'/14'/15' (3.05m/3.66m/ 4.27m/4.57m)	9'10"/13'1½"/16' (3.00m/4.00m/4.88m)	925 gal (3.5m³)	550 gal (2.0m³)	1 ea	18.2 lb (8.3 kg)
26642	SX925	220-240V	7'25%"/8'61/2"/9'10"/14'91/4" (2.20m/2.60m/3.00m/4.50m)	6'/8'/10'/12'/13'/15' (1.83m/2.44m/3.05m/ 3.66m/3.96m/4.57m)	8'/10'/12'/15' (2.44m/3.05m/ 3.66m/4.57m)	10'/12'/14'/15' (3.05m/3.66m/ 4.27m/4.57m)	9'10"/13'1½"/16' (3.00m/4.00m/4.88m)	925 gal (3.5m³)	550 gal (2.0m³)	1 ea	18.1 lb (8.2 kg)
26642GS	SX925	220-240V (W/RCD)	7'25%"/8'6½"/9'10"/14'9½" (2.20m/2.60m/3.00m/4.50m)	6'/8'/10'/12'/13'/15' (1.83m/2.44m/3.05m/ 3.66m/3.96m/4.57m)	8'/10'/12'/15' (2.44m/3.05m/ 3.66m/4.57m)	10'/12'/14'/15' (3.05m/3.66m/ 4.27m/4.57m)	9'10"/13'1½"/16' (3.00m/4.00m/4.88m)	925 gal (3.5m³)	500 gal (1.9m³)	1 ea	19.4 lb (8.8 kg)

*TANK SIZE: 8" (203mm) HP: 0.12 GLASS CAPACITY: 11.0 lb (5.0 kg) SAND CAPACITY: 14	TY: 14.3 lb (6.5 kg) FIBER BALL CAPACITY: 0.44 lb (200 g	,
--	--	---

ITEM#	MODEL	VOLTAGE	ULTRA XTR® FRAME POOL MODELS	ULTRA XTR® RECTANGULAR FRAME POOL MODELS	GRAPHITE GRAY PANEL™ POOL MODELS	TANK SIZE	НР	GLASS CAPACITY LB (KG)	SAND CAPACITY LB (KG)	FIBER BALL CAPACITY LB (G)	PUMP FLOW RATE GAL (m³)/HR	SYSTEM FLOW RATE GAL (m³)/HR	CASE PACK	CASE WEIGHT
26643EG	SX1500	110-120V (W/GFCI)	16' (4.88m)	18' x 9' (5.49m x 2.74m)	15'8" (4.78m)	10" (254mm)	0.18	18.5 lb (8.5 kg)	26 lb (12 kg)	0.77 lb (350 g)	1,500 gal (5.7m³)	1,050 gal (4.0m³)	1 ea	26.4 lb (12.0 kg)
26644	SX1500	220-240V	16' (4.88m)	18' x 9' (5.49m x 2.74m)	15'8" (4.78m)	10" (254mm)	0.18	18.5 lb (8.5 kg)	26 lb (12 kg)	0.77 lb (350 g)	1,500 gal (5.7m³)	1,050 gal (4.0m³)	1 ea	27.6 lb (12.5 kg)
26644GS	SX1500	220-240V (W/RCD)	16' (4.88m)	18' x 9' (5.49m x 2.74m)	15'8" (4.78m)	10" (254mm)	0.18	18.5 lb (8.5 kg)	26 lb (12 kg)	0.77 lb (350 g)	1,500 gal (5.7m³)	970 gal (3.7m³)	1 ea	30.0 lb (13.7 kg)
26645EG	SX2100	110-120V (W/GFCI)	18'/20' (5.49m/6.10m)	24' x 12' (7.32m x 3.66m)	-	12" (305mm)	0.30	35 lb (16 kg)	50 lb (23 kg)	1.43 lb (650 g)	2,100 gal (7.9m³)	1,600 gal (6.0m³)	1 ea	38.4 lb (17.5 kg)
26646	SX2100	220-240V	18'/20' (5.49m/6.10m)	24' x 12' (7.32m x 3.66m)	-	12" (305mm)	0.30	35 lb (16 kg)	50 lb (23 kg)	1.43 lb (650 g)	2,100 gal (7.9m³)	1,600 gal (6.0m³)	1 ea	39.3 lb (17.9 kg)
26646GS	SX2100	220-240V (W/RCD)	18'/20' (5.49m/6.10m)	24' x 12' (7.32m x 3.66m)	-	12" (305mm)	0.30	35 lb (16 kg)	50 lb (23 kg)	1.43 lb (650 g)	2,100 gal (7.9m³)	1,250 gal (4.7m³)	1 ea	40.9 lb (18.6 kg)
26647EG	SX2800	110-120V (W/GFCI)	24' (7.32m)	32' x 16' (9.75m x 4.88m)	-	14" (360mm)	0.60	55 lb (25 kg)	77 lb (35 kg)	2.2 lb (1000 g)	2,800 gal (10.5m³)	2,150 gal (8.0m³)	1 ea	45.8 lb (20.8 kg)
26648	SX2800	220-240V	24' (7.32m)	32' x 16' (9.75m x 4.88m)	-	14" (360mm)	0.60	55 lb (25 kg)	77 lb (35 kg)	2.2 lb (1000 g)	2,800 gal (10.5m³)	2,150 gal (8.0m³)	1 ea	46.8 lb (21.3 kg)
26648GS	SX2800	220-240V (W/RCD)	24' (7.32m)	32' x 16' (9.75m x 4.88m)	-	14" (360mm)	0.60	55 lb (25 kg)	77 lb (35 kg)	2.2 lb (1000 g)	2,800 gal (10.5m³)	1,900 gal (7.2m³)	1 ea	48.4 lb (22.0 kg)
26651EG	SX3000	110-120V (W/GFCI)	-	-	-	16" (410mm)	0.75	85 lb (38 kg)	120 lb (55 kg)	3.3 lb (1500 g)	3,000 gal (11.3m³)	2,450 gal (9.2m³)	1 ea	50.7 lb (23.1 kg)
26652	SX3200	220-240V	-	-	-	16" (410mm)	0.75	85 lb (38 kg)	120 lb (55 kg)	3.3 lb (1500 g)	3,200 gal (12.0m³)	2,450 gal (9.2m³)	1 ea	52.8 lb (24.0 kg)
26652GS	SX3200	220-240V (W/RCD)	-	-	-	16" (410mm)	0.75	85 lb (38 kg)	120 lb (55 kg)	3.3 lb (1500 g)	3,200 gal (12.0m³)	2,200 gal (8.3m³)	1 ea	54.8 lb (24.9 kg)

Pool Sanitation System

Krystal Clear® SALTWATER **SYSTEM**



The Low Maintenance Pool Water Sanitation

INTEX is responsible for many inventions, but we are especially proud of the ways we've innovated pool water sanitation. From automation refinements to more efficient salt-to-chlorine ratios, our Krystal Clear® Saltwater systems are making it easier to maintain sparkling-clean pool water. And since we now manufacture our titanium cells in house, we're able to up our game, producing even better results for pool-owners.

SALTWATER SYSTEM WITH E.C.O.

(Electrocatalytic Oxidation)



MODEL QS 500

26667EG

- Sleek and compact casing
- Control panel with display and easy access buttons
- Added power button for convenience
- 3 self-clean modes available, 6/10/14-hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 700-3.200 gal/h (2.650-12.112L/h)
- Chlorine output: 5 g/hr
- 24 hr. auto-clock cycle
- Shelf box: 2 ea. 40.3 lb (18.3 kg)

26668

- Same as 26667 except 220-240V
- Shelf box; 2 ea, 39.6 lb (18.0 kg)

26668GS

- Same as 26668 except 12V
- Shelf box; 1 ea, 23.1 lb (10.5 kg)

MAX POOL SIZE: 7.000 GAL (26.500L)



MODEL QS 700 PLUS

26687EG

- Sleek and compact casing
- Control panel with comprehensive display and user-friendly buttons
 - Conveniently monitor the salt concentration and water temperature from the control panel
 - Large titanium cell provides enhanced chlorine production while using a lower salt concentration
 - 4 self-clean modes available, 2/4/6/10-hr cycles
 - 110-120V with GFCI
 - Filtration pump flow rate required: 700-3,200 gal/h (2,650-12,112L/h)
 - Chlorine output: 7 a/hr
 - 24 hr. auto-clock cycle
 - Shelf box: 2 ea. 42.4 lb (19.3 kg)

26688

- Same as 26687 except 220-240V
 - Shelf box; 2 ea, 41.6 lb (18.9 kg)

26688GS

- Same as 26688 except 12V
- Shelf box; 1 ea, 23.8 lb (10.8 kg)

MAX POOL SIZE: 7,000 GAL (26,500L)



MODEL **QS 1200**

26669EG

- Sleek and compact casing
- Control panel with display and easy access buttons
- Added power button for convenience
- 3 self-clean modes available, 6/10/14-hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 700-3.200 gal/h (2.650-12.112L/h)
- Chlorine output: 12 g/hr
- 24 hr. auto-clock cycle
- Shelf box: 2 ea. 46.2 lb (21.0 kg)

26670

- Same as 26669 except 220-240V
- Shelf box; 2 ea, 46.4 lb (21.1 kg)

26670GS

- Same as 26670 except 12V
- Shelf box; 1 ea, 26.4 lb (12.0 kg)

MAX POOL SIZE: 15.000 GAL (56.800L)

SALTWATER SYSTEM



MODEL QS 200

26661EG

- Small and sleek design
- Control panel with display and easy access buttons
- Suitable for small rectangular or round pools up to 12' (3.66m)
- 1 self-clean mode available, 10 hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 300-1,000 gal/h (1,136-3,785L/h)
- Chlorine output: 2 g/hr
- 24 hr. auto-clock cycle
- Shelf box: 2 ea. 14.3 lb (6.5 kg)

26662

- Same as 26661 except 100-240V
- Shelf box; 2 ea, 12.9 lb (5.9 kg)

26662GS

- Same as 26662 except 12V
- Shelf box; 2 ea, 13.8 lb (6.3 kg)

MAX POOL SIZE: 2.200 GAL (8.327L)



MODEL QS 400

26663EG

- Small and sleek design
- Control panel with display and easy access buttons
- Suitable for smaller size pools
- 3 self-clean modes available, 6/10/14-hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 300-1,000 gal/h (1,136-3,785L/h)
- Chlorine output: 4 g/hr
- 24 hr. auto-clock cycle
- Shelf box; 2 ea, 17.9 lb (8.2 kg)

26664

- Same as 26663 except 100-240V
- Shelf box; 2 ea, 16.6 lb (7.5 kg)

26664GS

- Same as 26664 except 12V
- Shelf box; 2 ea, 21.6 lb (9.8 kg)

MAX POOL SIZE: 4,500 GAL (17,413L)

SALTWATER SYSTEM WITH OZONE

sanitation method Is ozone. Only ozone provides

bacteria over 3,000 times faster than chlorine.

in above ground pool sanitation. By combining

experience for years.



MODEL QZ1100

- Control panel with display and easy access buttons
- Added power button for convenience
- 3 self-clean modes available, 6/10/14-hr cycles
- Redesigned water pipe for added efficiency
- 110-120V with GFCI

26665EG

- 1,600-4,000 gal/h (6,056-15,140L/h)

- Shelf box; 2 ea, 50.3 lb (22.9 kg)

26666

- Same as 26665 except 220-240V
- Shelf box; 2 ea, 49.3 lb (22.4 kg)

MAX POOL SIZE: 15,000 GAL (56,800L)

50

Combination System

POOL
FILTRATION
& SANITATION
SYSTEM



Krystal Clear®

SAND FILTER PUMP & SALTWATER SYSTEM WITH E.C.O.

(Electrocatalytic Oxidation)

Sand filters are desirable pool-cleaning solutions because they're all-natural, inexpensive and effective—and they need replacement only once every five years.

Saltwater systems with electrocatalytic oxidation (E.C.O.) are known for their ability to keep pool water clean and safe, while eliminating the harshness of traditional packaged chlorine.

INTEX has combined these two excellent systems into one product, providing above ground pool owners with ONE low-cost, low-maintenance system that will keep pools clean, safe, and comfortable for swimmers. Both systems are controlled automatically with one 24-hour timer to make daily operation carefree!



26675EG

- 110-120V with GFCI
- 14" (360mm) tank diameter
- 0.3 hp motor
- Pump flow rate 2,100 gph (7.9m³/hr)
- System flow rate 1,600 gph (6.0m³/hr)
- 77 lb (35 kg) sand capacity or 55 lb (25 kg) glass filtration media capacity or 2.2 lb (1 kg) fiber ball capacity
- Chlorine output: 7 g/hr
- 2 pieces of 1½" (38mm) hoses
- 2-year warranty
- Shelf box; 1 ea, 53.2 lb (24.2 kg)

26676

- Same as 26675 except 220-230V
- Shelf box; 1ea, 54.3 lb (24.7 kg)

Ultra XTR[®] Rectangular Frame Pool Mode 24' x 12' (7.32m x 3.66m)

MAX POOL SIZE: 8.500 GAL (32.200L)



26679EG

- 110-120V with GFCI
- 16" (410mm) tank diameter
- 0.6 hp motor
- Pump flow rate 2,650 gph (10.0m³/hr)
- System flow rate 2,150 gph (8.0m³/hr)
- 120 lb (55 kg) sand capacity or 85 lb (38 kg) glass filtration media capacity or 3.3 lb (1.5 kg) fiber ball capacity
- Chlorine output: 11 g/hr
- 2 pieces of 1½" (38mm) hoses
- 2-year warranty
- Shelf box; 1ea, 63.2 lb (28.7 kg)

26680

- Same as 26679 except 220-230V
- Shelf box; 1 ea, 64.4 lb (29.3 kg)

Ultra XTR[®] Rectangular Frame Pool Mode 32' x 16' (9.75m x 4.88m)

MAX POOL SIZE: 15.000 GAL (56.800L)



When the saltwater system is installed, a measured quantity of salt is added and dissoved in the pool water, resulting in a low salt concentration

(approx. 3,000 ppm salinity).



As the filter pump is circulating pool water during daily filtration, the saline water passes through the saltwater system that converts the dissolved salt into sodium hypochlorite.



out of the pool.

 \sim

CARTRIDGE FILTER PUMPS

MODEL





SAND FILTER PUMPS

MODEL

CASE PACK

1 ea

26641EG 26642 26642GS 26643EG 26644 26644GS 26645EG 26646 26646GS 26647EG 26648 26648GS 26651EG 26652 26652GS



1 ea

1 ea

4

26661EG 26662 26662GS 26663EG 26664 26664GS 26667EG 26668 26668GS 26687EG 26688 26688GS 26689EG 26670 26670GS

26665EG

26666

PRODUCT

MODEL

MAX POOL

SIZE

SALT

LEVEL

CLEAN

MODE

PUMP **FLOW RATE**

REQUIRED

GAL(L)/HR

CHLORINE

OUTPUT

VOLTAGE

CASE

WEIGHT

LB (KG)

CASE PACK



SALTWATER SYSTEM

QS200

2,200 GAL (8,327L)

mag0008

1 self-clean mode

10hr cycles

300-1,000 gal/h

(1,136-3,785L/h)

2g /hr

110-120V 100-240V 12V

(W/GFCI)



SALTWATER SYSTEM

QS400

4.500 GAL (17.413L)

3000ppm

3 self-clean mode

6/10/14-hr cycles

300-1,000 gal/h

(1,136-3,785L/h)

4g /hr

17.9 lb 16.6 lb 21.6 lb

100-240V 12V

110-120V

(W/GFCI)



SALTWATER SYSTEM

WITH E.C.O.

QS500

7.000 GAL (26.500L)

maa0008

3 self-clean mode

6/10/14-hr cycles

700-3,200 gal/h

(2,650-12,112L/h)

5g /hr

(6.5 kg) | (5.9 kg) | (6.3 kg) | (8.2 kg) | (7.5 kg) | (9.8 kg) | (18.3 kg) | (18.0 kg) | (10.5 kg) | (19.3 kg) | (18.9 kg) | (10.8 kg) | (21.0 kg) | (21.1 kg) | (12.0 kg) | (1

220-240V 12V

110-120V

(W/GFCI)

2 ea



SALTWATER SYSTEM

WITH E.C.O.

QS700 PLUS

15.000 GAL (56.800L)

950ppm

4 self-clean mode

2/4/6/10-hr cycles

700-3,200 gal/h

(2,650-12,112L/h)

7g /hr

40.3 lb | 39.6 lb | 23.1 lb | 42.4 lb | 41.6 lb | 23.8 lb | 46.2 lb | 46.4 lb | 26.4 lb

2 ea

12V

1 ea

(W/GFCI)

2 ea

(W/GFCI) 220-240V

2 ea

1 ea









QZ1100

15.000 GAL (56.800L)

3000ppm

3 self-clean mode 6/10/14-hr cycles

1,600-4,000 gal/h (6,056-15,140L/h)

11g /hr

SALTWATER SYSTEM WITH E.C.O.

15.000 GAL (56.800L)

QS1200

3000ppm

700-3,200 gal/h

(2,650-12,112L/h)

12g /hr

220-240V

2 ea

3 self-clean mode 6/10/14-hr cycles

10-120V (W/GFCI)	220-240V
50.3 lb	49.3 lb
(22.9 kg)	(22.4 kg)

2 ea



ITEM#

PRODUCT

CHLORINE

OUTPUT

VOLTAGE

CASE

WEIGHT

LB (KG)

CASE PACK

26675EG

Filtration & Sanitation Systems



26679EG

26680

SAND FILTER PUMP &
SALTWATER SYSTEM
WITH E.C.O.

	SALTWATER SYSTEM WITH E.C.O.	SALTWATER SYSTEM WITH E.C.O.
MODEL	QX2100	QX2600
MAX POOL SIZE	8,500 GAL (32,200L)	15,000 GAL (56,800L)
SALT LEVEL	3000ppm	3000ppm
PUMP FLOW RATE GAL(M³)/HR	2,100 gph (7.9m³/hr)	2,650 gph (10.0m³/hr)
SYSTEM FLOW RATE GAL(M³)/HR	1,600 gph (6.0m³/hr)	2,150 gph (8.0m³/hr)

SAND FILTER PUMP &

7g /hr

110-120V

(W/GFCI)

53.2 lb

(24.2 kg)

26676

110-120V 220-230V (W/GFCI)

11g /hr

63.2 lb 64.4 lb (29.3 kg) (28.7 kg)

1 ea 1 ea

220-230V

54.3 lb

(24.7 kg)

SALTWATER SYSTEM

POOL ACCESSORIES

Get the Most Out of Your Pool

Happiness is having a good time in a clean pool. So, whether you're splashing around or just cooling off, INTEX® has everything you need for a sunny day by the pool. With pool covers, ground cloths, and pool maintenance kits, INTEX's full line of pool accessories will help make owning a swimming pool less of a chore and leave more time for fun in the sun.

Pool Thermometer

28093 / E

- Floats upright
- Portable and easy to use
- Pegable box

18 ea, 3.2 lb (1.5 kg)



Pool Drain Pump

28605E

- Pumps up to 950 gallons (3595 liters) of water per hour with 16' (5m) long drain hose
- Maximum operating water depth: 4' (1.22m)
- Includes 1¼" x 16' (32mm x 5m) drain hose
- Adaptor for garden hose attachment
- IPX8 waterproof housing
- Power cord length: 25' (7.6m)
- Shelf box; 2 ea, 14.1 lb (6.4 kg)

28606

- Same as 28605 except 220-240V
- Power cord length: 33' (10m)
- Shelf box; 2 ea, 14.8 lb (6.7 kg)



Heater

28684

- Compatible with round Easy Set[®] or Metal Frame pools 15' (4.57m) diameter or smaller
- Easy hook-up and operation
- Pool thermometer included
- Easily connects to new or existing pool filter system
- Water level sensor
- 220-240V with RCD
- Shelf box



Push button switch

Solar Mat

28685 / E

- Eco-Friendly Solar technology that increases the temperature of the pool water by approximately 3° ~ 5°C (5° ~ 9°F) depending on weather condition
- Includes: 1½" (32mm) hose attachment points; 1 adaptor A and B for 1½" (38mm) hose connection; 0.5m (1½"/32mm diameter) connecting hose bypass valve
- Simple hook up, compatible with pump flow rate less than 1,500 gal/h (5,678L/h)
- 1m² (11ft²) surface to absorb the sun's rays
- Dimensions: 1.20m x 1.20m / 47¼" x 47¼" (flat, before fill)
- Constructed of heavy duty UV stabilized PVC
- Suitable for AGPs up to 8,000 gal (30,280L)
- Easy to drain, easy to store
- Chalfha







Filter Cartridges

Easy to clean Dacron filter material

29007 / E

Filter Cartridge Pack

- For Filter Pump Item# 28601 / 28602
- 12 ea, 2.4 lb (1.1 kg)

29000 / E Filter Cartridge Pack

- For Filter Pump Item# 28603 / 28604 / 28637 / 28638 / 28635 / 28636
- 6 ea, 2.6 lb (1.2 kg)

29002 / E

Filter Cartridge Twin Pack

- For Filter Pump Item# 28603 / 28604/ 28637 / 28638 / 28635 / 28636
- 6 ea, 5.0 lb (2.3 kg)

29003 / E

Filter Cartridge Triple Pack

- For Filter Pump Item# 28603 / 28604 / 28637 / 28638 / 28635 / 28636
- 6 ea, 7.2 lb (3.3 kg)

29005 / E

Filter Cartridge Pack

- For Filter Pump Item# 28633 / 28634
- 6 ea, 6.2 lb (2.8 kg)











Pool Foot Bath

29080 / E

28000 / E

- Reduces amount of debris & dirt entering your pool
- Easily connects to ladders to rinse off feet before entering pool
- Size 22" x 18" x 3.5" (56cm x 46cm x 9cm)
- Anti-slip bottom designed for safety
- Perfectly fits all INTEX ladders
- Water Capacity: 3 gal (11.5L)



12 ea, 16.1 lb (7.3 kg)

29041NP / EP

- Adjustable control ring to control the release of chemical
- Made of durable non-corrosive polypropylene material
- Holds up to 3" (7.6cm) chlorine or bromine tablets
- Suitable for all INTEX pools

Pool Ground Cloth

- Provides added protection for pool bottom
- Fits 8'/10'/12'/15' (2.44/3.05/3.66/4.57m) Adjustable control ring to control the release of chemical
- Made of durable non-corrosive polypropylene material
- Holds up to 1" (2.5cm) chlorine or bromine tablets

5" (12.7cm) Floating

Chemical Dispenser

Suitable for INTEX pools up to 12' (3.66m) and PureSpa™

- Tablets not included
- Twist-lock cap

29040NP / EP



28048 / E

- Easy Set® and frame pools
- 15½' (4.72m) square
- Durable material
- Shelf box



9.0 lb

(4.1 kg)

Interlocking Padded Floor Protector

29081 / E

- Tablets not included
- Twist-lock cap



29084 / E

- Made with durable polyethylene material
- Provides added protection and cushion around pool & play areal
- Easily stores and transports
- Sold in packs of 8 pieces, 20ft² (1.9m²) of interlocking tiles
- Piece Size: 20" x 20" x 3%" (50cm x 50cm x 1cm)



Sold in packs of 8 pieces, 20ft² (1.9m²) of interlocking tiles

 Piece Size: 20" x 20" x 3/16" (50cm x 50cm x 0.5cm)

Meets French and German regulation

18.4 lb (8.4 kg)



Machine washable

and other filtration media

Fiber Ball

29045 / E

Filtration Media

Use in place of filter sand, filter glass,

• 500g (1.1 lb/bag) fiber balls equals 18 kg of silica sand

Filter Balls provide superior filtration performance







 Minimum filtration pump flow rate Replace Filter Cartridge required: 1,000 gal/h (3,785L/h) Every Two Weeks Durable polypropylene plastic is not affected by pool chemicals



Strainer basket pulls out for

easy cleaning

Deluxe Wall Mount

Surface Skimmer

Attaches to filter pump for automatic skimming

• Easily mounts to Easy Set® or metal frame pool

Helps catch leaves and other debris before

sidewalls with adjustable bracket

they sink to the bottom of the pool









Pool Covers

Drain holes to prevent

Rone ties

Dialitificies to prevent	-	1 tope ties
water accumulation		Shelf box

TYPE	ITEM#	OVERHANG	FITS	CASE PACK	CASE WEIGHT
	28036 / E	8" (20cm)	1023/8" x 63" (2.60m x 1.60m)	6 ea	23.1 lb (10.5 kg)
Destangular	28038 / E	8" (20cm)	118" x 79" (3.00m x 2.00m)	6 ea	29.3 lb (13.3 kg)
Rectangular Pool Cover	28037 / E	8" (20cm)	157½" x 78¾" (4.00m x 2.00m)	6 ea	35.0 lb (15.9 kg)
	28039 / E	8" (20cm)	177¼" x 865/6" (4.50m x 2.20m)	6 ea	47.1 lb (21.4 kg)
	28020 / E	12" (30cm)	8' (2.44m)	6 ea	21.8 lb (9.9 kg)
- O 18	28021 / E	12" (30cm)	10' (3.05m)	6 ea	32.1 lb (14.6 kg)
Easy Set® Pool Cover	28022 / E	12" (30cm)	12' (3.66m)	6 ea	44.0 lb (20.0 kg)
1 001 00001	28026 / E	12" (30cm)	13' (3.96m)	4 ea	33.8 lb (15.4 kg)
	28023 / E	12" (30cm)	15' (4.57m)	4 ea	41.1 lb (18.7 kg)
Dannel	28030 / E	10" (25cm)	10' (3.05m)	6 ea	34.8 lb (15.8 kg)
Round Pool Cover	28031 / E	10" (25cm)	12' (3.66m)	6 ea	46.9 lb (21.3 kg)
	28032 / E	10" (25cm)	15' (4.57m)	4 ea	45.3 lb (20.6 kg)

62

- Drain holes to prevent water accumulation
 Rope ties

TYPE	ITEM#	OVERHANG	FITS	CASE PACK	CASE WEIGHT
Deluxe	28040 / E	8" (20cm)	16' (4.88m)	4 ea	33.4 lb (15.2 kg)
Pool Cover	28041 / E	8" (20cm)	18' (5.49m)	3 ea	30.2 lb (13.7 kg)

ITEM# 28036 28037 28038 28039



ITEM# 28020 28021 28022 28023 28026



ITEM# 28030 28031 28032



ITEM# 28040 28041



Solar Pool Covers

ITEM#

28010 / E

28011/E

28012 / E

28013 / E

28014 / E

28015 / E

TYPE

Easy Set®

Easy Set® &

Frame Pools

Easy Set® &

Frame Pools Thickness:160 Micron (150g/m²)

Rectangular

Frame Pools Thickness:160 Micron (150g/m²)

Thickness:120 Micron (110g/m²)

Thickness:120 Micron (110g/m²)

Helps keep pool water warmer

Easy to use

Economical

1 ea

CASE WEIGHT

1.7 lb (0.8 kg)

2.9 lb (1.3 kg)

8.2 lb (3.7 kg)

9.1 lb (4.1 kg)

11.5 lb (5.2 kg)

4.0 lb (1.8 kg)

6.3 lb (2.9 kg)

7.7 lb (3.5 kg)

12.4 lb (5.6 kg)

1 ea 21.1 lb (9.6 kg)

1 ea 3.9 lb (1.8kg)

Available in 11 sizes

SIZE

81" (2.06m)

114" (2.90m)

137" (3.48m)

176" (4.48m)

185" (4.70m)

212" (5.38m)

149" x 73" (3.78 x 1.86m)

187" x 92" (4.76 x 2.34m)

212" x 100" (5.38 x 2.53m)

282" x 136" (7.16 x 3.46m)

378" x 183" (9.60 x 4.66m)

Shelf box

FITS

8' (2.44m)

10' (3.05m)

12' (3.66m)

15' (4.57m)

16' (4.88m)

18' (5.49m)

16' x 8' (4.88 x 2.44m)

28028 / E 13'1½" x 6'6¾" (4 x 2m)

28016 / E 18' x 9' (5.49 x 2.74m)

28017 / E 24' x 12' (7.32 x 3.66m)

28018 / E 32' x 16' (9.75 x 4.88m)



ITEM# 28010 28011 28012 28013 28014 28015

ITEM# 28016 28017 28018 28028 28029



Solar Cover Reel

There are many benefits to covering an above ground pool, but applying and removing the cover can be a hassle. Our Solar Cover Reel is designed to easily attach to the metal frame of a pool—and it's even size-adjustable! A locking feature on the cover's handle prevents the cover from unintentional unrolling.

- Heavy duty construction with interlocking aluminum shaft
- Easy to install and use
- Significantly extends service life of solar cover
- Non-corrosive plastic hand crank with lock
- Suitable for rectangular frame pools with width from 9' - 16' (2.74m - 4.88m)
- Solar cover not included
- Shelf box; 2 ea, 34.9 lb (15.9 kg)





Deluxe Pool Covers . Drain noies to prevent water account.

UV-resistant polyethylene material



Pool Maintenance Kit

28002 / E

- Includes 94" (2.39m) telescoping aluminum pole for use with 16' (4.88m) and below pools
- Interchangeable vacuum and skimmer heads








Deluxe Pool Maintenance Kit

28003 / E

- Includes 110" (2.79m) telescoping aluminum pole for use with 18' (5.49m) diameter pools and above
- Attaches to the outlet connector in the pool with a 24'7" (7.50m) hose
- Minimum filtration pump flow rate required: 1,000 gal/h (3,785L/h)
- Vacuum sucks debris off the pool floor and through the filter
- Durable and deep mesh skimmer net
- Shelf box







28626 / E

- Suitable for use with all PureSpas and above-ground pools up to 18' (5.49m) in diameter
- USB charging cable included for convenient recharging (plug not included)
- Automatic shut-off feature when vacuum is not submerged in water
- 12 gal/min (45 L/min) water suction for efficient debris collection
- 0.21 gal (0.8 L) quick release transparent debris container
- 5-6 hour charge time/50 minutes maximum running time
- Strong built-in 4V 2Ah Ni-MH rechargeable batteries
- 94" (2.39m) lightweight telescoping aluminum pole
- IPX8 waterproof switch for added protection
- Two interchangeable brush heads
- Shelf box









- Suitable for use with all PureSpas, above ground pools, and in-ground pools
- Automatic shut-off feature when vacuum is not submerged in water
- 17 gal/min (64 L/min) water suction for efficient debris collection
- 5-6 hour charge time/100 minutes maximum running time
- 0.3 gal (1.1 L) quick release transparent debris container
- Strong built-in 8V 4Ah Ni-MH rechargeable batteries • 110" (2.80m) lightweight telescoping aluminum pole
- IPX8 waterproof switch for added protection
- Two interchangeable brush heads
- Power indicator
- Shelf box















ZX50 Auto Pool Cleaner

28007 / E / EX

- Fits all INTEX above ground pools up to 16' x 48" (4.88m x 1.22m)
- INTEX pump flow rate required: 900-1,500 gal/h (3,407-5,678L/h)
- 6ga (0.15mm) mesh filter for capturing even the finest debris
- 0.25 gal (0.8L) large capacity debris collection tray
- Suction side cleaner, designed to clean the pool floor
- Travel speed up to 5 meters per minute
- 21'4" (6.50m) non-tangle hose
- Shelf box





ZX100 Auto Pool Cleaner

28006 / E / EX

- Pressure side cleaner, designed to provide the ultimate convenience in cleaning your pool floor
- INTEX pump flow rate required: 1,600-3,500 gal/h (6,056-13,248L/h)
- Moving speed up to 8 m/min making quick cleaning of your pool
- 6ga (0.15mm) mesh filter for capturing even the finest debris
- 0.4 gal (1.5L) large capacity debris collection tray
- Fits all INTEX above ground pools up to 26' x 52" (Round Pools), or 32' x 16' x 52" (Rectangular Pools)
- Extend to connect 11/4" inlet fitting with connector
- 21'4" (6.50m) non-tangle hose
- Shelf box



15.2 lb

(6.9 kg)





ZX300 Deluxe Auto Pool Cleaner

28005 / E / EX

- Powerful 700 gal/hour water powered suction
- Fits all INTEX above ground pools up to 26' x 52" (Round Pools), or 32' x 16' x 52" (Rectangular Pools), not suitable for Easy Set pools
- Rotating dual dirt scrubbers for cleaning tiny and hard to remove dirt up to the water line
- 6 ga (0.15mm) mesh filter for capturing even the finest debris
- Water powered all-wheel drive for swift cleaning action and superior wall-climbing performance
- 0.48 gal (1.8L) large capacity debris collection tray
- Extend to connect 11/4" inlet fitting with connector
- INTEX pump flow rate required: 1,600-3,500 gal/h (6,056-13,248L/h)
- 21'4" (6.50m) non-tangle hose
- Pressure side cleaner
- Shelf box







Pool Canopy

28054 / E

 Fits all Prism Frame™ Rectangular, Prism Frame™ Oval and Ultra XTR® Rectangular pools (except 32' x 16' x 52"/ 9.75m x 4.88m x 1.32m) and 10' (3.05m) and 12' (3.66m) diameter round pools



- Add another canopy to increase the shaded area
- Simple setup easily attaches with clamps
- UPF 50+ and waterproof
- Shelf box







66 67

Solar Powered LED Floating Light

28695 / E

- 2 lighting modes: static white light or smooth color change mode
- AUTO ON/OFF MODE: Auto on at night / auto off at sunrise
- 5-hour auto shut-off (smooth color change mode) 2-hour auto shut-off (static mode)
- Shelf box











Shelf box

4 ea, 13.8 lb (6.3 kg)



Magnetic LED Pool-Wall Light

Lighting up an above ground pool has always been difficult. Unlike in-ground pool owners, who could flip a switch to light up their pools, above ground pool owners had to either cut a hole in their sidewall, risking leaks and damage to their pool or use a floating light.

28697E

- Magnetic wall mounting system
- Easily illuminates up to 24' (7.32m) pools
- 110-120V
- LED light
- Shelf box
- 4 ea, 12.5 lb (5.7 kg)









Same as 28697E, except 100-240V

Multi-Color LED Pool Sprayer

28089 / E

- Fits all round and rectangular Prism Frame™ and Ultra Frame™ pools (not suitable for Easy Set®, Oval, and Graphite Gray Panel™ pools)
- Filtration pump flow rate required: 1,000-3,200 gal/h (3,785-12,112L/h)
- Lights in 4 bright colors: White, Red, Blue, and Green
- Built-in hydroelectric generator powers LED lighting (no batteries or electrical connection required)
- Includes one adaptor A to fit all INTEX pool fittings: 11/4" (32mm) or 11/2" (38mm) hoses











10.0 lb

(4.6 kg)

Multi-Color LED Waterfall Cascade

- and Ultra XTR® Frame pools (not suitable for Easy Set®, and Graphite Gray Panel™ pools)

- Adjustable mounting bracket
- Shelf box









(8.3 kg)

18.2 lb

Pool Ladders

- Hi-impact composite steps
- Coated steel frame
- Not available in Europe
- Shelf box



Deluxe Pool Ladders

With Removable Steps

These pool ladders come with easily removable

steps. When the pool is not in use, they can

be guickly detached and removed from the

pool area. Replacing them is simple and quick.

Simply set the steps in the base, then snap and

28064 / E

- For 36" (91cm) wall height
- 3 ea, 51.2 lb (23.3 kg)

28065 / E

- For 42" (1.07m) wall height
- 3 ea, 54.5 lb (24.8 kg)

28066 / E

- For 48" (1.22m) wall height
- 3 ea, 62.5 lb (28.4 kg)



28067 / E

For 52" (1.32m) wall height

2 ea, 50.7 lb (23.0 kg)

28076 / E

- For 36" (91cm). 42"(1.07m) wall height
- Removable Steps

28075 / E

3 ea, 73.4 lb (33.4 kg)

- For 48" (1.22m)
- Removable Steps
- 2 ea, 54.4 lb (24.7 kg)

For 52" (1.32m) Removable Steps

2 ea, 60.0 lb (27.3 kg)

28077 / E









28090 / E

- Fits all round and rectangular Metal Frame, Prism Frame™
- Filtration pump flow rate required: 1,000-3,200 gal/h (3,785-12,112L/h)
- · Lights in 3 bright colors: Red, Blue, and Green
- Built-in hydroelectric generator powers LED lighting (no batteries or electrical connection required)
- Include bypass valve kit





U.S. Patent No. 9,074,384

lock them into place.









Leaf Skimmer

29050 / E

- Improved design for easier debris collection
- Durable mesh skimmer net
- Compatible with 1½6" (26.2mm) inner diameter telescoping aluminum pole (item# 29054, not included)



Remove debris off pool water surface

Scoop debris from pool floor

29051 / E

• Deep and durable mesh skimmer net

Leaf Rake

 Compatible with 13/16" (29.8mm) inner diameter telescoping aluminum pole (item# 29055, not included)



Basic Cleaning Kit

29056 / E

- Includes leaf skimmer, wall brush and vacuum head
- Vacuum head with reusable debris bag. requires connection with garden hose for usage
- Durable mesh skimmer net

(Item# 29054, not included)

- Wall brush can guickly remove algae and grime from pool walls or pool floor
- Compatible with 11/16" (26.2mm) inner diameter lightweight telescoping aluminum pole





94" (2.39m) 11/4" (32mm) Telescoping Aluminum Pole

29054 / E

- Ideal for attaching accessories to clean pools
- 94" (2.39m) lightweight telescoping aluminum pole
- 1½6" (26.2mm) inner diameter



Accessory Hose

29059 / E

- Suitable for INTEX filter pumps and saltwater systems that use 11/4" (32mm) hoses
- 59" (1.50m) length hose



5.1 lb (2.3 kg)

1½" (38mm) Accessory Hose

29060 / E

- Suitable for INTEX filter pumps and saltwater systems that use 11/2" (38mm) hoses
- 59" (1.50m) length hose



(4.8 kg)

10" (254mm) Wall Brush

29052 / E

- Straight standard brush for pool cleaning and maintenance
- · Quickly remove algae and grime from pool walls or pool floor
- Compatible with 1½6" (26.2mm) inner diameter telescoping aluminum pole (item# 29054, not included)



16" (406mm) Curved Wall Brush

29053 / E

- Curved brush ideal for pool cleaning and maintenance
- Quickly remove algae and grime from pool walls or pool floor
- Compatible with 13/16" (29.8mm) inner diameter telescoping aluminum pole (item# 29055, not included)



Deluxe Cleaning Kit

29057 / E

- Includes leaf rake, curved wall brush and vacuum head
- Vacuum sucks debris off the pool floor and through the filter
- Durable and deep mesh skimmer net

- Curved wall brush can quickly remove algae and grime from pool walls or pool floor
- Compatible with 13/16" (29.8mm) inner diameter lightweight telescoping aluminum pole



110" (2.79m) Telescoping Aluminum Pole

29055 / E

- Ideal for attaching accessories to clean pools
- 110" (2.79m) lightweight telescoping aluminum pole
- 13/16" (29.8mm) inner diameter

38.2 lb (17.4 kg

Deluxe Vacuum Hose

29083 / E

- 25' (7.60m) length
- Lightweight and flexible
- Removable end-fittings for easy cleaning and assembly
- Measures 1½" (38mm) in diameter



22.7 lb (10.3 kg

Adapter B

29061/E

- Coverts INTEX pools with 1.25" (32mm) clamp on fittings to 1.5" (38mm) screw on fittings
- Needed when upgrading from an INTEX 530 gal/h (2,006L/h) or 1,000 gal/h (3,785L/h) Filter Pump to an INTEX 1,500 gal/h (5,678L/h) or larger system
- Includes two adapters





5.4 lb

70

Commitment to Excellence

In today's rapidly evolving and highly competitive environment, this translates into a total commitment to product quality, including conformity to all relevant safety & quality regulations and standards. Examples include:

- EN 16927 "Safety and test methods for mini pools" (European standard)
- EN 16582 "Safety and test methods for domestic swimming pools other than mini pools" (European standard)
- Regulation (EC) No.1907/2006 "Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)"
- EN 71 "Safety of toys" (European standard)
- EN 13138 "Buoyant aids for swimming instruction" (European standard)
- EN ISO 25649 "Floating leisure articles for use on and in the water" (European/International standard for air mats, lounges and other similar items)
- EN 60335-2-41 "Safety of household and similar electrical appliances, particular requirements for pumps" (European standard for water pumps)
- EN 60335-2-60 "Safety of household and similar electrical appliances, particular requirements for whirlpool baths and whirlpool spas" (European standard for portable SPA)
- ISO 6185-1 "Inflatable boats" (International standard for Sports Boats)

- NMMA-ABYC (USA standard for hi-end sports boats)
- ASTM F963 "Standard Consumer Safety Specification for Toy Safety" (USA toy standard)
- ANSI/APSP-4 "AGP standard" (USA standard for above around pools)
- CPSIA "Consumer Product Safety Improvement Act" (USA regulation of consumer and children's products)
- ASTM F2666 "Small pools standard" (USA standard for pools under 36" water depth)
- UL1450 "Electric inflators" (USA standard for electric inflators)
- UL1081 "Swimming pool pumps, filters and chlorinators" (USA standard)
- UL1563 "Electric spas" (USA standard for Spa)
- DOE Energy Conservation Standards for Dedicated-Purpose Pool Pumps

INTEX's commitment to excellence extends to helping our environment and supporting the ecosystem. It begins with product design. INTEX's filter pumps operate on much lower amps than most filter pumps on the market, reducing electricity consumption. Our saltwater systems clean pools using only natural salt, eliminating the ongoing need for environmentally unfriendly packaged chlorine.

INTEX also operates one of the most comprehensive recycling programs in the industry. We are one of the earliest companies in China to successfully obtain a license to ship consumer's returns in the original package back to China to be recycled. Our manufacturing waste repurposing program prevents used materials and scraps from going to landfills and instead they are re-used in the manufacturing process where up to 10% of annually produced PVC is recycled.

INTEX designs all of our own packaging for our products. We constantly challenge our methods of packaging to improve efficiency and reduce waste. More compact packaging techniques save cardboard while cutting down on space utilization, saving freight and fuel consumption. As a manufacturer, INTEX knows it has a responsibility to manage the amount of waste produced. As an employer of over ten thousand people, we also encourage our own employees to recycle, reduce waste, and be conscious of the environment. Starting from recycling corners for all our worldwide office facilities, our factory has worked with the local government as well as through sponsorships with key partners to strengthen our efforts to be more

eco-friendly. INTEX has worked to provide incentives and seminars to employees as well as setting targets to reduce energy consumption. In addition, INTEX has made significant investment in technology to achieve these goals. For example, we have implemented a frequency converter system which converts diesel to natural gas, installed solar water heaters and set up a recycled sewage system, and invested in equipment that reduces gas emissions.

From product design, to more efficient processes that save energy and reduce waste, to a world class recycling program, to more energy efficient offices, the people at INTEX are striving to provide the best value products anywhere while constantly keeping our global ecosystem in mind.











































Global Customer Service

In addition to the products featured in this catalog, INTEX also offers replacement & repair parts for many items. Please contact our INTEX representatives or the following Customer Service locations for additional information.

Sarl New Toys Import & Export

Tel: 00213661141747 / 00213661523735 groupe beldjarou@yahoo.fr

Jarse Industrial Y Comercial SA Tel: (5411)4308-2606 info@intexargentina.com.ar

postventa@intexargentina.com.ar www.intexargentina.com.ar

Australia Ideal Sources Ptv Ltd.

Tel: 1800-359-947 enquiries@idealsources.com.au www.idealsources.com.au

Steinbach International Gmbh

helpdesk.steinbach.at

Benelux (Belgium / Netherlands / Luxemburg Intex Trading B.V.

Tel: 31-(0)165-593939 service@intexcorp.nl www.intex.eu

Konesul Brasil Distribuidora Ltda-ME

Tel: +55.31.3110-8866 suporte@intexbrasil.com www.intexbrasil.com

Canada Intex Recreation Corp.

Tel: 1-310-549-8235 www.intexcorp.com

Dorel Juvenile

Tel: 56-2-24971467 / 56-9-51790390 st@dorel.cl www.intex-chile.cl

Intex Industries (Xiamen) Co., Ltd. Tel: (086)400-8800655 xmchinasales@intexcorp.com.cn

Colombia Century Products, SAS

Tel: 18000410200 servicentury@centuryglobal.com.co

A.Hadiikvriacos Sporting Co., Ltd.

Tel: 00357-26961237 customercare@bloomcy.com info@bloomcy.com www.bloomcv.com

Czech Republic / Eastern Europe

Intex Trading S.R.O. Tel: +420-267-313-188 +420-267-312-645 servis@intexcorp.cz www.intexcorp.cz

Denmark

Amo Tovs danmark@intexservicenordic.com www.intexservicenordic.com

Ecuador

FCD Import and Export SA Tel: 507-309-1553

aclientes@fcdpanama.com www.intexpanama.com

M.R. Import & Export Tel: 202-2414-8550 / 01222303557

ramyelhousamy@gmail.com www.intexegypt.com

El Salvador FCD Import And Export SA

Tel: 507-309-1553 aclientes@fcdpanama.com www.intexpanama.com

Finland Amo Oy

kuluttajapalvelu@amo.fi www.intexservicenordic.com

Unitex / Intex Service France SAS Tel: 03 85 75 53 98 (coût appel local) www.intex.fr

Steinbach International Gmbh

helpdesk.steinbach.at

Guatemala / Venezuela / Costa Rica Century USA, LLC

Tel: +1 (561) 530-7781 sales@centurvusa.com

Guatemala

Century Usa, LLC Tel: +1 (561) 530-7781 sales@centuryusa.com

Honduras FCD Import and Export SA

Tel: 507-309-1553 aclientes@fcdpanama.com www.intexpanama.com

Hungary Babycare Ltd. / Ricki Ltd.

Tel: +36 30 228 7761 info@intexszerviz.hu www.intexcorp.hu

Alfit Tovs Ltd.

Tel: wt-052-4399903 +972-0733156660 sabinaz@chagim.co.il www.intex.co.il

Unitex Italia S.R.L. Tel: (+39) 0399396500 servizioclienti@intexcorp.it www.intexitalia.com (general) www.intexgaranzie.it (after sales)

Nozomi Trading Co., Ltd. Tel: +81-797-72-2561

www.intexricambi.it (spare parts sales)

k.nagamine@nozomitrading.co.jp

Toy Market Trading S.A.L.

Tel: +9611799944/+9611795127 claude@joueclubliban.com www.toymarkettrading.com

Pakistan **Toy Centre**

Tel: +92 42 37656133 / +92 42 7631933 toycentreht@hotmail.com

Kay Internacional S.A. de C.V.

Tel: 55 852 666 24 / 2222 810395 5591728035 garantias@intex.tienda soporte@kayinternacional.com ecom@kavinternacional.com www.intex.tienda

New Zealand Haka New Zealand Limited

Tel: 649-4159213 / 0800 634434 johnny@hakanz.co.nz www.hakanewzealand.com

Nicaragua FCD Import and Export SA Tel: 507-309-1553

aclientes@fcdpanama.com www.intexpanama.com

Amo Toys

norge@intexservicenordic.com www.intexservicenordic.com

Puerto Rico ATN LLC

Tel: 1 (787) 599-6858 Serviciointexpr@gmail.com serviciointexpr.com intexserviciopr.com

Panama FCD Import and Export

Tel: 507-309-1553 aclientes@fcdpanama.com www.intexpanama.com

Paraguay FCD Import and Export SA

Tel: 507-309-1553 aclientes@fcdpanama.com www.intexpanama.com

Republica Dominicana (Dominican Republic Distribuidora Patria

Tel: 1809 3630470 serviciointexdr@gmail.com serviciointexdr.com / intexserviciodr.com

Consorcio Megafox SAC Tel: 51- 9-4646 0341 enriquevf19@gmail.com

Philippines Ban Kee Trading, Inc. / Funtime Sevice Center Tel: 632-8740-3432

adonis.rentoria@bankee.com.ph Poland Kathav Haster

Tel: +48-61-8498-334 serwis@kathay.com.pl www.intexdevelopment.pl

Media Cell Solutions S.L. (MCS) Tel: 800 834 021 sacpt@intexcorp.es

www.intexserviceiberia.com

LLC Intexservicerus Tel: +7 495 0233955 service@intex.ru www.intex.ru

Saudi Arabia Saudi Arabian Marketing & Agencies & Contracting Company Ltd-(Samaco Toy)

Tel: 966-2-693 8496 / 800-7575-750 intex@samaco.com.sa https://samacotoysandleisure.com/

South Africa Prima Toy and Leisure

Tel: 021-8182000 info@intexsa.co.za www.intexsa.co.za

South Korea Highel Inc. Tel: 82-31-977-1029 dave.kim@highel.co.kr

www.intexserviceiberia.com

Media Cell Solutions S.L. (MCS) Tel: 900 176 009 sac@intexcorp.es

Amo Tovs

sverige@intexservicenordic.com www.intexservicenordic.com

Switzerland GWM Agency AG

Tel: 0900 455 456 gwm@gwm.ch service- + ersatzteil-bestellungen: www.intexfaq.ch www.intex-schweiz.ch

Lucky Way Co.,Ltd. Tel: 0066-2-8481166

liqunxu@luckyway.co.th

U.A.E., Bahrain, Kuwait, Oman, Qatar First Group International

Tel: 00971-4-800intex (46839) 00971-4-4421888 ioseph@firstaroupintl.com anne@firstgroupintl.com rehan@firstgroupintl.com www.firstaroupintl.com

John Adams Leisure Ltd. Tel: 0333 400 4548 intex@johnadams.co.uk www.intexwetset.co.uk

United States Intex Recreation Corp.

Tel: (310)-549-8235 www.intexcorp.com (U.S. only)

Uruguay Nedacorp SA

Tel: 598-22010448 / 598-98224590 postventa@intex.uv www.intex.com.uv

Venezuela Century USA, LLC

Tel: +1 (561) 530-7781 sales@centuryusa.com

Ukraine Megatovs PE

Tel: +380(67)235-77-63 service@intex.ua www.intex.ua

Age Grading



Trademarks

®™ Trademarks used in some countries of the world under license from Intex Marketing Ltd. to Intex Development Co., Ltd. and Intex Recreation Corp.

All Electrical Accessories:

- Conforms to UL/CSA standards (110-120V models)
- CE approved (220-240V models)
- TUV-GS approved (GS designation models)

INTEX introduces three additional designations in our catalog that highlight additional safety features that are included on a number of our pools. These designations are:

26167

26168

26175

26325

26326

26329

26333

26334

26355



Pools with these letters after the 5-digit item code incorporate a GFCI (ground fault circuit interrupter) built into the filter pump. The GFCI unit is an added safety feature and is designed to instantly shut the pump off if electrical current comes into contact with water. GFCI units are included in all 110-120V filter pumps and saltwater systems.



Pools with these letters after the 5-digit item code feature ANSI/APSP-16 certified dual suction outlets in accordance with the latest ANSI/APSP-7 standard for Suction Entrapment Avoidance and the U.S. Pool and Spa Safety Act, and provide improved water circulation. These pools also feature pumps with an integral GFCI.



Pools with the GN designation after the 5-digit item code either incorporate an RCD built into the 220-240V filter pump, or contain filter pumps that operate with a 12V step-down transformer, which reduces the voltage dramatically while retaining the same performance level as the 220-240V version. Both are designed to meet special

national requirements in some EU markets.

As a part of our program of product development and improvement, the detail specifications of the products shown in this catalog may be changed. For current specifications on any product, please contact your supplier of INTEX products.

15' X 42" EASY SET® 26675 QX2100 SALTWATER COMBO 15' X 48" EASY SET® 26676 QX2100 SALTWATER COMBO 15' X 48" EASY SET® 15 QX2600 SALTWATER COMBO 18' X 48" EASY SET® 15 26680 QX2600 SALTWATER COMBO 16' X 48" ULTRA 41 26687 QS700 PLUS SALTWATER SYSTEM 16' X 48" ULTRA QS700 PLUS SALTWATER SYSTEM 18' X 52" ULTRA 10' X 30" PRISM 18' X 52" ULTRA 10' X 30" PRISM 20' X 48" ULTRA 26702 10' X 30" PRISM 20' X 48" ULTRA 12' X 30" PRISM 24' X 52" ULTRA 26711 12' X 30" PRISM 24' X 52" ULTRA 12' X 30" PRISM 18' X 9' X 52" ULTRA 26715 12' X 39" PRISM 26356 18' X 9' X 52" ULTRA 26716 12' X 39" PRISM 26363 24' X 12' X 52" ULTRA 26719 14' X 42" PRISM 26364 24' X 12' X 52" ULTRA 43 26720 14' X 42" PRISM 26367 24' X 12' X 52" ULTRA 43 26721 14' X 42" CLEARVIEW PRISM 26368 24' X 12' X 52" ULTRA 26722 14' X 42" CLEARVIEW PRISM 26373 32' X 16' X 52" ULTRA 15' X 42" PRISM 26374 32' X 16' X 52" ULTRA 26724 15' X 42" PRISM 26377 32' X 16' X 52" ULTRA 15' X 48" PRISM 26378 32' X 16' X 52" ULTRA 26726 15' X 48" PRISM 26383 15'8" X 49" GRAPHITE 37 16' X 48" CLEARVIEW PRISM 15'8" X 49" GRAPHITE 16' X 48" CLEARVIEW PRISM 26601 C330 FILTER PUMP ۵7 26731 18' X 48" PRISM 26602 C330 FILTER PUMP 47 26732 18' X 48" PRISM 26603 C530 FILTER PUMP 26741 15' X 48" GREYWOOD 26604 C530 FILTER PUMP 15' X 48" GREYWOOD 26633 C2500 FILTER PUMP 18' X 48" GREYWOOD 47 26634 C2500 FILTER PUMP 18' X 48" GREYWOOD C1500 FILTER PUMP 26745 16' X 48" CHEVRON PRISM C1500 FILTER PUMP ۵7 26746 16' X 48" CHEVRON PRISM C1000 FILTER PUMP 26755 20' X 52" PRISM 26638 C1000 FILTER PUMP 47 26756 20' X 52" PRISM SX925 SAND FILTER 26779 4M X 2M X 1M CHEVRON PRISM SX925 SAND FILTER 26780 4M X 2M X 1M CHEVRON PRISM SX1500 SAND FILTER 3M X 1.75M X 0.8M PRISM SX1500 SAND FILTER 4M X 2M X 1M PRISM SX2100 SAND FILTER 49 4M X 2M X 1.22M PRISM SX2100 SAND FILTER 26791 16' X 8' X 42" PRISM SX2800 SAND FILTER 49 26792 16' X 8' X 42" PRISM 161/2" X 9" X 48" PRISM SX2800 SAND FILTER SX3000 SAND FILTER 26798 20' X 10' X 48" PRISM SX3200 SAND FILTER 49 SURFACE SKIMMER 26661 QS200 SALTWATER SYSTEM MAINTENANCE KIT QS200 SALTWATER SYSTEM 28003 MAINTENANCE KIT

26165 15' X 42" EASY SET® 26670 QS1200 SALTWATER SYSTEM 28014 16' SOLAR COVER 63 28205 8' X 20" METAL 28015 18' SOLAR COVER 63 28206 10' X 30" BEACHSIDE METAL 28016 9' X 18' SOLAR COVER 63 10' X 30" BEACHSIDE METAL 28017 12' X 24' SOLAR COVER 63 28208 10' X 30" BEACHSIDE METAL 16' X 32' SOLAR COVER 63 28209 6' X 15" METAL W/ CANOPY 28018 28020 8' X 12" POOL COVER 62 28210 12' X 30" METAL 28021 10' X 12" POOL COVER 62 28211 12' X 30" METAL 28022 12' X 12" POOL COVER 62 12' X 30" METAL 28023 15' X 12" POOL COVER 62 28241 15' X 48" METAL 28026 13' X 12" POOL COVER 62 28242 15' X 48" METAL 4M X 2M SOLAR COVER 63 PINK SMALL RECTANGULAR 28029 8' X 16' SOLAR COVER SMALL RECTANGULAR 28030 10' X 10" POOL COVER 62 SMALL RECTANGULAR 62 28031 12' X 10" POOL COVER 28272 SMALL RECTANGULAR 28032 15' X 10" POOL COVER 62 28273 SMALL RECTANGULAR 28036 2.6M X 1.6M POOL COVER SMALL RECTANGULAR 28037 4M X 2M POOL COVER 62 SMALL RECTANGULAR 3M X 2M POOL COVER 62 28290 8' X 30" PINK METAL 4.5M X 2.2M POOL COVER POOL DRAIN PUMP 16' POOL COVER 62 POOL DRAIN PUMP 28041 18' POOL COVER ZR100 VACUUM 28048 15.5' GROUND CLOTH 61 ZR200 LARGE VACUUM 28051 SOLAR COVER REEL 63 ZR200 LARGE VACUUM 28054 POOL CANOPY 67 28684 POOL HEATER 36" POOL LADDER 28685 SOLAR MAT 28064 42" POOL LADDER SOLAR FLOATING LIGHT 28065 69 28066 48" POOL LADDER 69 28697 POOL-WALL LIGHT 28067 52" POOL LADDER POOL-WALL LIGHT 28075 36" & 42" POOL LADDER 29000 FILTER CARTRIDGE A 28076 48" POOL LADDER FILTER CARTRIDGE A 52" POOL LADDER 69 28077 29003 FILTER CARTRIDGE A 28089 LED POOL SPRAYER FILTER CARTRIDGE B 29007 FILTER CARTRIDGE H 28090 WATERFALL 68 28093 POOL THERMOMETER 59 CHLORINE DISPENSER 6' X 20" EASY SET® 12 CHLORINE DISPENSER 29041 8' X 24" EASY SET® 13 29045 FIBER BALL 28106 28107 8' X 24" EASY SET® 13 29050 LEAF SKIMMER 8' X 24" EASY SET® 13 LEAF RAKE 10' X 24" EASY SET® 10" WALL BRUSH 28118 10' X 24" EASY SET® 16" WALL BRUSH 28120 10' X 30" EASY SET® 29054 POLE (94") 10' X 30" EASY SET® 28121 29055 POLE (110") 28122 10' X 30" EASY SET® 29056 CLEANING KIT 28130 12' X 30" EASY SET® 14 29057 CLEANING KIT 12' X 30" EASY SET® 14 29059 (11/4") HOSE 28131 28132 12' X 30" EASY SET® 14 29060 (1½") HOSE 28141 13' X 33" EASY SET® 15 29061 ADAPTER B QS400 SALTWATER SYSTEM 28142 13' X 33" EASY SET® 28005 ZX300 AUTO POOL CLEANER FOOT BATH QS400 SALTWATER SYSTEM 51 28006 ZX100 POOL CLEANER 28143 13' X 33" EASY SET® FLOOR PROTECTOR QZ1100 SALTWATER & OZONE 51 28007 ZX50 AUTO POOL CLEANER 28157 15' X 33" EASY SET® VACUUM HOSE 15' X 33" EASY SET® 15 FLOOR PROTECTOR QZ1100 SALTWATER & OZONE 28010 8' SOLAR COVER 28158 29084 19 MINI FRAME™ POOL QS500 SALTWATER SYSTEM 28011 10' SOLAR COVER 28200 10' X 30" METAL QS500 SALTWATER SYSTEM 50 28012 12' SOLAR COVER 28201 10' X 30" METAL 19 26669 QS1200 SALTWATER SYSTEM 50 28202 10' X 30" METAL 19 28013 15' SOLAR COVER