INTERNATIONAL

Intex Development Co., Ltd. 9th Floor, Everbright Centre, 108 Gloucester Road, Wanchai, Hong Kong
T: (852) 2827-0000
E: info@intexdevelopment.com
W: www.intexdevelopment.com

EUROPE Intex Trading s.r.o. Benešovská 23 101 00 Praha 10 Czech Republic
T: (420) 267 312 645
E: info@intexcorp.cz
W: www.intexdevelopment.com

EUROPE

Intex Trading B.V. Ettenseweg 46, 4706 PB Roosendaal, The Netherlands T: (31) 165-593939 E: info@intexcorp.nl W: www.intexcorp.nl

USA Intex Recreation Corp. P.O. Box 1440 Long Beach, CA 90801-1440 USA

T: (310) 549-5400 W: www.intexcorp.com

Unitex Service (France) S.A.S. Z.A. de Milleure Bois du Ban – N°4 71480 LE MIROIR, France T: (33) 385 75 64 64 E: info@intexcorp.com.fr W: www.intex.fr

EUROPE Unitex Italia S.R.L. Via Liguria 3 24041 Brembate BG, Italy T: (39) 039 2296998 E: commerciale@intexcorp.it
W: www.intexitalia.com

INTEX

©2024 Intex Marketing Ltd. - Intex Development Co., Ltd. - Intex Recreation Corp. All rights reserved. Printed in China.

®™ Trademarks used in some countries of the world under license from Intex Marketing Ltd. to Intex Development Co., Ltd. and Intex Recreation Corp.







O-IN-ONE SWING SET	6 - 7
/ING & GLIDE 2-FEATURE SET	8 - 9
ING & GLIDE 3-FEATURE SET	10 - 11
ING & GLIDE 4-FEATURE SET	12 - 13
UCER SET	16 - 17
UCER & SWING 2-FEATURE SET	18 - 19
UCER & SWING 3-FEATURE SET	20 - 2
UCER & SWING DELUXE 5-FEATURE SET	22 - 2
CESSORIES	26 - 2
EESTANDING SLIDE	28 - 2






Swing Set 1-FEATURE SET







Available in Gray

44113/E • 44114/E • **TWO-IN-ONE SWING SET**

- 5'7" L x 7'9" W x 6'7" H (1.70m x 2.35m x 2.00m)
- One chain swing and one interchangeable bucket swing seat
- Strong and lightweight 23/8" (6cm) diameter tubing
- Enhanced rust resistance with galvanized steel
- 2-year frame and hardware warranty
- Bucket seat capacity: 50 lb (22.6 kg)
- Swing capacity: 110 lb (50 kg)

1 ea, 52.9 lb (24.0 kg)

AGE 1.5-5 (BUCKET SEAT)

AGE 3-10









B Flexible seat with plastisol-coated swing chains



C High-back bucket seat for better support



D Precision-engineered anchor system

Swing & Glide 2-FEATURE SET





44120/E **4**4122/E **SWING & GLIDE 2-FEATURE SET**

- 7'9" L x 7'9" W x 6'7" H (2.36m x 2.35m x 2.00m)
- One chain swing and one glider
- Strong and lightweight 23/8" (6cm) diameter tubing
- Enhanced rust resistance with galvanized steel
- 2-year frame and hardware warranty
- Swing capacity: 110 lb (50 kg)
- Glider capacity: 110 lb (50 kg) 1 ea, 65.5 lb (29.8 kg) **AGE 3-10**





A Adjustable chain height



B Flexible seat with plastisol-coated swing chains



© Precision-welded glider bracket



D Comfortable ergonomic grips



E Glider with footrests for extra stability



F Precisionengineered anchor system

Swing & Glide 3-FEATURE SET





44121/E **4**4123/E **SWING & GLIDE 3-FEATURE SET**

- 10'7" L x 7'9" W x 6'7" H (3.23m x 2.35m x 2.00m)
- Two chain swings and one glider
- Strong and lightweight 2³/₈" (6cm) diameter tubing
- Enhanced rust resistance with galvanized steel
- 2-year frame and hardware warranty
- Swing capacity: 110 lb (50 kg)
- Glider capacity: 110 lb (50 kg) 1 ea, 76.3 lb (34.7 kg)

AGE 3-10





A Adjustable chain height



B Flexible seat with plastisol-coated swing chains



© Precision-welded glider bracket



D Comfortable ergonomic grips




E Glider with footrests for extra stability



F Precisionengineered anchor system

Swing & Glide 4-FEATURE SET





















F Trapeze bar with gym rings

G Precisionengineered anchor system

A Adjustable chain height

B Flexible seat with plastisol-coated swing chains

Comfortable © Precision-welded glider bracket

E Glider with footrests for ergonomic grips extra stability



Saucer & Swing

Out-of-This-World Saucer Swings

This friendly "flying" saucer swing features a padded outer ring for comfort and safety, along with a durable mesh bottom for added support.

As children swing and imagine themselves soaring through the skies, the sturdy cords ensure stability. Plus, the vibrant, eye-catching colors are sure to catch attention in stores.





Saucer Set 1-FEATURE SET





Available in Gray


44111/E • 44112/E • **SAUCER SWING 1-FEATURE SET**


- 6'7" L x 7'9" W x 6'7" H (2.01m x 2.35m x 2.00m)
- One 40" (102cm) saucer swing
- Strong and lightweight 23/8" (6cm) diameter tubing
- Enhanced rust resistance with galvanized steel
- 2-year frame and hardware warranty
- Saucer swing capacity: 330 lb (150 kg) 1 ea, 54.6 lb (24.8 kg) **AGE 3-10**











Precision-engineered anchor system

Saucer & Swing 2-FEATURE SET





44125/E • 44126/E • **SAUCER & SWING 2-FEATURE SET**

• 8'4" L x 7'9" W x 6'7" H (2.54m x 2.35m x 2.00m)

- One 32" (81cm) saucer swing and one chain swing
- Strong and lightweight 23/8" (6cm) diameter tubing
- Enhanced rust resistance with galvanized steel
- 2-year frame and hardware warranty
- Saucer swing capacity: 220 lb (100 kg)
- Swing capacity: 110 lb (50 kg)
 1 ea, 59.7 lb (27.1 kg)
 AGE 3-10





A Adjustable length



B Durable-foam padded steel construction



Weather-resistant 900D Oxford fabric



Adjustable chain height



E Flexible seat with plastisol-coated swing chains



F Precisionengineered anchor system

Saucer & Swing 3-FEATURE SET





44133/E ● 44134/E ● **SAUCER & SWING 3-FEATURE SET**

SAUCER & SWING 3-FEATURE SET

- 11'3" L x 7'9" W x 6'7" H (3.43m x 2.35m x 2.00m)
 One 32" (81cm) saucer swing and two chain swings
- Strong and lightweight 23/8" (6cm) diameter tubing
- Enhanced rust resistance with galvanized steel
- 2-year frame and hardware warranty
- Saucer swing capacity: 220 lb (100 kg)
- Swing capacity: 110 lb (50 kg) 1 ea, 69.1 lb (31.4 kg) **AGE 3-10**





A Adjustable length



B Durable-foam padded steel construction



Weather-resistant 900D Oxford fabric



Adjustable chain height




E Flexible seat with plastisol-coated swing chains



F Precisionengineered anchor system



Saucer & Swing DELUXE 5-FEATURE SET



Five to Ride

Deluxe

watch it draw families who want the ultimate fun center!


- Slide: 8'3" L x 2'9" W x 4'10" H (2.51m x 84cm x 1.47m)
- One 32" (81cm) saucer swing, two chain swings, and one glider

23

- One freestanding 8-foot slide
- Strong and lightweight 23/8" (6cm) diameter tubing
- Enhanced rust resistance with galvanized steel
- 2-year frame and hardware warranty
- Saucer swing capacity: 220 lb (100 kg)
- Swing capacity: 110 lb (50 kg)
- Glider capacity: 110 lb (50 kg) 1 ea, 157.2 lb (71.5 kg)

AGE 3-10

Saucer & Swing DELUXE 5-FEATURE SET







B Durable-foam padded steel construction



© Weather-resistant 900D Oxford fabric chain height



Adjustable




E Flexible seat with plastisol-coated swing chains



Comfortable ergonomic grips



G Glider with footrests for extra stability



Comfortable ergonomic grips



Standing Swing


44001/E STANDING SWING

- 27"x 133/4"x59" (69cm x 35cm x 1.50m)
- Sturdy plastic board for standing and swinging
- High quality braided rope for hanging
- 27"x 13¾" (69cm x 35cm) board dimension
- 110 lb (50 kg) maximum weight capacity 5 ea, 37.4 lb (17.0 kg)

AGE 3-10



Carabiner hooks provide sturdy connection



Durable Polyethylene rope



Flexible Fun
Why settle for the sam

Why settle for the same swings when INTEX® offers easy-install accessories to keep things fresh. Take a look at our separately sold swing set products that could land you a sale that surpasses expectations!

Accessories

Freestanding Slides

Powder-coated galvanized steel tubes 3-piece molded plastic construction • 1.1"(2.8cm) steel tube diameter 1 ea, 48.3 lb (22.0 kg) **AGE 3-10** В SIX-FOOT FREESTANDING SLIDE • 6'5" L x 2'9" W x 3'11" H (1.96m x 84cm x 1.19m) • Powder-coated galvanized steel tubes • 2-piece molded plastic construction

44107/E **EIGHT-FOOT FREESTANDING SLIDE**

• 8'3" L x 2'9" W x 4'10" H (2.51m x 84cm x 1.47m)





B Durable steps



© 1.1"(2.8cm) steel tube diameter



Smooth curve design

44106/E

• 1.1"(2.8cm) steel tube diameter

1 ea, 37.4 lb (17.0 kg)

AGE 3-10

Product Locator

		TWO-IN-ONE SWING SET		SWING & GLIDE 2-FEATURE SET		SWING & GLIDE 3-FEATURE SET		SWING & GLIDE 4-FEATURE SET	
	Item#	4 4113/E	4 4114/E	44120/E	44122/E	4 4121/E	4 4123/E	4 4130/E	4 4131/E
J	Swing Seat	1 Seat	1 Seat	1 Seat	1 Seat	2 Seats	2 Seats	2 Seats	2 Seats
	Bucket Seat	1 Seat	1 Seat	-	-	-	-	-	-
1	Glider Swing	-	-	1 Swing	1 Swing	1 Swing	1 Swing	1 Swing	1 Swing
8	Gym Rings	-	-	-	-	-	-	1 Ring	1 Ring
	Saucer Swing	-	-	-	-	-	-	-	-
1	8' (1.07m) Freestanding Slide	-	-	-	-	-	-	-	-
P	Anchor System	✓	✓	✓	√	√	√	✓	✓
	Case Pack	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea
	Weight lb(kg)	52.9 (24.0)	52.9 (24.0)	65.5 (29.8)	65.5 (29.8)	76.3 (34.7)	76.3 (34.7)	101.7 (46.2)	101.7 (46.2)
	Page	P. 6 - 7	P. 6 - 7	P. 8 - 9	P. 8 - 9	P. 10 - 11	P. 10 - 11	P. 12 - 13	P. 12 - 13

SAUCER SWING 1-FEATURE SET		SAUCER & SWING 2-FEATURE SET		SAUCER 3-FEATU		DELUXE 5-FEATURE SET	
44111/E	4 4112/E	4 4125/E	44126/E	4 4133/E	44134/E	4 4151/E	44152/E
-	-	1 Seat	1 Seat	2 Seats	2 Seats	2 Seats	2 Seats
-	-	-	-	-	-	-	-
-	-	-	-	-	-	1 Swing	1 Swing
-	-	-	-	-	-	-	-
1 Saucer	1 Saucer	1 Saucer	1 Saucer	1 Saucer	1 Saucer	1 Saucer	1 Saucer
-	-	-	-	-	-	1 Slide	1 Slide
✓	✓	✓	✓	✓	✓	✓	✓
1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea
54.6 (24.8)	54.6 (24.8)	59.7 (27.1)	59.7 (27.1)	69.1 (31.4)	69.1 (31.4)	157.2 (71.5)	157.2 (71.5)
P. 16 - 17	P. 16 - 17	P. 18 - 19	P. 18 - 19	P. 20 - 21	P. 20 - 21	P. 22 - 23	P. 24 - 25



All the products in this catalog are third-party tested and compliant with EN71-8 and ASTM F1148 safety specifications for home playground equipment.

Concrete may be required for anchoring in certain jurisdictions.