

AGP

ABOVE GROUND POOLS 2027

North America

USA

Intex Recreation Corp.
P.O. Box 1440,
Long Beach, CA 90801-1440,
USA
T: (310) 549-5400
W: www.intexcorp.com

Asia

INTERNATIONAL

Intex Development Co., Ltd.
9th Floor, Everbright Centre,
108 Gloucester Road, Wanchai,
Hong Kong
T: (852) 2827-0000
E: info@intexdevelopment.com
W: www.intexdevelopment.com

Europe

FRANCE

Unitex Service (France) S.A.S.
Z.A. de Milleure Bois du Ban - N°4
71480 LE MIROIR,
France
T: (33) 385 75 64 64
E: info@intexcorp.com.fr
W: www.intex.fr

ITALY


Unitex Italia S.R.L.
Via Brescia 1,
25014 Castenedolo - Brescia
Italy
T: (39) 039 2296998
E: commerciale@intexcorp.it
W: www.intexitalia.com

NETHERLANDS

Intex Trading B.V.
Ettenseweg 46,
4706 PB Roosendaal,
The Netherlands
T: (31) 165-593939
E: info@intexcorp.nl
W: www.intex.eu

EASTERN EUROPE

Intex Trading s.r.o.
Hradecka 3
130 00 Praha 3
Czech Republic
T: (420) 267 312 645
E: info@intexcorp.cz
W: www.intexcompany.cz



INTEX

©2026 Intex Marketing Ltd. - Intex Development Co., Ltd. - Intex Recreation Corp.
All rights reserved. Printed in China.
©™ Trademarks used in some countries of the world under license from Intex Marketing Ltd.
to Intex Development Co., Ltd. and Intex Recreation Corp.

2027
ABOVE GROUND POOLS

INTEX

SPLASH

INTO

SUMMER

AGP
ABOVE GROUND POOLS 2027





About Us

In 1966, a small California company began importing and marketing toys for kids, laying the foundation for what is today a global group of companies known as INTEX®. Over the past 60 years, INTEX has been developing and manufacturing a broad range of products that entire families can enjoy. Much has changed in our 60 years, but some very important things remain the same.

INTEX continues to deliver high-quality products that bring value to families worldwide. Our design process doesn't end until we're sure we have created a top-tier experience for our consumers—one that is safe, aesthetically pleasing, and enjoyable. Before our goods reach the market, we rigorously test them in state-of-the-art factories. From there, we set the scene for families in over 100 countries and territories to splash around in the sun or welcome guests into their homes.

Our above-ground pool collection starts with the world-famous Easy Set® and Metal Frame pools—perfect choices for families purchasing their first pool. For those looking to upgrade, our elegant Prism Frame™ pools offer enhanced durability and innovative structural design. At the top of the lineup, our Ultra XTR® Frame pools combine stunning aesthetics with incredible strength, creating a spacious oasis big enough for the whole neighborhood to enjoy!

Of course, every pool needs reliable accessories. That's why INTEX offers a full range of essential products, including sand filters, saltwater systems, filter pumps, cartridges, and more—helping your customers extend their swimming season and keep coming back for quality solutions.

Ask your INTEX representative for any of our product catalogs—we're confident you'll find our lineup unmatched in quality, innovation, and performance.

INTEX remains dedicated to bringing people together for another 60 years and beyond—it's what we do best!

2027



Intex Recreation Corp., Long Beach, California, USA



Unitex Service (France) S.A.S., France



Intex Manufacturing and Distribution Complex, Xiamen, China



Intex Development Co. Ltd., Hong Kong



Intex Trading B.V., The Netherlands



INTEX

ABOVE GROUND POOLS

STANDARD

10



Small Frame

11



Rectangular Frame

12



Easy Set

16



Metal Frame

PREMIUM

22



Prism Frame

28



Printed Series Prism Frame

32



Clearview Prism Frame

36



Graphite Gray Panel

DELUXE

42



Ultra XTR

POOL-WATER SYSTEMS

46



Krystal Clear
Filter Pump & Saltwater System

ACCESSORIES

64





HYDROAERATION™ Technology

INTEX's patented HydroAeration™ Technology is precision engineered to improve filtration, clarity and freshness in thousands of above ground pools. This revolutionary and innovative feature has been incorporated into all our cartridge filter pumps, sand filter pumps, and combination filtration systems.



Improved Clarity

Aeration removes minerals such as manganese and iron through oxidation for ultimate water clarity.



Increased Freshness

More negative ions are generated through the activation of air bubbles, improving overall air quality around the pool.

Advanced Filtration and Circulation

The injection of air into the water accelerates circulation and joins fine particles into larger clusters that can be filtered more effectively.





Small Frame



Rectangular Frame



Easy Set*



Metal Frame

STANDARD POOL SERIES

Our Standard Pool series is comprised of great starter pools—easy to install and designed with children’s safety in mind. Every pool in the series features our SuperTough™, puncture-resistant, 3-ply liner material for added durability. Our Small Frame pools work well for younger children under adult supervision and families with smaller spaces. Our Easy Set* and Metal Frame lines are available in a range of sizes to fit many backyard layouts. Best of all, every one of our Standard pools is designed to provide hours of fun.



Small Frame Pools

Mini Frame™ Pools:  AGE 2+

New



Mini Frame™ Pool

Kids will enjoy splashing and playing in the INTEX Mini Frame™ Pool. This fun little frame pool works well as a beginner option, with easy setup and a convenient size for young children.

Specifications	Item #	Case Pack	Case Weight
4' x 4' x 12" (1.22m x 1.22m x 30cm) Approximate setup size Water capacity (79%): 90 gal (342L) Ready for water in 10 minutes	57170NP/EP	3 ea	28.5 lb (13.0 kg)

Rectangular Frame Pools

In our Rectangular Frame Pool selections, strength meets simplicity. Fortified by steel frames and laminated sidewalls, these pools are designed for stable placement on level ground. Yet, they're easy enough to assemble in about 30 minutes under normal conditions. Families with limited space will love the relatively small dimensions. And for those who value filtration, ready connection points help make pump installation easy. When playtime is done, a convenient drain plug allows the water to be released.



Puncture-Resistant
3-ply material



Puncture-Resistant
3-ply material



Rectangular Frame Pools:  AGE 6+


Specifications	Item #	Voltage	Filter Pump	Case Pack	Case Weight
7'2 ⁵ / ₈ " x 4'11" x 23 ⁵ / ₈ " (2.20m x 1.50m x 60cm) Approximate setup size Water capacity (90%): 439 gal (1,662L) Ready for water in 30 minutes	28266NP	-	-	1 ea	33.4 lb (15.2 kg)
	28266EH	-	-		35.2 lb (16.0 kg)
	28270NP	-	-		33.4 lb (15.2 kg)
	28270EH	-	-		35.2 lb (16.0 kg)
8'6 ¹ / ₂ " x 5'3" x 25 ⁵ / ₈ " (2.60m x 1.60m x 65cm) Approximate setup size Water capacity (90%): 603 gal (2,282L) Ready for water in 30 minutes	28271NP	-	-	1 ea	38.1 lb (17.3 kg)
	28271EH	-	-		40.0 lb (18.2 kg)
9'10" x 6'6 ³ / ₄ " x 29 ¹ / ₂ " (3.00m x 2.00m x 75cm) Approximate setup size Water capacity (90%): 1,013 gal (3,834L) Ready for water in 30 minutes	28272NP	-	-	1 ea	44.9 lb (20.4 kg)
	28272EH	-	-		46.9 lb (21.3 kg)
14'9 ¹ / ₄ " x 7'2 ⁵ / ₈ " x 33" (4.50m x 2.20m x 84cm) Approximate setup size Water capacity (90%): 1,883 gal (7,127L) Ready for water in 30 minutes	28273NP	-	-	1 ea	79.9 lb (36.3 kg)
	28273EH	-	-		81.0 lb (36.8 kg)
14'9 ¹ / ₄ " x 7'2 ⁵ / ₈ " x 33" (4.50m x 2.20m x 84cm) Approximate setup size Water capacity (90%): 1,883 gal (7,127L) Ready for water in 30 minutes	28279	110-120V	530 gal (2,006L)	1 ea	85.8 lb (39.0 kg)
	28279EH	110-120V (W/GFCI)	530 gal (2,006L)		86.5 lb (39.3 kg)
	28274NP	220-240V	530 gal (2,006L)		86.9 lb (39.5 kg)
	28274GN	12V	600 gal (2,271L)		89.1 lb (40.5 kg)

Easy Set® Pools

6' x 20" Easy Set® Pools:  AGE 3+



Easy to set up





Puncture-Resistant
3-ply material



Easy Set® Pools:  AGE 6+


6' X 20" Easy Set® Pool

This pool works as a kid's first "big pool," offering a comfortable length and height for a splashing good time. Parents will love how easy it is to set up and enjoy.





Specifications	Item #	 Case Pack	 Case Weight
6' x 20" (1.83m x 51cm) Approximate setup size	28101NP	2 ea	14.3 lb (6.5 kg)
Water capacity (80%): 232 gal (880L) Ready for water in 10 minutes	28101EH	2 ea	18.3 lb (8.3 kg)

8' X 24" Easy Set® Pool

Bring fun and excitement to any backyard this summer. Simply spread it out on level ground, inflate the top ring, fill the pool with water, and enjoy the fun our Easy Set® Pools bring!




Puncture-Resistant
3-ply material

Specifications	Item #	 Voltage	 Filter Pump	 Case Pack	 Case Weight
8' x 24" (2.44m x 61cm) Approximate setup size	28106NP	-	-	1 ea	11.3 lb (5.2 kg)
	28106EH	-	-	1 ea	13.2 lb (6.0 kg)
	28107EH	110-120V (W/GFCI)	330 gal (1,250L)	1 ea	18.3 lb (8.3 kg)
Water capacity (80%): 513 gal (1,942L) Ready for water in 10 minutes	28108NP	220-240V	330 gal (1,250L)	1 ea	16.9 lb (7.7 kg)
	28108GN	12V	330 gal (1,250L)	1 ea	17.6 lb (8.0 kg)

Easy Set® Pools

Easy Set® Pools:  AGE 6+



Puncture-Resistant
3-ply material



Specifications	Item #	Voltage	Filter Pump	Case Pack	Case Weight
10' x 24" (3.05m x 61cm) Approximate setup size	28116NP	-	-	1 ea	16.0 lb (7.3 kg)
Water capacity (80%): 813 gal (3,077L) Ready for water in 10 minutes	28118NP	220-240V	330 gal (1,250L)	1 ea	21.5 lb (9.8 kg)
	28118GN	12V	330 gal (1,250L)	1 ea	22.2 lb (10.1 kg)
10' x 30" (3.05m x 76cm) Approximate setup size	28120NP	-	-	1 ea	17.2 lb (7.8 kg)
Water capacity (80%): 1,018 gal (3,853L) Ready for water in 10 minutes	28120EH	-	-	1 ea	19.0 lb (8.7 kg)
	28121EH	110-120V (W/GFCI)	330 gal (1,250L)	1 ea	24.0 lb (10.9 kg)
	28122NP	220-240V	330 gal (1,250L)	1 ea	22.8 lb (10.4 kg)
	28122GN	12V	330 gal (1,250L)	1 ea	23.4 lb (10.7 kg)
12' x 30" (3.66m x 76cm) Approximate setup size	28130NP	-	-	1 ea	23.3 lb (10.6 kg)
Water capacity (80%): 1,485 gal (5,621L) Ready for water in 10 minutes	28130EH	-	-	1 ea	24.9 lb (11.3 kg)
	28131EH	110-120V (W/GFCI)	530 gal (2,006L)	1 ea	31.2 lb (14.2 kg)
	28132NP	220-240V	530 gal (2,006L)	1 ea	31.0 lb (14.1 kg)
	28132GN	12V	600 gal (2,271L)	1 ea	32.3 lb (14.7 kg)

Specifications	Item #	Voltage	Filter Pump	Case Pack	Case Weight
13' x 33" (3.96m x 84cm) Approximate setup size	28143NP	-	-	1 ea	27.3 lb (12.4 kg)
Water capacity (80%): 1,926 gal (7,290L) Ready for water in 10 minutes	28143EH	-	-	1 ea	29.0 lb (13.2 kg)
	28141EH	110-120V (W/GFCI)	530 gal (2,006L)	1 ea	35.6 lb (16.2 kg)
	28142NP	220-240V	530 gal (2,006L)	1 ea	35.0 lb (15.9 kg)
	28142GN	12V	600 gal (2,271L)	1 ea	36.3 lb (16.5 kg)
15' x 33" (4.57m x 84cm) Approximate setup size	28157EH	110-120V (W/GFCI)	530 gal (2,006L)	1 ea	46.6 lb (21.2 kg)
Water capacity (80%): 2,587 gal (9,792L) Ready for water in 15 minutes	28158NP	220-240V	530 gal (2,006L)	1 ea	47.5 lb (21.6 kg)
	28158GN	12V	600 gal (2,271L)	1 ea	47.5 lb (21.6 kg)



Specifications	Item #	Voltage	Filter Pump	Ladder	Deluxe Ladder	Ground Cloth	Pool Cover	Case Pack	Case Weight
15' x 42" (4.57m x 1.07m) Approximate setup size	26165EH	110-120V (W/GFCI)	1,000 gal (3,785L)	✓	-	✓	✓	1 ea	83.6 lb (38.0 kg)
Water capacity (80%): 3,284 gal (12,430L) Ready for water in 15 minutes	26166NP	220-240V	1,000 gal (3,785L)	-	✓	✓	✓	1 ea	89.8 lb (40.8 kg)
	26166GN	12V	900 gal (3,407L)	-	✓	✓	✓	1 ea	92.0 lb (41.8 kg)
15' x 48" (4.57m x 1.22m) Approximate setup size	26167EH	110-120V (W/GFCI)	1,000 gal (3,785L)	✓	-	✓	✓	1 ea	88.0 lb (40.0 kg)
Water capacity (80%): 3,736 gal (14,141L) Ready for water in 15 minutes	26168NP	220-240V	1,000 gal (3,785L)	-	✓	✓	✓	1 ea	93.7 lb (42.6 kg)
	26168GN	12V	900 gal (3,407L)	-	✓	✓	✓	1 ea	96.1 lb (43.7 kg)
18' x 48" (5.49m x 1.22m) Approximate setup size	26175EH	110-120V (W/GFCI)	1,500 gal (5,678L)	✓	-	✓	✓	1 ea	118.8 lb (54.0 kg)
Water capacity (80%): 5,455 gal (20,647L) Ready for water in 30 minutes									



Metal Frame Pools


Canopy Metal Frame Pools:  AGE 3+



Built-in sprayer keeps kids cool



Easy-to-install canopy



Puncture-Resistant 3-ply material

Canopy Metal Frame Pool

This kiddie pool delivers refreshing fun with welcome relief from the sun. The easy-to-install canopy provides UPF 50+ shade, while the pool's UV-stabilized polymer helps resist sun damage. A built-in sprayer adds an extra splash to keep kids cool on hot days. Innovative T-joints make assembly quick and hassle-free, and the snug-fitting outer layer helps shield the frame from moisture and rust.

Specifications	Item #	Case Pack	Case Weight
6' x 15" (1.83m x 38cm) Approximate setup size	28209NP	1 ea	20.0 lb (9.1 kg)
Water capacity (80%): 185 gal (700L) Ready for water in 10 minutes	28209EP	1 ea	20.0 lb (9.1 kg)

Beachside Metal Frame Pool

Beachside Metal Frame Pools:  AGE 6+

Realistic photo printing on the pool bottom




Our Beachside Metal Frame Pool brings an ocean-inspired look right to your customer's backyard. A captivating photo-realistic print transforms the sidewalls and floor into a vibrant seascape that blends seamlessly with the water. The steel frame complements the striking design with solid, dependable construction. Plus, the innovative T-joint system makes setup quick and easy—leaving more time for fun in the sun.

Specifications	Item #	Voltage	Filter Pump	Case Pack	Case Weight
10' x 30" (3.05m x 76cm) Approximate setup size	28206ND	-	-	1 ea	38.3 lb (17.4 kg)
	28206EP	-	-	1 ea	39.2 lb (17.8 kg)
Water capacity (90%): 1,185 gal (4,485L) Ready for water in 30 minutes	28207ND	110-120V	330 gal (1,250L)	1 ea	42.5 lb (19.3 kg)
	28207EP	110-120V (W/GFCI)	330 gal (1,250L)	1 ea	43.8 lb (19.9 kg)
	28208ND	220-240V	330 gal (1,250L)	1 ea	43.3 lb (19.7 kg)
	28208GS	12V	330 gal (1,250L)	1 ea	44.0 lb (20.0 kg)



Innovative T-Joint
Precision engineered




Puncture-Resistant
3-ply material

Metal Frame Pools

Our Metal Frame pools are a good choice for cooling off all summer long. These pools feature strong steel frames and SUPER-TOUGH™ laminated sidewalls. With their solid construction and easy setup, these pools make a great addition to many backyards.

Metal Frame Pools:  AGE 6+



Puncture-Resistant
3-ply material




Specifications	Item #	Case Pack	Case Weight
8' x 20" (2.44m x 51cm) Approximate setup size	28205NP	1 ea	20.2 lb (9.2 kg)
Water capacity (80%): 483 gal (1,828L) Ready for water in 30 minutes	28205EH	1 ea	21.9 lb (10.0 kg)

Specifications	Item #	Case Pack	Case Weight
8' x 30" (2.44m x 76cm) Approximate setup size	28290ND	1 ea	25.5 lb (11.6 kg)
Water capacity (90%): 751 gal (2,843L) Ready for water in 30 minutes	28290EP	1 ea	26.4 lb (12.0 kg)



Specifications	Item #	Voltage	Filter Pump	Case Pack	Case Weight
10' x 30" (3.05m x 76cm) Approximate setup size Water capacity (90%): 1,185 gal (4,485L) Ready for water in 30 minutes	28200ND	-	-	1 ea	38.3 lb (17.4 kg)
	28200EP	-	-	1 ea	39.2 lb (17.8 kg)
	28201ND	110-120V	330 gal (1,250L)	1 ea	42.5 lb (19.3 kg)
	28201EP	110-120V (W/GFCI)	330 gal (1,250L)	1 ea	43.8 lb (19.9 kg)
	28202ND	220-240V	330 gal (1,250L)	1 ea	43.3 lb (19.7 kg)
	28202GS	12V	330 gal (1,250L)	1 ea	44.0 lb (20.0 kg)
12' x 30" (3.66m x 76cm) Approximate setup size Water capacity (90%): 1,718 gal (6,503L) Ready for water in 30 minutes	28210ND	-	-	1 ea	48.2 lb (21.9 kg)
	28210EP	-	-	1 ea	49.1 lb (22.3 kg)
	28211ND	110-120V	530 gal (2,006L)	1 ea	53.9 lb (24.5 kg)
	28211EP	110-120V (W/GFCI)	530 gal (2,006L)	1 ea	55.0 lb (25.0 kg)
	28212ND	220-240V	530 gal (2,006L)	1 ea	55.4 lb (25.2 kg)
	28212GS	12V	600 gal (2,271L)	1 ea	57.0 lb (25.9 kg)



Puncture-Resistant
3-ply material



Innovative T-Joint
Precision engineered

Specifications	Item #	Voltage	Filter Pump	Ladder	Deluxe Ladder	Ground Cloth	Pool Cover	Case Pack	Case Weight
15' x 48" (4.57m x 1.22m) Approximate setup size Water capacity (90%): 4,440 gal (16,805L) Ready for water in 45 minutes	28241EP	110-120V (W/GFCI)	1,000 gal (3,785L)	✓	-	✓	✓	1 ea	143.9 lb (65.4 kg)
	28242ND	220-240V	1,000 gal (3,785L)	-	✓	✓	✓	1 ea	151.6 lb (68.9 kg)
	28242GS	12V	900 gal (3,407L)	-	✓	✓	✓	1 ea	153.3 lb (69.7 kg)





Prism Frame™



Printed Series
Prism Frame™



Clearview
Prism Frame™



Graphite Gray Panel™


PREMIUM

POOL SERIES

Constructed with SuperTough™ puncture-resistant 3-ply liner material and strong, powder-coated frames, our Premium Pool Series comes in a range of shapes and sizes. Each pool also is designed to enhance the look of most backyards.



Prism Frame™



Large Profile Frame
for enhanced strength



Puncture-Resistant
3-ply material



330 - 1500 GPH
(1250 - 5678 LPH)
Filtration



Innovative T-Joint
Precision engineered



The Prism Frame™ Round Premium Pool set's pump completely filters the pool's water in under 4 hours!

330 gal (1,250 L) filter pump included in the 10' x 30" (3.05m x 76cm)

Round Premium Pools

Specifications	Item #	Voltage	Filter Pump	Case Pack	Case Weight
10' x 30" (3.05m x 76cm) Approximate setup size Water capacity (90%): 1,185 gal (4,485L) Ready for water in 30 minutes	26700ND	-	-	1 ea	37.5 lb (17.1 kg)
	26700EP	-	-	1 ea	38.5 lb (17.5 kg)
	26701ND	110-120V	330 gal (1,250L)	1 ea	41.8 lb (19.0 kg)
	26701EP	110-120V (W/GFCI)	330 gal (1,250L)	1 ea	43.1 lb (19.6 kg)
	26702ND	220-240V	330 gal (1,250L)	1 ea	42.9 lb (19.5 kg)
	26702GS	12V	330 gal (1,250L)	1 ea	43.3 lb (19.7 kg)
12' x 30" (3.66m x 76cm) Approximate setup size Water capacity (90%): 1,718 gal (6,503L) Ready for water in 30 minutes	26710ND	-	-	1 ea	47.7 lb (21.7 kg)
	26710EP	-	-	1 ea	48.4 lb (22.0 kg)
	26711ND	110-120V	530 gal (2,006L)	1 ea	53.2 lb (24.2 kg)
	26711EP	110-120V (W/GFCI)	530 gal (2,006L)	1 ea	54.3 lb (24.7 kg)
	26712ND	220-240V	530 gal (2,006L)	1 ea	54.8 lb (24.9 kg)
	26712GS	12V	600 gal (2,271L)	1 ea	56.1 lb (25.5 kg)


Prism Frame™ Premium Pools: AGE 6+




Specifications	Item #	Voltage	Filter Pump	Ladder	Deluxe Ladder	Ground Cloth	Pool Cover	Case Pack	Case Weight
12' x 39" (3.66m x 99cm) Approximate setup size Water capacity (90%): 2,270 gal (8,592L) Ready for water in 30 minutes	26715ND	110-120V	530 gal (2,006L)	✓	-	-	-	1 ea	81.4 lb (37.0 kg)
	26716ND	220-240V	530 gal (2,006L)	-	✓	-	-	1 ea	88.9 lb (40.4 kg)
	26716GS	12V	600 gal (2,271L)	-	✓	-	-	1 ea	90.6 lb (41.2 kg)
14' x 42" (4.27m x 1.07m) Approximate setup size Water capacity (90%): 3,357 gal (12,706L) Ready for water in 45 minutes	26719EP	110-120V (W/GFCI)	1,000 gal (3,785L)	✓	-	✓	✓	1 ea	126.5 lb (57.5 kg)
	26720ND	220-240V	1,000 gal (3,785L)	-	✓	✓	✓	1 ea	134.4 lb (61.1 kg)
	26720GS	12V	900 gal (3,407L)	-	✓	✓	✓	1 ea	137.1 lb (62.3 kg)
15' x 42" (4.57m x 1.07m) Approximate setup size Water capacity (90%): 3,861 gal (14,614L) Ready for water in 45 minutes	26723EP	110-120V (W/GFCI)	1,000 gal (3,785L)	✓	-	✓	✓	1 ea	135.7 lb (61.7 kg)
	26724ND	220-240V	1,000 gal (3,785L)	-	✓	✓	✓	1 ea	143.7 lb (65.3 kg)
	26724GS	12V	900 gal (3,407L)	-	✓	✓	✓	1 ea	145.4 lb (66.1 kg)
15' x 48" (4.57m x 1.22m) Approximate setup size Water capacity (90%): 4,440 gal (16,805L) Ready for water in 45 minutes	26725EP	110-120V (W/GFCI)	1,000 gal (3,785L)	✓	-	✓	✓	1 ea	149.2 lb (67.8 kg)
	26726ND	220-240V	1,000 gal (3,785L)	-	✓	✓	✓	1 ea	158.4 lb (72.0 kg)
	26726GS	12V	900 gal (3,407L)	-	✓	✓	✓	1 ea	160.6 lb (73.0 kg)

Specifications	Item #	Voltage	Filter Pump	Ladder	Deluxe Ladder	Ground Cloth	Pool Cover	Case Pack	Case Weight
18' x 48" (5.49m x 1.22m) Approximate setup size Water capacity (90%): 6,423 gal (24,311L) Ready for water in 60 minutes	26731EP	110-120V (W/GFCI)	1,500 gal (5,678L)	✓	-	✓	✓	1 ea	202.8 lb (92.2 kg)
	26732ND	220-240V	1,500 gal (5,678L)	-	✓	✓	✓	1 ea	215.6 lb (98.0 kg)
	26732GS	12V	1,500 gal (5,678L)	-	✓	✓	✓	1 ea	218.2 lb (99.2 kg)
20' x 52" (6.10m x 1.32m) Approximate setup size Water capacity (90%): 8,638 gal (32,695L) Ready for water in 60 minutes	26755EP	110-120V (W/GFCI)	1,500 gal (5,678L)	✓	-	✓	✓	1 ea	243.8 lb (110.8 kg)
	26756ND	220-240V	1,500 gal (5,678L)	-	✓	✓	✓	1 ea	255.2 lb (116.0 kg)
	26756GS	12V	1,500 gal (5,678L)	-	✓	✓	✓	1 ea	257.8 lb (117.2 kg)

Prism Frame™



Large Profile Frame
for enhanced strength



Puncture-Resistant
3-ply material



530 - 1000 GPH
(2006 - 3785 LPH)
Filtration



The Prism Frame™ Premium Pool set's pump completely filters the pool's water in under 5 hours!

530 gal (2,006 L) filter pump included in the 9'10" x 5'9" x 31½" (3.00m x 1.75m x 80cm)

Rectangular Premium Pools

Enhance Your Swimming Experience


Our Prism Frame™ Rectangular Pools provide optimal swimming space with backyard-enhancing aesthetics. Constructed with SuperTough™ puncture-resistant 3-ply material, the inside liner also features an attractive mosaic tile pattern. Families can rely on the sturdy INTEX Prism Frame™ Rectangular pool for solid summer fun!

Prism Frame™ Premium Pools: AGE 6+




Specifications	Item #	Voltage	Filter Pump	Ladder	Deluxe Ladder	Ground Cloth	Pool Cover	Case Pack	Case Weight
9'10" x 5'9" x 31½" (3.00m x 1.75m x 80cm) Approximate setup size Water capacity (90%): 935 gal (3,539L) Ready for water in 45 minutes	26784NP	220-240V	530 gal (2,006L)	✓	-	-	-	1 ea	99.2 lb (45.1 kg)
	26784GN	12V	600 gal (2,271L)	✓	-	-	-	1 ea	101.9 lb (46.3 kg)
13'1½" x 6'6¾" x 39½" (4.00m x 2.00m x 1.00m) Approximate setup size Water capacity (90%): 1,806 gal (6,836L) Ready for water in 45 minutes	26788NP	220-240V	530 gal (2,006L)	-	✓	-	-	1 ea	140.8 lb (64.0 kg)
	26788GN	12V	600 gal (2,271L)	-	✓	-	-	1 ea	142.1 lb (64.6 kg)
13'1½" x 6'6¾" x 48" (4.00m x 2.00m x 1.22m) Approximate setup size Water capacity (90%): 2,224 gal (8,418L) Ready for water in 45 minutes	26790NP	220-240V	530 gal (2,006L)	-	✓	-	-	1 ea	179.3 lb (81.5 kg)
	26790GN	12V	600 gal (2,271L)	-	✓	-	-	1 ea	181.9 lb (82.7 kg)
16' x 8' x 42" (4.88m x 2.44m x 1.07m) Approximate setup size Water capacity (90%): 2,873 gal (10,874L) Ready for water in 60 minutes	26791EH	110-120V (W/GFCI)	1,000 gal (3,785L)	✓	-	✓	✓	1 ea	173.4 lb (78.8 kg)
	26792NP	220-240V	1,000 gal (3,785L)	-	✓	✓	✓	1 ea	179.1 lb (81.4 kg)
	26792GN	12V	900 gal (3,407L)	-	✓	✓	✓	1 ea	181.7 lb (82.6 kg)

Prism Frame™



Large Profile Frame
for enhanced strength



Puncture-Resistant
3-ply material



1500 GPH (5678 LPH)
Filtration



The Prism Frame™ Oval Premium Pool set's pump completely filters the pool's water in under 4 hours!

1,500 gal (5,678 L) filter pump included in the 16'6" x 9' x 48" (5.03m x 2.74m x 1.22m) and 20' x 10' x 48" (6.10m x 3.05m x 1.22m)

Oval Premium Pools

Enjoy a Pristine Pool Experience

These elegantly shaped pools with 48-inch-high walls provide a nice combination of size and water volume for a great backyard pool. Paired with a powerful 1500 GPH pump with HydroAeration™ Technology, the Prism Frame™ Oval pools are designed to provide a clean, enjoyable pool experience.

Prism Frame™ Premium Pools: AGE 6+




Specifications	Item #	Voltage	Filter Pump	Deluxe Ladder	Ground Cloth	Pool Cover	Case Pack	Case Weight
16'6" x 9' x 48" (5.03m x 2.74m x 1.22m) Approximate setup size	26796NP	220-240V	1,500 gal (5,678L)	✓	✓	✓	1 ea	243.3 lb (110.6 kg)
Water Capacity (90%): 3,531 gal (13,365L) Ready For Water In 60 Minutes	26796GN	12V	1,500 gal (5,678L)	✓	✓	✓	1 ea	246.0 lb (111.8 kg)
20' x 10' x 48" (6.10m x 3.05m x 1.22m) Approximate setup size	26798NP	220-240V	1,500 gal (5,678L)	✓	✓	✓	1 ea	282.5 lb (128.4 kg)
Water Capacity (90%): 4,809 gal (18,202L) Ready For Water In 60 Minutes	26798GN	12V	1,500 gal (5,678L)	✓	✓	✓	1 ea	285.3 lb (129.7 kg)

Prism Frame™



Large Profile Frame
for enhanced strength



Puncture-Resistant
3-ply material



330 - 600 GPH
(1250 - 2271 LPH)
Filtration



Innovative T-Joint
Precision engineered



The Prism Frame™ Greyweave Premium Pool set's pump completely filters the pool's water in under 4 hours!

330 gal (1,250 L) filter pump included in the 10' x 30" (3.05m x 76cm)

Greyweave Premium Pools

Designed to Elevate Your Backyard

The Prism Frame™ Greyweave Pool brings a fresh expression of style to one of our most popular and reputable pool lines. Featuring industry-leading realistic print technology, the refined Greyweave pattern showcases a detailed printed weave design that delivers the look of modern texture while complementing the pool's supportive, round frame—adding depth, character, and contemporary appeal to any outdoor space. Setup is simple, as innovative T-joints eliminate the need for pins.

Prism Frame™ Premium Pools: AGE 6+



Specifications	Item #	Voltage	Filter Pump	Case Pack	Case Weight
10' x 30" (3.05m x 76cm) Approximate setup size Water capacity (90%): 1,185 gal (4,485L) Ready for water in 30 minutes	28705	110-120V	330 gal (1,250L)	1 ea	41.8 lb (19.0 kg)
	28705EG	110-120V (W/GFCI)	330 gal (1,250L)	1 ea	43.1 lb (19.6 kg)
	28706	220-240V	330 gal (1,250L)	1 ea	42.9 lb (19.5 kg)
	28706GS	12V	330 gal (1,250L)	1 ea	43.3 lb (19.7 kg)

New




Specifications	Item #	Voltage	Filter Pump	Ladder	Deluxe Ladder	Ground Cloth	Pool Cover	Case Pack	Case Weight
12' x 39" (3.66m x 99cm) Approximate setup size Water capacity (90%): 2,270 gal (8,592L) Ready for water in 30 minutes	28707	110-120V	530 gal (2,006L)	✓	-	-	-	1 ea	81.4 lb (37.0 kg)
	28708	220-240V	530 gal (2,006L)	-	✓	-	-	1 ea	88.9 lb (40.4 kg)
	28708GS	12V	600 gal (2,271L)	-	✓	-	-	1 ea	90.6 lb (41.2 kg)
13' x 42" (3.96m x 1.07m) Approximate setup size Water capacity (90%): 2,888 gal (10,931L) Ready for water in 45 minutes	28713EG	110-120V (W/GFCI)	530 gal (2,006L)	✓	-	✓	✓	1 ea	119.5 lb (54.3 kg)
	28714	220-240V	530 gal (2,006L)	-	✓	✓	✓	1 ea	125.4 lb (57.0 kg)
	28714GS	12V	600 gal (2,271L)	-	✓	✓	✓	1 ea	126.9 lb (57.7 kg)

Prism Frame™



Large Profile Frame
for enhanced strength



Puncture-Resistant
3-ply material



1000 - 1500 GPH
(3785 - 5678 LPH)
Filtration



Innovative T-Joint
Precision engineered



The Prism Frame™ Greywood Premium Pool set's pump completely filters the pool's water in under 6 hours!

1,000 gal (3,785 L) filter pump included in the 15' x 48" (4.57m x 1.22m)

Greywood Premium Pools

Stylish Pool that Makes a Statement


The Prism Frame™ Greywood Pool brings another level of elegance to one of our most popular and reputable lines. Thanks to our industry-leading realistic print technology, the sophisticated Greywood woodgrain pattern complements the pool's sturdy, round frame, conveying strength and class. Setup is simple, as innovative T-joints eliminate the need for pins.

Prism Frame™ Premium Pools: AGE 6+



Specifications	Item #	Voltage	Filter Pump	Ladder	Deluxe Ladder	Ground Cloth	Pool Cover	Case Pack	Case Weight
15' x 48" (4.57m x 1.22m) Approximate setup size Water Capacity (90%): 4,440 gal (16,805L) Ready For Water In 45 Minutes	26741EP	110-120V (W/GFCI)	1,000 gal (3,785L)	✓	-	✓	✓	1 ea	149.2 lb (67.8 kg)
	26742ND	220-240V	1,000 gal (3,785L)	-	✓	✓	✓	1 ea	158.4 lb (72.0 kg)
	26742GS	12V	900 gal (3,407L)	-	✓	✓	✓	1 ea	160.6 lb (73.0 kg)
18' x 48" (5.49m x 1.22m) Approximate setup size Water Capacity (90%): 6,423 gal (24,311L) Ready For Water In 60 Minutes	26743EP	110-120V (W/GFCI)	1,500 gal (5,678L)	✓	-	✓	✓	1 ea	202.8 lb (92.2 kg)
	26744ND	220-240V	1,500 gal (5,678L)	-	✓	✓	✓	1 ea	215.6 lb (98.0 kg)
	26744GS	12V	1,500 gal (5,678L)	-	✓	✓	✓	1 ea	218.0 lb (99.1 kg)

Prism Frame™



Large Profile Frame
for enhanced strength



Puncture-Resistant
3-ply material



1000 - 1500 GPH
(3785 - 5678 LPH)
Filtration



Innovative T-Joint
Precision engineered



The Prism Frame™ Clearview Premium Pool set's pump completely filters the pool's water in under 4 hours!

1,000 gal (3,785 L) filter pump included in the 14' x 42" (4.27m x 1.07m)

Clearview Premium Pools

Enjoy a Whole New Level of Fun

It's a pool with a view! Swimmers and bystanders can have added fun using the panoramic window on the Prism Frame™ Clearview Premium Pool to interact. The pool features all the hallmarks of the Prism Frame™ line, including frames with powder coating for rust protection and puncture-resistant 3-ply liner material. Plus, its innovative T-joints mean easy assembly.


Prism Frame™ Premium Pools: AGE 6+



All-around panoramic window

Specifications	Item #	Voltage	Filter Pump	Deluxe Ladder	Ground Cloth	Pool Cover	Case Pack	Case Weight
14' x 42" (4.27m x 1.07m) Approximate setup size Water capacity (90%): 3,357 gal (12,706L) Ready for water in 45 minutes	26722ND	220-240V	1,000 gal (3,785L)	✓	✓	✓	1 ea	145.6 lb (66.2 kg)
	26722GS	12V	900 gal (3,407L)	✓	✓	✓	1 ea	148.1 lb (67.3 kg)
16' x 48" (4.88m x 1.22m) Approximate setup size Water capacity (90%): 5,061 gal (19,156L) Ready for water in 45 minutes	26730ND	220-240V	1,500 gal (5,678L)	✓	✓	✓	1 ea	192.1 lb (87.3 kg)
	26730GS	12V	1,500 gal (5,678L)	✓	✓	✓	1 ea	197.8 lb (89.9 kg)

Prism Frame™



Large Profile Frame
for enhanced strength



Puncture-Resistant
3-ply material



530 - 600 GPH
(2006 - 2271 LPH)
Filtration



Vertical windows



The Prism Frame™ Clearview Rectangular Premium Pool set's pump completely filters the pool's water in under 4 hours!

530 gal (2,006 L) filter pump included in the 13'1½" x 6'6¾" x 48" (4.00m x 2.00m x 1.22m)

Clearview Rectangular Premium Pools

Discover an Unparalleled Summer Adventure

Immerse yourself in a whole new level of excitement as elegant vertical windows encircle the pool, offering captivating underwater views from both inside and outside. Experience stability and support with the U-shaped legs while enjoying the design of the powder-coated metal frame and 3-ply material liner. With these features, you can look forward to plenty of summertime enjoyment.

Prism Frame™ Premium Pools: AGE 6+




Long vertical windows

Specifications	Item #	Voltage	Filter Pump	Ladder	Deluxe Ladder	Ground Cloth	Pool Cover	Case Pack	Case Weight
13'1½" x 6'6¾" x 48" (4.00m x 2.00m x 1.22m) Approximate setup size	26769EH	110-120V (w/GFCI)	530 gal (2,006L)	✓	-	✓	✓	1 ea	186.8 lb (84.9 kg)
Water capacity (90%): 2,224 gal (8,418L) Ready for water in 45 minutes	26770NP	220-240V	530 gal (2,006L)	-	✓	✓	✓	1 ea	192.3 lb (87.4 kg)
	26770GN	12V	600 gal (2,271L)	-	✓	✓	✓	1 ea	195.1 lb (88.7 kg)

Prism Frame™



Realistic wood pattern with reinforced panel support system



Puncture-Resistant
3-ply material



1500 GPH (5678 LPH)
Filtration



Innovative T-Joint
Precision engineered



15'8" x 49" (4.78m x 1.24m) Graphite Gray Panel™ Pool comes with the 1,500 gal (5.7m³) per hour Sand Filter Pump, which is designed to help keep pool water crystal clear!

Graphite Gray Panel™ Premium Pools

Add Sophistication to Your Backyard

Following the latest color trends in exterior decking and home siding, the Graphite Gray Panel™ Pool offers the appearance of a high-end, custom-built swimming pool at a reasonable price point. The panels have the look of real wood, but they are made of high-density plastic, eliminating the need for weather staining or termite protection. Best of all, the Graphite Gray Panel™ Pool is easy to assemble and comes equipped with premium pool accessories, including the Krystal Clear® Sand Filter Pump.

Prism Frame™ Premium Pools: AGE 6+

New




Specifications	Item #	Voltage	Sand Filter Pump	Deluxe Ladder	Ground Cloth	Pool Cover	Case Pack	Case Weight
15'8" x 49" (4.78m x 1.24m) Approximate setup size	New 27384	220-240V	1,500 gal (5.7m³)	✓	✓	✓	1 ea	458.3 lb (208.3 kg)
Water capacity (90%): 4,440 gal (16,805L) Ready for water in 120 minutes	New 27384GS	220-240V (W/RCD)	1,500 gal (5.7m³)	✓	✓	✓	1 ea	461.1 lb (209.6 kg)

Prism Frame™



Realistic wood pattern with reinforced panel support system



Puncture-Resistant
3-ply material



1500 GPH (5678 LPH)
Filtration



13'1/2" x 9'10" x 49"
(4.00m x 3.00m x 1.24m)
Graphite Gray Panel™
Rectangular Pool comes with the 1,500 gal (5.7m³) per hour Sand Filter Pump, which is designed to help keep pool water crystal clear!

Graphite Gray Panel™ Rectangular Premium Pools

Swimming with Fashion

Our Graphite Gray Panel™ Rectangular Pool is designed to make your backyard more inviting and modern. The panels are composed of high-density plastic, while offering the look of a realistic wood pattern. Easy to assemble, this pool comes equipped with pool ladder, ground cloth and debris cover.

Prism Frame™ Premium Pools: AGE 6+

New



Specifications	Item #	Voltage	Sand Filter Pump	Deluxe Ladder	Ground Cloth	Pool Cover	Case Pack	Case Weight
13'1/2" x 9'10" x 49" (4.00m x 3.00m x 1.24m) Approximate setup size	New 27396	220-240V	1,500 gal (5.7m³)	✓	✓	✓	1 ea	560.6 lb (254.8 kg)
Water capacity (90%): 2,666 gal (10,091L) Ready for water in 120 minutes	New 27396GS	220-240V (W/RCD)	1,500 gal (5.7m³)	✓	✓	✓	1 ea	562.5 lb (255.7 kg)



Ultra XTR® Frame



Ultra XTR®
Rectangle Frame



**PRECISION
ENGINEERING**
BY INTEX™


DELUXE

POOL SERIES

Our Deluxe Pool Series is designed to offer a premium, enjoyable performance and user experience. Constructed with SuperTough™ puncture-resistant 3-ply liner material and high-quality galvanized steel frames, these pools are built for summer fun.



Ultra XTR® Frame Pool



Innovative Frame Design
Sturdy, durable and unique

Puncture-Resistant
3-ply material



Easy Lock™ T-Joint
A precision-engineered T-joint that connects quickly and securely—no additional tools required.



24' x 52" (7.32m x 1.32m) Ultra XTR® Frame Pool comes with the 2,800 gal (10.5m³) per hour Sand Filter Pump, which is designed to help keep pool water crystal clear!

Experience the Ultra Difference

An innovative frame design combines high-quality galvanized steel with a precision-engineered locking system, helping to enhance the overall quality and stability of the pools.

Ultra XTR® Frame Pools: AGE 6+

Specifications	Item #	Voltage	Sand Filter Pump	Ladder	Deluxe Ladder	Ground Cloth	Pool Cover	Case Pack	Case Weight
18' x 52" (5.49m x 1.32m) Approximate setup size	27329EG	110-120V (W/GFCI)	2,100 gal (7.9m³)	✓	-	✓	✓	1 ea	265.8 lb (120.8 kg)
	27330	220-240V	2,100 gal (7.9m³)	-	✓	✓	✓	1 ea	275.0 lb (125.0 kg)
	27330GS	220-240V (W/RCD)	2,100 gal (7.9m³)	-	✓	✓	✓	1 ea	276.5 lb (125.7 kg)



Special Features:

- Encapsulating inner and outer powder coating ensures the ultimate resistance to rust
- Easy to assemble – frame components simply snap together with no locking pins needed
- Extra strong and durable liner
- Equipped with Krystal Clear® Sand Filter Pump with Hydro Aeration™ Technology
- 2-year warranty that guarantees peace of mind pool ownership

Specifications	Item #	Voltage	Sand Filter Pump	Ladder	Deluxe Ladder	Ground Cloth	Pool Cover	Case Pack	Case Weight
16' x 48" (4.88m x 1.22m) Approximate setup size	26325EP	110-120V (W/GFCI)	1,500 gal (5.7m³)	✓	-	✓	✓	1 ea	211.6 lb (96.2 kg)
	26326ND	220-240V	1,500 gal (5.7m³)	-	✓	✓	✓	1 ea	220.7 lb (100.3 kg)
	26326GS	220-240V (W/RCD)	1,500 gal (5.7m³)	-	✓	✓	✓	1 ea	222.2 lb (101.0 kg)
18' x 52" (5.49m x 1.32m) Approximate setup size	26329EP	110-120V (W/GFCI)	2,100 gal (7.9m³)	✓	-	✓	✓	1 ea	265.8 lb (120.8 kg)
	26330ND	220-240V	2,100 gal (7.9m³)	-	✓	✓	✓	1 ea	275.0 lb (125.0 kg)
	26330GS	220-240V (W/RCD)	2,100 gal (7.9m³)	-	✓	✓	✓	1 ea	276.5 lb (125.7 kg)
20' x 48" (6.10m x 1.22m) Approximate setup size	26333EP	110-120V (W/GFCI)	2,100 gal (7.9m³)	✓	-	✓	✓	1 ea	276.3 lb (125.6 kg)
	26334ND	220-240V	2,100 gal (7.9m³)	-	✓	✓	✓	1 ea	287.1 lb (130.5 kg)
	26334GS	220-240V (W/RCD)	2,100 gal (7.9m³)	-	✓	✓	✓	1 ea	288.2 lb (131.0 kg)
24' x 52" (7.32m x 1.32m) Approximate setup size	26339EP	110-120V (W/GFCI)	2,800 gal (10.5m³)	✓	-	✓	✓	1 ea	360.8 lb (164.0 kg)
	26340ND	220-240V	2,800 gal (10.5m³)	-	✓	✓	✓	1 ea	369.2 lb (167.8 kg)
	26340GS	220-240V (W/RCD)	2,800 gal (10.5m³)	-	✓	✓	✓	1 ea	370.9 lb (168.6 kg)


Ultra XTR® Rectangular Frame Pool



Innovative Frame Design
Sturdy, durable and unique



Easy Lock System™
Snaps together with no additional tools



Puncture-Resistant
3-ply material



Some models of Ultra XTR® Rectangular pools include a Sand Filter Pump & Saltwater System, which is designed to help keep pool water crystal clear!



Specifications	Item #	Voltage	Sand Filter Pump	Ladder	Deluxe Ladder	Ground Cloth	Pool Cover	Case Pack	Case Weight
14'9" x 8'2½" x 52" (4.50m x 2.50m x 1.32m) Approximate setup size <i>Water capacity (90%): 3,395 gal (12,850L)</i> <i>Ready for water in 60 minutes</i>	26347EG	110-120V (W/GFCI)	1,500 gal (5.7m³)	✓	-	✓	✓	1 ea	261.1 lb (118.7 kg)
	26348	220-240V	1,500 gal (5.7m³)	-	✓	✓	✓	1 ea	266.6 lb (121.2 kg)
	26348GS	220-240V (W/RCD)	1,500 gal (5.7m³)	-	✓	✓	✓	1 ea	268.6 lb (122.1 kg)
18' x 9' x 52" (5.49m x 2.74m x 1.32m) Approximate setup size <i>Water capacity (90%): 4,545 gal (17,203L)</i> <i>Ready for water in 60 minutes</i>	27355EG	110-120V (W/GFCI)	1,500 gal (5.7m³)	✓	-	✓	✓	1 ea	276.1 lb (125.5 kg)
	27356	220-240V	1,500 gal (5.7m³)	-	✓	✓	✓	1 ea	281.6 lb (128.0 kg)
	27356GS	220-240V (W/RCD)	1,500 gal (5.7m³)	-	✓	✓	✓	1 ea	283.6 lb (128.9 kg)
24' x 12' x 52" (7.32m x 3.66m x 1.32m) Approximate setup size <i>Water capacity (90%): 8,403 gal (31,805L)</i> <i>Ready for water in 60 minutes</i>	27363EG	110-120V (W/GFCI)	2,100 gal (7.9m³)	✓	-	✓	✓	1 ea	400.6 lb (182.1 kg)
	27364	220-240V	2,100 gal (7.9m³)	-	✓	✓	✓	1 ea	405.7 lb (184.4 kg)
	27364GS	220-240V (W/RCD)	2,100 gal (7.9m³)	-	✓	✓	✓	1 ea	407.4 lb (185.2 kg)

Ultra XTR® Frame Pools: AGE 6+



Specifications	Item #	Voltage	Sand Filter Pump	Ladder	Deluxe Ladder	Ground Cloth	Pool Cover	Case Pack	Case Weight
18' x 9' x 52" (5.49m x 2.74m x 1.32m) Approximate setup size <i>Water capacity (90%): 4,545 gal (17,203L)</i> <i>Ready for water in 60 minutes</i>	26355EH	110-120V (W/GFCI)	1,500 gal (5.7m³)	✓	-	✓	✓	1 ea	276.1 lb (125.5 kg)
	26356NP	220-240V	1,500 gal (5.7m³)	-	✓	✓	✓	1 ea	281.6 lb (128.0 kg)
	26356GN	220-240V (W/RCD)	1,500 gal (5.7m³)	-	✓	✓	✓	1 ea	283.6 lb (128.9 kg)
24' x 12' x 52" (7.32m x 3.66m x 1.32m) Approximate setup size <i>Water capacity (90%): 8,403 gal (31,805L)</i> <i>Ready for water in 60 minutes</i>	26363EH	110-120V (W/GFCI)	2,100 gal (7.9m³)	✓	-	✓	✓	1 ea	400.6 lb (182.1 kg)
	26364NP	220-240V	2,100 gal (7.9m³)	-	✓	✓	✓	1 ea	405.7 lb (184.4 kg)
	26364GN	220-240V (W/RCD)	2,100 gal (7.9m³)	-	✓	✓	✓	1 ea	407.4 lb (185.2 kg)
32' x 16' x 52" (9.75m x 4.88m x 1.32m) Approximate setup size <i>Water capacity (90%): 14,364 gal (54,368L)</i> <i>Ready for water in 90 minutes</i>	26373EH	110-120V (W/GFCI)	2,800 gal (10.5m³)	✓	-	✓	✓	1 ea	548.2 lb (249.2 kg)
	26374NP	220-240V	2,800 gal (10.5m³)	-	✓	✓	✓	1 ea	570.9 lb (259.5 kg)
	26374GN	220-240V (W/RCD)	2,800 gal (10.5m³)	-	✓	✓	✓	1 ea	572.0 lb (260.0 kg)



Specifications	Item #	Voltage	Sand Filter Pump & Saltwater System	Ladder	Deluxe Ladder	Ground Cloth	Pool Cover	Deluxe Pool Maintenance Kit	Volleyball Set	Case Pack	Case Weight
24' x 12' x 52" (7.32m x 3.66m x 1.32m) Approximate setup size <i>Water capacity (90%): 8,403 gal (31,805L)</i> <i>Ready for water in 60 minutes</i>	26367EH	110-120V (W/GFCI)	2,100 gal (7.9m³)	✓	-	✓	✓	✓	✓	1 ea	438.9 lb (199.5 kg)
	26368NP	220-240V	2,100 gal (7.9m³)	-	✓	✓	✓	✓	✓	1 ea	445.3 lb (202.4 kg)
32' x 16' x 52" (9.75m x 4.88m x 1.32m) Approximate setup size <i>Water capacity (90%): 14,364 gal (54,368L)</i> <i>Ready for water in 90 minutes</i>	26377EH	110-120V (W/GFCI)	2,650 gal (10.0m³)	✓	-	✓	✓	✓	✓	1 ea	589.4 lb (267.9 kg)
	26378NP	220-240V	2,650 gal (10.0m³)	-	✓	✓	✓	✓	✓	1 ea	618.2 lb (281.0 kg)



Krystal Clear™ Pool-Water Systems

Innovation in Pool Maintenance

Maintenance can be a challenging part of the pool-owning experience. INTEX understands that the process of keeping pool water clean can be overwhelming, so we developed Krystal Clear™ filtration and sanitation systems to simplify the process.

FILTRATION SYSTEMS

Cartridge Filter Pumps

Model C

- Cartridges provide effective water filtration
- Easy to use: simply replace the old cartridge with a new one about every 2 weeks, or as needed based on use and conditions
- INTEX high-quality replacement cartridges are widely available
- 24-hour auto timer on some models



Sand Filter Pumps

Model SX

- All-natural sand provides effective water filtration
- An economical option that can help reduce reliance on packaged chemicals
- Requires minimal routine maintenance apart from periodic replacement of sand, typically about every 5 years
- Compatible with INTEX Fiber Ball Filtration Media
- 24-hour auto timer included



SANITATION SYSTEMS

Saltwater System

Model QS

- Helps control bacteria and algae in pool water using a virtually undetectable amount of salt
- Gentler on skin, eyes, clothes, and hair than many traditional packaged chlorine treatments
- Salt is an economical option and can reduce reliance on packaged chlorine products
- 24-hour auto timer included



WATER QUALITY MANAGEMENT

Water Monitoring

Water Analyzer

- Automatically monitors pool water quality for balanced, healthy water
- Measures pH and ORP to track sanitizer effectiveness
- Sends real-time alerts and step-by-step guidance through the INTEX Link® App
- Works independently or connects with compatible INTEX saltwater systems and filter pumps
- Can automatically activate connected equipment to help maintain proper chlorine levels



Krystal Clear™ Cartridge Filter Pumps



Model **C330**

Model **C530**


Model **C1000**

Model **C1500**

Model **C2500**

Cartridge Gauge

Model C1000 / C1500 / C2500 Equipped with Built-in Cartridge Gauge. Lets you know when it is time to clean or change the filter cartridge.



Efficient filtration is essential for an enjoyable swimming experience, and at INTEX we strive to deliver clean, inviting pool water. INTEX's line of pumps and cartridges is designed to help provide a cleaner pool with:

- Powerful pumps in several of our most popular pool sets
- Filter cartridges with thicker, heavier paper and more pleats
- Water inlet jets for enhanced water flow back into the pool
- 2-year warranty
- Easy installation – Just hook up hoses and plug in
- Double-insulated pump
- Air release valve for air trapped inside filter chamber
- Sediment flush valve at bottom of filter chamber (26635/26636/26633/26634)
- Auto timer for easier use (26601 EG/26603 EG/26637 EG/26635/26636/26633/26634)
- Conforms to UL/CSA standards (110-120V models)
- CE-approved (220-240V models)
- BV or DEKRA approved (GS designation models)
- Shelf box



DOE compliant timer for 110V W/GFCI models only

Item #	Model	Voltage	Easy Set® Pool Models	Frame Pool Models	Prism Frame™ Rectangular Pool Models	Prism Frame™ Oval Pool Models	Pump Flow Rate gal (L)/hr	System Flow Rate gal (L)/hr	Case Pack	Case Weight
Model C330	26601NP	110-120V	6'/8'10' (1.83m/2.44m/3.05m)	10' (3.05m)	-	-	330 gal (1,250L)	300 gal (1,136L)	1 ea	5.3 lb (2.4 kg)
	26601EP	110-120V (W/GFCI)	6'/8'10' (1.83m/2.44m/3.05m)	10' (3.05m)	-	-	330 gal (1,250L)	300 gal (1,136L)	1 ea	5.8 lb (2.6 kg)
	26602NP	220-240V	6'/8'10' (1.83m/2.44m/3.05m)	10' (3.05m)	-	-	330 gal (1,250L)	265 gal (1,003L)	1 ea	5.4 lb (2.5 kg)
	26602GN	12V	6'/8'10' (1.83m/2.44m/3.05m)	10' (3.05m)	-	-	330 gal (1,250L)	300 gal (1,136L)	1 ea	7.1 lb (3.2 kg)
Model C530	26603NP	110-120V	12'/13'/15' (3.66m/3.96m/4.57m)	12' (3.66m)	9'10"/13'1/2" (3.00m/4.00m)	-	530 gal (2,006L)	475 gal (1,798L)	1 ea	6.7 lb (3.1 kg)
	26603EP	110-120V (W/GFCI)	12'/13'/15' (3.66m/3.96m/4.57m)	12' (3.66m)	9'10"/13'1/2" (3.00m/4.00m)	-	530 gal (2,006L)	475 gal (1,798L)	1 ea	7.2 lb (3.3 kg)
	26604NP	220-240V	12'/13'/15' (3.66m/3.96m/4.57m)	12' (3.66m)	9'10"/13'1/2" (3.00m/4.00m)	-	530 gal (2,006L)	450 gal (1,703L)	1 ea	7.3 lb (3.3 kg)
	26604GN	12V	12'/13'/15' (3.66m/3.96m/4.57m)	12' (3.66m)	9'10"/13'1/2" (3.00m/4.00m)	-	600 gal (2,271L)	500 gal (1,893L)	1 ea	9.8 lb (4.5 kg)
Model C1000	26637EP	110-120V (W/GFCI)	15' (4.57m)	14'/15' (4.27m/4.57m)	16' x 8' (4.88m x 2.44m)	-	1,000 gal (3,785L)	750 gal (2,839L)	1 ea	8.4 lb (3.8 kg)
	26638NP	220-240V	15' (4.57m)	14'/15' (4.27m/4.57m)	16' x 8' (4.88m x 2.44m)	-	1,000 gal (3,785L)	710 gal (2,687L)	1 ea	8.6 lb (3.9 kg)
	26638GN	12V	15' (4.57m)	14'/15' (4.27m/4.57m)	16' x 8' (4.88m x 2.44m)	-	900 gal (3,407L)	700 gal (2,650L)	1 ea	12.8 lb (5.8 kg)
Model C1500	26635EG	110-120V (W/GFCI)	18' (5.49m)	16'/18'/20' (4.88m/5.49m/6.10m)	-	16 1/2'/20' (5.03m/6.10m)	1,500 gal (5,678L)	1,180 gal (4,466L)	1 ea	14.6 lb (6.7 kg)
	26636	220-240V	18' (5.49m)	16'/18'/20' (4.88m/5.49m/6.10m)	-	16 1/2'/20' (5.03m/6.10m)	1,500 gal (5,678L)	1,150 gal (4,353L)	1 ea	15.7 lb (7.2 kg)
	26636GS	12V	18' (5.49m)	16'/18'/20' (4.88m/5.49m/6.10m)	-	16 1/2'/20' (5.03m/6.10m)	1,500 gal (5,678L)	1,100 gal (4,164L)	1 ea	22.9 lb (10.4 kg)
Model C2500	26633EG	110-120V (W/GFCI)	-	-	-	-	2,500 gal (9,463L)	1,900 gal (7,192L)	1 ea	26.2 lb (11.9 kg)
	26634	220-240V	-	-	-	-	2,500 gal (9,463L)	1,900 gal (7,192L)	1 ea	27.2 lb (12.4 kg)
	26634GS	220-240V (W/RCD)	-	-	-	-	2,500 gal (9,463L)	1,750 gal (6,624L)	1 ea	29.3 lb (13.3 kg)

Krystal Clear™ Sand Filter Pumps



Model **SX925**



Model **SX1500**



Model **SX2100**



Model **SX2800**



Model **SX3000 / SX3200**

Sand-based pool filtration is popular because it's effective, time-saving and cost-efficient. The sand typically needs replacement only about every five years, making our Krystal Clear™ Sand Filter Pumps among our easiest options to maintain.

Features

- 4-function for 26641/26642; 6-function control
- 24-hour automatic timer
- 0.75 / 0.60 / 0.30 / 0.18 / 0.12 horse power pump
- GFCI unit (110-120V version)
- Strainer basket

Benefits

- Enables pool owner to filter, backwash, rinse, recirculate, drain, and close system
- Automatic daily setting
- Ideal for above ground pool
- Safety shut-off; meets UL standard
- Ease of cleaning extends sand's usefulness



6-Way Valve



Powerful Motor



Built-in-Timer



Pressure Gauge



Heavy-Duty Tank



Strainer Basket
(not available for SX925 & SX1500)

Model **SX925**



Item #	Model	Voltage	Rectangular Frame Pool Models	Easy Set® Pool Models	Metal Frame Pool Models	Prism Frame™ Pool Models	Prism Frame™ Rectangular Pool Models	Pump Flow Rate gal (m³)/hr	System Flow Rate gal (m³)/hr	Case Pack	Case Weight
26641 EG	SX925	110-120V (W/GFCI)	7'2½"/8'6½"/9'10"/14'9¼" (2.20m/2.60m/3.00m/4.50m)	6'/8'/10'/12'/13'/15' (1.83m/2.44m/3.05m/3.66m/3.96m/4.57m)	8'/10'/12'/15' (2.44m/3.05m/3.66m/4.57m)	10'/12'/14'/15' (3.05m/3.66m/4.27m/4.57m)	9'10"/13'1½"/16' (3.00m/4.00m/4.88m)	925 gal (3.5m³)	550 gal (2.0m³)	1 ea	17.0 lb (7.7 kg)
26642	SX925	220-240V	7'2½"/8'6½"/9'10"/14'9¼" (2.20m/2.60m/3.00m/4.50m)	6'/8'/10'/12'/13'/15' (1.83m/2.44m/3.05m/3.66m/3.96m/4.57m)	8'/10'/12'/15' (2.44m/3.05m/3.66m/4.57m)	10'/12'/14'/15' (3.05m/3.66m/4.27m/4.57m)	9'10"/13'1½"/16' (3.00m/4.00m/4.88m)	925 gal (3.5m³)	550 gal (2.0m³)	1 ea	16.8 lb (7.6 kg)
26642 GS	SX925	220-240V (W/RCD)	7'2½"/8'6½"/9'10"/14'9¼" (2.20m/2.60m/3.00m/4.50m)	6'/8'/10'/12'/13'/15' (1.83m/2.44m/3.05m/3.66m/3.96m/4.57m)	8'/10'/12'/15' (2.44m/3.05m/3.66m/4.57m)	10'/12'/14'/15' (3.05m/3.66m/4.27m/4.57m)	9'10"/13'1½"/16' (3.00m/4.00m/4.88m)	925 gal (3.5m³)	500 gal (1.9m³)	1 ea	18.1 lb (8.2 kg)

*Tank Size: 8" (203mm) Hp: 0.12 Glass Capacity: 11.0 Lb (5.0 Kg) Sand Capacity: 14.3 Lb (6.5 Kg) Fiber Ball Capacity: 0.44 Lb (200 G)

Model **SX1500**



Item #	Model	Voltage	Ultra XTR® Frame Pool Models	Ultra XTR® Rectangular Frame Pool Models	Graphite Gray Panel™ Pool Models	Tank Size	Hp	Glass Capacity lb (kg)	Sand Capacity lb (kg)	Fiber Ball Capacity lb (g)	Pump Flow Rate gal (m³)/hr	System Flow Rate gal (m³)/hr	Case Pack	Case Weight
26643EG	SX1500	110-120V (W/GFCI)	16' (4.88m)	18' x 9' (5.49m x 2.74m)	15'8" (4.78m)	10" (254mm)	0.18	18.5 lb (8.5 kg)	26 lb (12 kg)	0.77 lb (350 g)	1,500 gal (5.7m³)	1,050 gal (4.0m³)	1 ea	25.2 lb (11.5 kg)
26644	SX1500	220-240V	16' (4.88m)	18' x 9' (5.49m x 2.74m)	15'8" (4.78m)	10" (254mm)	0.18	18.5 lb (8.5 kg)	26 lb (12 kg)	0.77 lb (350 g)	1,500 gal (5.7m³)	1,050 gal (4.0m³)	1 ea	25.8 lb (11.7 kg)
26644GS	SX1500	220-240V (W/RCD)	16' (4.88m)	18' x 9' (5.49m x 2.74m)	15'8" (4.78m)	10" (254mm)	0.18	18.5 lb (8.5 kg)	26 lb (12 kg)	0.77 lb (350 g)	1,500 gal (5.7m³)	970 gal (3.7m³)	1 ea	28.1 lb (12.8 kg)

Model **SX2100**



26645EG	SX2100	110-120V (W/GFCI)	18'/20' (5.49m/6.10m)	24' x 12' (7.32m x 3.66m)	-	12" (305mm)	0.30	35 lb (16 kg)	50 lb (23 kg)	1.43 lb (650 g)	2,100 gal (7.9m³)	1,600 gal (6.0m³)	1 ea	34.5 lb (15.7 kg)
26646	SX2100	220-240V	18'/20' (5.49m/6.10m)	24' x 12' (7.32m x 3.66m)	-	12" (305mm)	0.30	35 lb (16 kg)	50 lb (23 kg)	1.43 lb (650 g)	2,100 gal (7.9m³)	1,600 gal (6.0m³)	1 ea	35.7 lb (16.2 kg)
26646GS	SX2100	220-240V (W/RCD)	18'/20' (5.49m/6.10m)	24' x 12' (7.32m x 3.66m)	-	12" (305mm)	0.30	35 lb (16 kg)	50 lb (23 kg)	1.43 lb (650 g)	2,100 gal (7.9m³)	1,250 gal (4.7m³)	1 ea	37.0 lb (16.8 kg)

Model **SX2800**



26647EG	SX2800	110-120V (W/GFCI)	24' (7.32m)	32' x 16' (9.75m x 4.88m)	-	14" (360mm)	0.60	55 lb (25 kg)	77 lb (35 kg)	2.2 lb (1000 g)	2,800 gal (10.5m³)	2,150 gal (8.0m³)	1 ea	42.0 lb (19.1 kg)
26648	SX2800	220-240V	24' (7.32m)	32' x 16' (9.75m x 4.88m)	-	14" (360mm)	0.60	55 lb (25 kg)	77 lb (35 kg)	2.2 lb (1000 g)	2,800 gal (10.5m³)	2,150 gal (8.0m³)	1 ea	42.7 lb (19.4 kg)
26648GS	SX2800	220-240V (W/RCD)	24' (7.32m)	32' x 16' (9.75m x 4.88m)	-	14" (360mm)	0.60	55 lb (25 kg)	77 lb (35 kg)	2.2 lb (1000 g)	2,800 gal (10.5m³)	1,900 gal (7.2m³)	1 ea	44.1 lb (20.0 kg)

Model **SX3000 / SX3200**



26651EG	SX3000	110-120V (W/GFCI)	-	-	-	16" (410mm)	0.75	85 lb (38 kg)	120 lb (55 kg)	3.3 lb (1500 g)	3,000 gal (11.3m³)	2,450 gal (9.2m³)	1 ea	48.1 lb (21.9 kg)
26652	SX3200	220-240V	-	-	-	16" (410mm)	0.75	85 lb (38 kg)	120 lb (55 kg)	3.3 lb (1500 g)	3,200 gal (12.0m³)	2,450 gal (9.2m³)	1 ea	50.3 lb (22.9 kg)
26652GS	SX3200	220-240V (W/RCD)	-	-	-	16" (410mm)	0.75	85 lb (38 kg)	120 lb (55 kg)	3.3 lb (1500 g)	3,200 gal (12.0m³)	2,200 gal (8.3m³)	1 ea	52.1 lb (23.7 kg)

Krystal Clear™ Sand Filter Pumps with WiFi



Model **SX925** with WiFi

Model **SX1500** with WiFi

Model **SX2100** with WiFi



WiFi Ready



Model **SX1500** with WiFi



Item #	Model	Voltage	Ultra XTR® Frame Pool Models	Ultra XTR® Rectangular Frame Pool Models	Graphite Gray Panel™ Pool Models	Tank Size	Hp	Glass Capacity lb (kg)	Sand Capacity lb (kg)	Fiber Ball Capacity lb (g)	Pump Flow Rate gal (m³)/hr	System Flow Rate gal (m³)/hr	Case Pack	Case Weight
New 26653EG	SX1500	110-120V (W/GFCI)	16' (4.88m)	18' x 9' (5.49m x 2.74m)	15'8" (4.78m)	10" (254mm)	0.18	18.5 lb (8.5 kg)	26 lb (12 kg)	0.77 lb (350 g)	1,500 gal (5.7m³)	1,050 gal (4.0m³)	1 ea	25.2 lb (11.5 kg)
New 26654	SX1500	220-240V	16' (4.88m)	18' x 9' (5.49m x 2.74m)	15'8" (4.78m)	10" (254mm)	0.18	18.5 lb (8.5 kg)	26 lb (12 kg)	0.77 lb (350 g)	1,500 gal (5.7m³)	1,050 gal (4.0m³)	1 ea	25.8 lb (11.7 kg)
New 26654GS	SX1500	220-240V (W/RCD)	16' (4.88m)	18' x 9' (5.49m x 2.74m)	15'8" (4.78m)	10" (254mm)	0.18	18.5 lb (8.5 kg)	26 lb (12 kg)	0.77 lb (350 g)	1,500 gal (5.7m³)	970 gal (3.7m³)	1 ea	28.1 lb (12.8 kg)
26655EG	SX2100	110-120V (W/GFCI)	18'/20' (5.49m/6.10m)	24' x 12' (7.32m x 3.66m)	-	12" (305mm)	0.30	35 lb (16 kg)	50 lb (23 kg)	1.43 lb (650 g)	2,100 gal (7.9m³)	1,600 gal (6.0m³)	1 ea	34.4 lb (15.7 kg)
26656	SX2100	220-240V	18'/20' (5.49m/6.10m)	24' x 12' (7.32m x 3.66m)	-	12" (305mm)	0.30	35 lb (16 kg)	50 lb (23 kg)	1.43 lb (650 g)	2,100 gal (7.9m³)	1,600 gal (6.0m³)	1 ea	35.4 lb (16.1 kg)
26656GS	SX2100	220-240V (W/RCD)	18'/20' (5.49m/6.10m)	24' x 12' (7.32m x 3.66m)	-	12" (305mm)	0.30	35 lb (16 kg)	50 lb (23 kg)	1.43 lb (650 g)	2,100 gal (7.9m³)	1,250 gal (4.7m³)	1 ea	36.9 lb (16.8 kg)
New 26657EG	SX2800	110-120V (W/GFCI)	24' (7.32m)	32' x 16' (9.75m x 4.88m)	-	14" (360mm)	0.60	55 lb (25 kg)	77 lb (35 kg)	2.2 lb (1000 g)	2,800 gal (10.5m³)	2,150 gal (8.0m³)	1 ea	42.0 lb (19.1 kg)
New 26658	SX2800	220-240V	24' (7.32m)	32' x 16' (9.75m x 4.88m)	-	14" (360mm)	0.60	55 lb (25 kg)	77 lb (35 kg)	2.2 lb (1000 g)	2,800 gal (10.5m³)	2,150 gal (8.0m³)	1 ea	42.7 lb (19.4 kg)
New 26658GS	SX2800	220-240V (W/RCD)	24' (7.32m)	32' x 16' (9.75m x 4.88m)	-	14" (360mm)	0.60	55 lb (25 kg)	77 lb (35 kg)	2.2 lb (1000 g)	2,800 gal (10.5m³)	1,900 gal (7.2m³)	1 ea	44.3 lb (20.1 kg)
New 26659EG	SX3000	110-120V (W/GFCI)	-	-	-	16" (410mm)	0.75	85 lb (38 kg)	120 lb (55 kg)	3.3 lb (1500 g)	3,000 gal (11.3m³)	2,450 gal (9.2m³)	1 ea	48.3 lb (22.0 kg)
New 26660	SX3200	220-240V	-	-	-	16" (410mm)	0.75	85 lb (38 kg)	120 lb (55 kg)	3.3 lb (1500 g)	3,200 gal (12.0m³)	2,450 gal (9.2m³)	1 ea	50.3 lb (22.9 kg)
New 26660GS	SX3200	220-240V (W/RCD)	-	-	-	16" (410mm)	0.75	85 lb (38 kg)	120 lb (55 kg)	3.3 lb (1500 g)	3,200 gal (12.0m³)	2,200 gal (8.3m³)	1 ea	52.4 lb (23.8 kg)

Model **SX2100** with WiFi



Model **SX2800** with WiFi



Model **SX3000** / **SX3200** with WiFi



Model **SX2800** with WiFi

Model **SX3000 / SX3200** with WiFi

INTEX Link® ECOSYSTEM

Together, our WiFi-enabled Saltwater System, Water Analyzer, and Sand Filter Pump form an automated pool maintenance ecosystem for optimal water quality. Each device offers App connectivity and can also work independently.

Download on the App Store
GET IT ON Google Play

Item #	Model	Voltage	Rectangular Frame Pool Models	Easy Set® Pool Models	Metal Frame Pool Models	Prism Frame™ Pool Models	Prism Frame™ Rectangular Pool Models	Pump Flow Rate gal (m³)/hr	System Flow Rate gal (m³)/hr	Case Pack	Case Weight
New 26649EG	SX925	110-120V (W/GFCI)	72½"/8'6½"/9'10"/14'9½" (2.20m/2.60m/3.00m/4.50m)	6'/8'/10'/12'/13'/15' (1.83m/2.44m/3.05m/3.66m/3.96m/4.57m)	8'/10'/12'/15' (2.44m/3.05m/3.66m/4.57m)	10'/12'/14'/15' (3.05m/3.66m/4.27m/4.57m)	9'10"/13'1½"/16' (3.00m/4.00m/4.88m)	925 gal (3.5m³)	550 gal (2.0m³)	1 ea	17.0 lb (7.7 kg)
New 26650	SX925	220-240V	72½"/8'6½"/9'10"/14'9½" (2.20m/2.60m/3.00m/4.50m)	6'/8'/10'/12'/13'/15' (1.83m/2.44m/3.05m/3.66m/3.96m/4.57m)	8'/10'/12'/15' (2.44m/3.05m/3.66m/4.57m)	10'/12'/14'/15' (3.05m/3.66m/4.27m/4.57m)	9'10"/13'1½"/16' (3.00m/4.00m/4.88m)	925 gal (3.5m³)	550 gal (2.0m³)	1 ea	16.8 lb (7.6 kg)
New 26650GS	SX925	220-240V (W/RCD)	72½"/8'6½"/9'10"/14'9½" (2.20m/2.60m/3.00m/4.50m)	6'/8'/10'/12'/13'/15' (1.83m/2.44m/3.05m/3.66m/3.96m/4.57m)	8'/10'/12'/15' (2.44m/3.05m/3.66m/4.57m)	10'/12'/14'/15' (3.05m/3.66m/4.27m/4.57m)	9'10"/13'1½"/16' (3.00m/4.00m/4.88m)	925 gal (3.5m³)	500 gal (1.9m³)	1 ea	18.1 lb (8.2 kg)

*Tank Size: 8" (203mm) Hp: 0.12 Glass Capacity: 11.0 Lb (5.0 Kg) Sand Capacity: 14.3 Lb (6.5 Kg) Fiber Ball Capacity: 0.44 Lb (200 G)

Filtration & Sanitation Combination System

Sand filters are a popular choice for pool maintenance because they use sand as a filtration medium, are cost-effective, and deliver effective water clarity. Under normal operating conditions, the sand typically requires replacement only once every five years.

Saltwater systems with electrocatalytic oxidation (E.C.O.) are known for helping keep pool water clean while reducing the reliance on traditional packaged chlorine.

INTEX has combined these two technologies into a single, integrated system, offering above-ground pool owners with an affordable, low-maintenance solution designed to help keep pools clean and comfortable. Both systems are controlled automatically with a 24-hour timer, simplifying daily operation and ensuring consistent performance.



When the saltwater system is installed, a measured quantity of salt is added and dissolved in the pool water, resulting in a low salt concentration (approx. 3,000 ppm salinity).



As the filter pump is circulating pool water during daily filtration, the saline water passes through the saltwater system, converting the dissolved salt into sodium hypochlorite.



Additional salt is needed if water is splashed out of the pool.

Krystal Clear™



Model QX1500 Plus with WiFi

- 26671EG **New**
- 110-120V with GFCI
- 12" (305mm) tank diameter
- 0.18 hp motor
- Pump flow rate 1,500 gph (5.7m³/hr)
- System flow rate 1,050 gph (4.0m³/hr)
- 51 lb (23 kg) sand capacity or 35 lb (16 kg) glass filtration media capacity or 1.4 lb (0.65 kg) fiber ball capacity
- Chlorine output: 5 g/hr
- 2 pieces of 1½" (38mm) hoses
- 2-year warranty
- Shelf box; 1 ea, 45.3 lb (20.6 kg)

- 26672 **New**
- Same as 26671 except 220-230V
- Shelf box; 1 ea, 46.2 lb (21.0 kg)

- 26672GS **New**
- Same as 26672 except with RCD
- Shelf box; 1 ea, 47.4 lb (21.6 kg)

Ultra XTR® Rectangular Frame Pool
24' x 12' (7.32m x 3.66m)

Max Pool Size: 7,000 gal (26,500L)

Sand Filter Pump & Saltwater System with WiFi



Model QX2100 Plus with WiFi

- 26673EG **New**
- 110-120V with GFCI
- 14" (360mm) tank diameter
- 0.3 hp motor
- Pump flow rate 2,100 gph (7.9m³/hr)
- System flow rate 1,600 gph (6.0m³/hr)
- 77 lb (35 kg) sand capacity or 55 lb (25 kg) glass filtration media capacity or 2.2 lb (1 kg) fiber ball capacity
- Chlorine output: 7 g/hr
- 2 pieces of 1½" (38mm) hoses
- 2-year warranty
- Shelf box; 1 ea, 50.3 lb (22.9 kg)

- 26674 **New**
- Same as 26673 except 220-230V
- Shelf box; 1 ea, 51.4 lb (23.4 kg)

- 26674GS **New**
- Same as 26674 except with RCD
- Shelf box; 1 ea, 52.8 lb (24.0 kg)

Ultra XTR® Rectangular Frame Pool
24' x 12' (7.32m x 3.66m)

Max Pool Size: 8,500 gal (32,200L)



Model QX2600 Plus with WiFi

- 26677EG **New**
- 110-120V with GFCI
- 16" (410mm) tank diameter
- 0.6 hp motor
- Pump flow rate 2,650 gph (10.0m³/hr)
- System flow rate 2,150 gph (8.0m³/hr)
- 120 lb (55 kg) sand capacity or 85 lb (38 kg) glass filtration media capacity or 3.3 lb (1.5 kg) fiber ball capacity
- Chlorine output: 11 g/hr
- 2 pieces of 1½" (38mm) hoses
- 2-year warranty
- Shelf box; 1 ea, 58.4 lb (26.6 kg)

- 26678 **New**
- Same as 26677 except 220-230V
- Shelf box; 1 ea, 59.7 lb (27.1 kg)

- 26678GS **New**
- Same as 26678 except with RCD
- Shelf box; 1 ea, 61.0 lb (27.7 kg)

Ultra XTR® Rectangular Frame Pool
32' x 16' (9.75m x 4.88m)

Max Pool Size: 15,000 gal (56,800L)

Sand Filter Pump & Saltwater System with E.C.O. (Electrocatalytic Oxidation)



Model QX2100

- 26675EG
- 110-120V with GFCI
- 14" (360mm) tank diameter
- 0.3 hp motor
- Pump flow rate 2,100 gph (7.9m³/hr)
- System flow rate 1,600 gph (6.0m³/hr)
- 77 lb (35 kg) sand capacity or 55 lb (25 kg) glass filtration media capacity or 2.2 lb (1 kg) fiber ball capacity
- Chlorine output: 7 g/hr
- 2 pieces of 1½" (38mm) hoses
- 2-year warranty
- Shelf box; 1 ea, 50.3 lb (22.9 kg)

- 26676
- Same as 26675 except 220-230V
- Shelf box; 1 ea, 51.3 lb (23.3 kg)

Ultra XTR® Rectangular Frame Pool
24' x 12' (7.32m x 3.66m)

Max Pool Size: 8,500 gal (32,200L)

Model QX2600

- 26679EG
- 110-120V with GFCI
- 16" (410mm) tank diameter
- 0.6 hp motor
- Pump flow rate 2,650 gph (10.0m³/hr)
- System flow rate 2,150 gph (8.0m³/hr)
- 120 lb (55 kg) sand capacity or 85 lb (38 kg) glass filtration media capacity or 3.3 lb (1.5 kg) fiber ball capacity
- Chlorine output: 11 g/hr
- 2 pieces of 1½" (38mm) hoses
- 2-year warranty
- Shelf box; 1 ea, 58.4 lb (26.6 kg)

- 26680
- Same as 26679 except 220-230V
- Shelf box; 1 ea, 59.6 lb (27.1 kg)

Ultra XTR® Rectangular Frame Pool
32' x 16' (9.75m x 4.88m)

Max Pool Size: 15,000 gal (56,800L)

Krystal Clear™ Saltwater System



Model QS 200

26661EG

- Small and sleek design
- Control panel with display and easy access buttons
- Suitable for small rectangular or round pools up to 12' (3.66m)
- 1 self-clean mode available, 10 hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 300-1,000 gal/h (1,136-3,785L/h)
- Chlorine output: 2 g/hr
- 24 hr. auto-clock cycle
- Shelf box; 2 ea, 13.6 lb (6.2 kg)

26662

- Same as 26661 except 100-240V
- Shelf box; 2 ea, 12.0 lb (5.4 kg)

26662GS

- Same as 26662 except 12V
- Shelf box; 2 ea, 13.2 lb (6.0 kg)

Max Pool Size:
2,200 gal (8,327L)



Model QS 400

26663EG

- Small and sleek design
- Control panel with display and easy access buttons
- Suitable for smaller size pools
- 3 self-clean modes available, 6/10/14-hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 300-1,000 gal/h (1,136-3,785L/h)
- Chlorine output: 4 g/hr
- 24 hr. auto-clock cycle
- Shelf box; 2 ea, 17.5 lb (8.0 kg)

26664

- Same as 26663 except 100-240V
- Shelf box; 2 ea, 16.0 lb (7.3 kg)

26664GS

- Same as 26664 except 12V
- Shelf box; 2 ea, 20.8 lb (9.4 kg)

Max Pool Size:
4,500 gal (17,033L)



Model QS 500 with WiFi

26683EG New

- Sleek and compact casing
- Control panel with display and easy access buttons
- Added power button for convenience
- 4 self-clean modes available, 2/4/6/10-hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 700-3,200 gal/h (2,650-12,112L/h)
- Chlorine output: 5 g/hr
- 24 hr. auto-clock cycle
- Shelf box; 2 ea, 37.2 lb (16.9 kg)

26684 New

- Same as 26683 except 220-230V
- Shelf box; 2 ea, 36.3 lb (16.5 kg)

26684GS New

- Same as 26684 except 12V
- Shelf box; 1 ea, 20.3 lb (9.2 kg)

Max Pool Size:
7,000 gal (26,500L)



Model QS 700 Plus with WiFi

26685EG New

- Sleek and compact casing
- Control panel with comprehensive display and user-friendly buttons
- Conveniently monitor the salt concentration and water temperature from the control panel
- Large titanium cell provides enhanced chlorine production while using a lower salt concentration
- 4 self-clean modes available, 2/4/6/10-hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 700-3,200 gal/h (2,650-12,112L/h)
- Chlorine output: 7 g/hr
- 24 hr. auto-clock cycle
- Shelf box; 2 ea, 39.3 lb (17.9 kg)

26686 New

- Same as 26685 except 220-230V
- Shelf box; 2 ea, 38.2 lb (17.4 kg)

26686GS New

- Same as 26686 except 12V
- Shelf box; 1 ea, 22.4 lb (10.2 kg)

Max Pool Size:
8,500 gal (32,000L)



Model QS 1200 with WiFi

26691EG New

- Sleek and compact casing
- Control panel with display and easy access buttons
- Added power button for convenience
- 4 self-clean modes available, 2/4/6/10-hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 700-3,200 gal/h (2,650-12,112L/h)
- Chlorine output: 12 g/hr
- 24 hr. auto-clock cycle
- Shelf box; 2 ea, 42.7 lb (19.4 kg)

26692 New

- Same as 26691 except 220-230V
- Shelf box; 2 ea, 41.7 lb (19.0 kg)

26692GS New

- Same as 26692 except 12V
- Shelf box; 1 ea, 23.8 lb (10.8 kg)

Max Pool Size:
15,000 gal (56,800L)



Model QS 1600 Plus with WiFi

26689EG

- Built-in WiFi connects to the Intex Link™ app for easy smartphone control and management
- Control panel with comprehensive display and user-friendly buttons
- Conveniently monitor the salt concentration and water temperature from the control panel
- Large titanium cell provides enhanced chlorine production while using a lower salt concentration
- 4 self-clean modes available, 2/4/6/10-hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 700-3,200 gal/h (2,650-12,112L/h)
- Chlorine output: 16g/hr
- 24 hr. auto-clock cycle
- Shelf box; 2 ea, 48.1 lb (21.9 kg)

26690

- Same as 26689 except 220-230V
- Shelf box; 2 ea, 46.9 lb (21.3 kg)

26690GS

- Same as 26690 except 12V
- Shelf box; 1 ea, 26.4 lb (12.0 kg)

Max Pool Size:
18,000 gal (68,000L)

Saltwater System with E.C.O. (Electrocatalytic Oxidation)



Model QS 500

26667EG

- Sleek and compact casing
- Control panel with display and easy access buttons
- Added power button for convenience
- 3 self-clean modes available, 6/10/14-hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 700-3,200 gal/h (2,650-12,112L/h)
- Chlorine output: 5 g/hr
- 24 hr. auto-clock cycle
- Shelf box; 2 ea, 39.1 lb (17.8 kg)

26668

- Same as 26667 except 220-230V
- Shelf box; 2 ea, 38.0 lb (17.3 kg)

26668GS

- Same as 26668 except 12V
- Shelf box; 1 ea, 22.5 lb (10.2 kg)

Max Pool Size:
7,000 gal (26,500L)



Model QS 1200

26669EG

- Sleek and compact casing
- Control panel with display and easy access buttons
- Added power button for convenience
- 3 self-clean modes available, 6/10/14-hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 700-3,200 gal/h (2,650-12,112L/h)
- Chlorine output: 12 g/hr
- 24 hr. auto-clock cycle
- Shelf box; 2 ea, 44.7 lb (20.3 kg)

26670






- Same as 26669 except 220-230V
- Shelf box; 2 ea, 44.7 lb (20.3 kg)

26670GS

- Same as 26670 except 12V
- Shelf box; 1 ea, 26.0 lb (11.8 kg)

Max Pool Size:
15,000 gal (56,800L)














Cartridge Filter Pumps

Item #	26601NP	26601EP	26602NP	26602GN	26603NP	26603EP	26604NP	26604GN	26637EP	26638NP	26638GN	26635EG	26636	26636GS	26633EG	26634	26634GS
Product																	
Model	C330				C530 / C600				C900 / C1000			C1500			C2500		
Compatible Pools	<p>Easy Set® Pool 6' / 8' / 10' (1.83m / 2.44m / 3.05m)</p> <p>Frame Pool 10' (3.05m)</p>				<p>Easy Set® Pool 12' / 13' / 15' (3.66m / 3.96m / 4.57m)</p> <p>Frame Pool 12' (3.66m)</p> <p>Prism Frame™ Rectangular Pool 9'10" / 13'1½" (3.00m / 4.00m)</p>				<p>Easy Set® Pool 15' (4.57m)</p> <p>Frame Pool 14' / 15' (4.27m / 4.57m)</p> <p>Prism Frame™ Rectangular Pool 16' x 8' (4.88m x 2.44m)</p>			<p>Easy Set® Pool 18' (5.49m)</p> <p>Frame Pool 18' / 20' (5.49m / 6.10m)</p> <p>Prism Frame™ Oval Pool 16½' / 20' (5.03m / 6.10m)</p>			<p>Above Ground Pools up to 11,636 gal (52.9m³)</p>		
Pump Flow Rate gal (L)/hr	330gal (1,250L)				530 gal (2,006L) / 600 gal (2,271L)				900 gal (3,407L) / 1,000 gal (3,785L)			1,500 gal (5,678L)			2,500 gal (9,463L)		
System Flow Rate gal (L)/hr	300 gal (1,136L)	300 gal (1,136L)	265 gal (1,003L)	300 gal (1,136L)	475 gal (1,798L)	475 gal (1,798L)	450 gal (1,703L)	500 gal (1,893L)	750 gal (2,839L)	710 gal (2,687L)	700 gal (2,650L)	1,180 gal (4,466L)	1,150 gal (4,353L)	1,100 gal (4,164L)	1,900 gal (7,192L)	1,900 gal (7,192L)	1,750 gal (6,624L)
Voltage	110-120V	110-120V (W/GFCI)	220-240V	12V	110-120V	110-120V (W/GFCI)	220-240V	12V	110-120V (W/GFCI)	220-240V	12V	110-120V (W/GFCI)	220-240V	12V	110-120V (W/GFCI)	220-240V	220-240V (W/RCD)
Case Weight lb (kg)	5.3 lb (2.4 kg)	5.8 lb (2.6 kg)	5.4 lb (2.5 kg)	7.1 lb (3.2 kg)	6.7 lb (3.1 kg)	7.2 lb (3.3 kg)	7.3 lb (3.3 kg)	9.8 lb (4.5 kg)	8.4 lb (3.8 kg)	8.6 lb (3.9 kg)	12.8 lb (5.8 kg)	14.6 lb (6.7 kg)	15.7 lb (7.2 kg)	22.9 lb (10.4 kg)	26.2 lb (11.9 kg)	27.2 lb (12.4 kg)	29.3 lb (13.3 kg)
Case Pack	1 ea				1 ea				1 ea			1 ea			1 ea		














Sand Filter Pumps

Item #	26641EG	26642	26642GS	26643EG	26644	26644GS	26645EG	26646	26646GS	26647EG	26648	26648GS	26651EG	26652	26652GS
Product															
Model	SX925			SX1500			SX2100			SX2800			SX3000 / SX3200		
Compatible Pools	<p>Rectangular Frame Pool 7'2½" / 8'6½" / 9'10" / 14'9¼" (2.20m / 2.60m / 3.00m / 4.50m)</p> <p>Easy Set® Pool 6' / 8' / 10' / 12' / 13' / 15' (1.83m / 2.44m / 3.05m / 3.66m / 3.96m / 4.57m)</p> <p>Metal Frame Pool 8' / 10' / 12' / 15' (2.44m / 3.05m / 3.66m / 4.57m)</p> <p>Prism Frame™ Pool 10' / 12' / 14' / 15' (3.05m / 3.66m / 4.27m / 4.57m)</p> <p>Prism Frame™ Rectangular Pool 9'10" / 13'1½" / 16' (3.00m / 4.00m / 4.88m)</p>			<p>Easy Set® Pool 18' (5.49m)</p> <p>Prism Frame™ Pool 18' / 20' (5.49m / 6.10m)</p> <p>Graphite Gray Panel™ Pool 15'8" (4.78m)</p> <p>Ultra XTR® Frame Pool 16' (4.88m)</p> <p>Ultra XTR® Rectangular Frame Pool 18' x 9" (5.49m x 2.74m)</p>			<p>Prism Frame™ Pool 18' / 20' (5.49m / 6.10m)</p> <p>Graphite Gray Panel™ Pool 15'8" (4.78m)</p> <p>Ultra XTR® Frame Pool 18' / 20' (5.49m / 6.10m)</p> <p>Ultra XTR® Rectangular Frame Pool 24' x 12' (7.32m x 3.66m)</p>			<p>Prism Frame™ Pool 18' / 20' (5.49m / 6.10m)</p> <p>Graphite Gray Panel™ Pool 15'8" (4.78m)</p> <p>Ultra XTR® Frame Pool 24' (7.32m)</p> <p>Ultra XTR® Rectangular Frame Pool 32' x 16' (9.75m x 4.88m)</p>			<p>Above Ground Pools up to 17,600 gal (66.6m³)</p>		
Tank Size	8"			10"			12"			14"			16"		
Pump Flow Rate gal (m³)/hr	925 gal (3.5m³)			1,500 gal (5.7m³)			2,100 gal (7.9m³)			2,800 gal (10.5m³)			3,000 gal (11.3m³) / 3,200 gal (12.0m³)		
System Flow Rate gal (m³)/hr	550 gal (2.0m³)	550 gal (2.0m³)	500 gal (1.9m³)	1,050 gal (4.0m³)	1,050 gal (4.0m³)	970 gal (3.7m³)	1,600 gal (6.0m³)	1,600 gal (6.0m³)	1,250 gal (4.7m³)	2,150 gal (8.0m³)	2,150 gal (8.0m³)	1,900 gal (7.2m³)	2,450 gal (9.2m³)	2,450 gal (9.2m³)	2,200 gal (8.3m³)
Voltage	110-120V (W/GFCI)	220-240V	220-240V (W/RCD)	110-120V (W/GFCI)	220-240V	220-240V (W/RCD)	110-120V (W/GFCI)	220-240V	220-240V (W/RCD)	110-120V (W/GFCI)	220-240V	220-240V (W/RCD)	110-120V (W/GFCI)	220-240V	220-240V (W/RCD)
Case Weight lb (kg)	17.0 lb (7.7 kg)	16.8 lb (7.6 kg)	18.1 lb (8.2 kg)	25.2 lb (11.5 kg)	25.8 lb (11.7 kg)	28.1 lb (12.8 kg)	34.5 lb (15.7 kg)	35.7 lb (16.2 kg)	37.0 lb (16.8 kg)	42.0 lb (19.1 kg)	42.7 lb (19.4 kg)	44.1 lb (20.0 kg)	48.1 lb (21.9 kg)	50.3 lb (22.9 kg)	52.1 lb (23.7 kg)
Case Pack	1 ea			1 ea			1 ea			1 ea			1 ea		





Sand Filter Pumps (with WiFi)



Item #	26649EG	26650	26650GS	26653EG	26654	26654GS	26655EG	26656	26656GS	26657EG	26658	26658GS	26659EG	26660	26660GS	
Product																
Model	SX 925 with WiFi	SX 1500 with WiFi	SX 1500 with WiFi	SX 2100 with WiFi	SX 2100 with WiFi	SX 2100 with WiFi	SX 2800 with WiFi	SX 2800 with WiFi	SX 2800 with WiFi	SX 3000 /SX 3200 with WiFi	SX 3000 /SX 3200 with WiFi	SX 3000 /SX 3200 with WiFi	SX 3000 /SX 3200 with WiFi	SX 3000 /SX 3200 with WiFi	SX 3000 /SX 3200 with WiFi	
Compatible Pools	Rectangular Frame Pool 7'2 1/2" / 8'6 1/2" / 9'10" / 14'9 1/4" (2.20m / 2.60m / 3.00m / 4.50m) Easy Set® Pool 6' / 8' / 10' / 12' / 13' / 15' (1.83m / 2.44m / 3.05m / 3.66m / 3.96m / 4.57m) Metal Frame Pool 8' / 10' / 12' / 15' (2.44m / 3.05m / 3.66m / 4.57m) Prism Frame™ Pool 10' / 12' / 14' / 15' (3.05m / 3.66m / 4.27m / 4.57m) Prism Frame™ Rectangular Pool 9'10" / 13'1 1/2" / 16' (3.00m / 4.00m / 4.88m)	Easy Set® Pool 18' (5.49m) Prism Frame™ Pool 18' / 20' (5.49m / 6.10m) Graphite Gray Panel™ Pool 15'8" (4.78m) Ultra XTR® Frame Pool 16' (4.88m) Ultra XTR® Rectangular Frame Pool 18' x 9' (5.49m x 2.74m)	Prism Frame™ Pool 18' / 20' (5.49m / 6.10m) Graphite Gray Panel™ Pool 15'8" (4.78m) Ultra XTR® Frame Pool 18' / 20' (5.49m / 6.10m) Ultra XTR® Rectangular Frame Pool 24' x 12' (7.32m x 3.66m)	Prism Frame™ Pool 18' / 20' (5.49m / 6.10m) Graphite Gray Panel™ Pool 15'8" (4.78m) Ultra XTR® Frame Pool 24' (7.32m) Ultra XTR® Rectangular Frame Pool 32' x 16' (9.75m x 4.88m)	Prism Frame™ Pool 18' / 20' (5.49m / 6.10m) Graphite Gray Panel™ Pool 15'8" (4.78m) Ultra XTR® Frame Pool 24' (7.32m) Ultra XTR® Rectangular Frame Pool 32' x 16' (9.75m x 4.88m)	Above Ground Pools up to 17,600 gal (66.6m³)	Above Ground Pools up to 17,600 gal (66.6m³)	Above Ground Pools up to 17,600 gal (66.6m³)	Above Ground Pools up to 17,600 gal (66.6m³)	Above Ground Pools up to 17,600 gal (66.6m³)	Above Ground Pools up to 17,600 gal (66.6m³)	Above Ground Pools up to 17,600 gal (66.6m³)	Above Ground Pools up to 17,600 gal (66.6m³)	Above Ground Pools up to 17,600 gal (66.6m³)	Above Ground Pools up to 17,600 gal (66.6m³)	Above Ground Pools up to 17,600 gal (66.6m³)
Tank Size	8"	10"	10"	12"	12"	12"	14"	14"	14"	16"	16"	16"	16"	16"	16"	
Pump Flow Rate gal (m³)/hr	925 gal (3.5m³)	1,500 gal (5.7m³)	1,500 gal (5.7m³)	2,100 gal (7.9m³)	2,100 gal (7.9m³)	2,100 gal (7.9m³)	2,800 gal (10.5m³)	2,800 gal (10.5m³)	2,800 gal (10.5m³)	3,000 gal (11.3m³) / 3,200 gal (12.0m³)	3,000 gal (11.3m³) / 3,200 gal (12.0m³)	3,000 gal (11.3m³) / 3,200 gal (12.0m³)	3,000 gal (11.3m³) / 3,200 gal (12.0m³)	3,000 gal (11.3m³) / 3,200 gal (12.0m³)	3,000 gal (11.3m³) / 3,200 gal (12.0m³)	
System Flow Rate gal (m³)/hr	550 gal (2.0m³)	550 gal (2.0m³)	500 gal (1.9m³)	1,050 gal (4.0m³)	1,050 gal (4.0m³)	970 gal (3.7m³)	1,600 gal (6.0m³)	1,600 gal (6.0m³)	1,250 gal (4.7m³)	2,150 gal (8.0m³)	2,150 gal (8.0m³)	1,900 gal (7.2m³)	2,450 gal (9.2m³)	2,450 gal (9.2m³)	2,200 gal (8.3m³)	
Voltage	110-120V (W/GFCI)	220-240V	220-240V (W/RCD)	110-120V (W/GFCI)	220-240V	220-240V (W/RCD)	110-120V (W/GFCI)	220-240V	220-240V (W/RCD)	110-120V (W/GFCI)	220-240V	220-240V (W/RCD)	110-120V (W/GFCI)	220-240V	220-240V (W/RCD)	
Case Weight lb (kg)	17.0 lb (7.7 kg)	16.8 lb (7.6 kg)	18.1 lb (8.2 kg)	25.2 lb (11.5 kg)	25.8 lb (11.7 kg)	28.1 lb (12.8 kg)	34.4 lb (15.7 kg)	35.4 lb (16.1 kg)	36.9 lb (16.8 kg)	42.0 lb (19.1 kg)	42.7 lb (19.4 kg)	44.3 lb (20.1 kg)	48.3 lb (22.0 kg)	50.3 lb (22.9 kg)	52.4 lb (23.8 kg)	
Case Pack	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	

Sand Filter Pump & Saltwater System



Item #	26671EG	26672	26672GS	26673EG	26674	26674GS	26675EG	26676	26677EG	26678	26678GS	26679EG	26680
Product													
Model	QX 1500 Plus with WiFi	QX 2100 Plus with WiFi	QX 2100 Plus with WiFi	QX 2100 Plus with WiFi	QX 2100 Plus with WiFi	QX 2100 Plus with WiFi	QX 2100 Plus with WiFi	QX 2100 Plus with WiFi	QX 2100 Plus with WiFi	QX 2100 Plus with WiFi	QX 2100 Plus with WiFi	QX 2600 Plus with WiFi	QX 2600 Plus with WiFi
Max Pool Size	7,000 gal (26,500L)	8,500 gal (32,200L)	8,500 gal (32,200L)	8,500 gal (32,200L)	8,500 gal (32,200L)	8,500 gal (32,200L)	8,500 gal (32,200L)	8,500 gal (32,200L)	8,500 gal (32,200L)	8,500 gal (32,200L)	8,500 gal (32,200L)	15,000 gal (56,800L)	15,000 gal (56,800L)
Salt Level	950 ppm	950 ppm	950 ppm	950 ppm	950 ppm	950 ppm	950 ppm	950 ppm	950 ppm	950 ppm	950 ppm	950 ppm	3,000 ppm
Pump Flow Rate gal (m³)/hr	1,500 gph (5.7m³/hr)	2,100 gph (7.9m³/hr)	2,100 gph (7.9m³/hr)	2,100 gph (7.9m³/hr)	2,100 gph (7.9m³/hr)	2,100 gph (7.9m³/hr)	2,100 gph (7.9m³/hr)	2,100 gph (7.9m³/hr)	2,100 gph (7.9m³/hr)	2,100 gph (7.9m³/hr)	2,100 gph (7.9m³/hr)	2,650 gph (10.0m³/hr)	2,650 gph (10.0m³/hr)
System Flow Rate gal (m³)/hr	1,050 gph (4.0m³/hr)	1,600 gph (6.0m³/hr)	1,600 gph (6.0m³/hr)	1,600 gph (6.0m³/hr)	1,600 gph (6.0m³/hr)	1,600 gph (6.0m³/hr)	1,600 gph (6.0m³/hr)	1,600 gph (6.0m³/hr)	1,600 gph (6.0m³/hr)	1,600 gph (6.0m³/hr)	1,600 gph (6.0m³/hr)	2,150 gph (8.0m³/hr)	2,150 gph (8.0m³/hr)
Chlorine Output	5g /hr	7g /hr	7g /hr	7g /hr	7g /hr	7g /hr	7g /hr	7g /hr	7g /hr	7g /hr	7g /hr	11g /hr	11g /hr
Voltage	110-120V (W/GFCI)	220-230V	220-230V (W/RCD)	110-120V (W/GFCI)	220-230V	220-230V (W/RCD)	110-120V (W/GFCI)	220-230V	220-230V (W/RCD)	110-120V (W/GFCI)	220-230V	110-120V (W/GFCI)	220-230V
Case Weight lb (kg)	45.3 lb (20.6 kg)	46.2 lb (21.0 kg)	47.4 lb (21.6 kg)	50.3 lb (22.9 kg)	51.4 lb (23.4 kg)	52.8 lb (24.0 kg)	50.3 lb (22.9 kg)	51.3 lb (23.3 kg)	58.4 lb (26.6 kg)	59.7 lb (27.1 kg)	61.0 lb (27.7 kg)	58.4 lb (26.6 kg)	59.6 lb (27.1 kg)
Case Pack	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea	1 ea

Saltwater System

Item #	26661EG	26662	26662GS	26663EG	26664	26664GS	26683EG	26684	26684GS	26685EG	26686	26686GS
Product												
	Saltwater System			Saltwater System			Saltwater System			Saltwater System		
Model	QS 200			QS 400			QS 500 with WiFi			QS 700 Plus with WiFi		
Max Pool Size	2,200 gal (8,327L)			4,500 gal (17,033L)			8,500 gal (32,000L)			8,500 gal (32,000L)		
Salt Level	3000ppm			3000ppm			3000ppm			950ppm		
Clean Mode	1 self-clean mode 10hr cycles			3 self-clean mode 6/10/14-Hr cycles			4 self-clean mode 2/4/6/10-hr cycles			4 self-clean mode 2/4/6/10-hr cycles		
Pump Flow Rate Required gal (L)/hr	300-1,000 gal/h (1,136-3,785L/h)			300-1,000 gal/h (1,136-3,785L/h)			700-3,200 gal/h (2,650-12,112L/h)			700-3,200 gal/h (2,650-12,112L/h)		
Chlorine Output	2g /hr			4g /hr			5g /hr			7g /hr		
Voltage	110-120V (W/GFCI)	100-240V	12V	110-120V (W/GFCI)	100-240V	12V	110-120V (W/GFCI)	220-230V	12V	110-120V (W/GFCI)	220-230V	12V
Case Weight lb (kg)	13.6 lb (6.2 kg)	12.0 lb (5.4 kg)	13.2 lb (6.0 kg)	17.5 lb (8.0 kg)	16.0 lb (7.3 kg)	20.8 lb (9.4 kg)	37.2 lb (16.9 kg)	36.3 lb (16.5 kg)	20.3 lb (9.2 kg)	39.3 lb (17.9 kg)	38.2 lb (17.4 kg)	22.4 lb (10.2 kg)
Case Pack	2 ea			2 ea			2 ea	2 ea	1 ea	2 ea	2 ea	1 ea

Item #	26691EG	26692	26692GS	26689EG	26690	26690GS
Product						
	Saltwater System			Saltwater System		
Model	QS 1200 with WiFi			QS1600 Plus with WiFi		
Max Pool Size	15,000 gal (56,800L)			18,000 gal (68,000L)		
Salt Level	3000ppm			950ppm		
Clean Mode	4 self-clean mode 2/4/6/10-hr cycles			4 self-clean mode 2/4/6/10-hr cycles		
Pump Flow Rate Required gal (L)/hr	700-3,200 gal/h (2,650-12,112L/h)			700-3,200 gal/h (2,650-12,112L/h)		
Chlorine Output	12g /hr			16g /hr		
Voltage	110-120V (W/GFCI)	220-230V	12V	110-120V (W/GFCI)	220-230V	12V
Case Weight lb (kg)	42.7 lb (19.4 kg)	41.7 lb (19.0 kg)	23.8 lb (10.8 kg)	48.1 lb (21.9 kg)	46.9 lb (21.3 kg)	26.4 lb (12.0 kg)
Case Pack	2 ea	2 ea	1 ea	2 ea	2 ea	1 ea

Saltwater System with E.C.O.
(Electrocatalytic Oxidation)

Item #	26667EG	26668	26668GS	26669EG	26670	26670GS
Product						
	Saltwater System with E.C.O.			Saltwater System with E.C.O.		
Model	QS 500			QS1200		
Max Pool Size	15,000 gal (56,800L)			15,000 gal (56,800L)		
Salt Level	3000ppm			3000ppm		
Clean Mode	3 self-clean mode 6/10/14-hr cycles			3 self-clean mode 6/10/14-hr cycles		
Pump Flow Rate Required gal (L)/hr	700-3,200 gal/h (2,650-12,112L/h)			700-3,200 gal/h (2,650-12,112L/h)		
Chlorine Output	5g /hr			12g /hr		
Voltage	110-120V (W/GFCI)	220-230V	12V	110-120V (W/GFCI)	220-230V	12V
Case Weight lb (kg)	39.1 lb (17.8 kg)	38.0 lb (17.3 kg)	22.5 lb (10.2 kg)	44.7 lb (20.3 kg)	44.7 lb (20.3 kg)	26.0 lb (11.8 kg)
Case Pack	2 ea	2 ea	1 ea	2 ea	2 ea	1 ea

Pool Accessories

Get the Most Out of Your Pool

Happiness is having a good time in a clean pool. So, whether you're splashing around or just cooling off, INTEX has everything you need for a sunny day by the pool. With pool covers, ground cloths, and pool maintenance kits, INTEX's full line of pool accessories will help make owning a swimming pool less of a chore and leave more time for fun in the sun.

Filter Cartridge

- Easy to clean Dacron filter material



29005 / E
Filter Cartridge B Pack

- For Filter Pump
Item# 26633 / 26634 /
28633 / 28634
- 6 ea, 6.2 lb (2.8 kg)




Krystal Clear™ Reusable Cartridges (with replaceable filters)

A Smarter Way to Filter

Don't throw the entire cartridge away. The Krystal Clear™ Reusable Cartridge is designed for repeated use. Only replace the pleated filter and reduce plastic waste — without changing how you maintain your pump.

Less waste. Less plastic. Same trusted performance.

- Reusable
- Durable snap-fitting cartridge casing
- Easy-to-replace filters
- Less plastic waste



29019 / E
Reusable Cartridge A

- For Filter Pump
Item# 26603 / 26604 / 26637 / 26638 /
26635 / 26636 / 28603 / 28604 / 28637 /
28638 / 28635 / 28636
- Includes 1 pre-installed filter
- 6 ea, 3.0 lb (1.4 kg)



29009 / E
Reusable Cartridge A

- For Filter Pump
Item# 26603 / 26604 / 26637 / 26638 /
26635 / 26636 / 28603 / 28604 / 28637 /
28638 / 28635 / 28636
- Includes 1 pre-installed filter plus
1 replacement filter
- 6 ea, 4.4 lb (2.0 kg)



29010 / E
Reusable Cartridge A

- For Filter Pump
Item# 26603 / 26604 / 26637 / 26638 /
26635 / 26636 / 28603 / 28604 / 28637 /
28638 / 28635 / 28636
- Includes 1 pre-installed filter plus
2 replacement filters
- 8 ea, 7.2 lb (3.3 kg)



26009 / E
Reusable Cartridge A

- For Filter Pump
Item# 26603 / 26604 / 26637 / 26638 /
26635 / 26636 / 28603 / 28604 / 28637 /
28638 / 28635 / 28636
- Includes 1 pre-installed filter plus
5 replacement filters
- Shelf box
- 6 ea, 10.3 lb (4.7 kg)

How It Works

The durable plastic frame unsnaps, so you can easily replace the filtration paper. Otherwise, use the filter cartridge like you always have.

The Krystal Clear™ Reusable Cartridge is available for all pumps using standard Type A, H, and S filter cartridges.



29014 / E
Reusable Cartridge H

- For Filter Pump
Item# 26601 / 26602 /
28601 / 28602
- Includes 1 pre-installed filter
- 12 ea, 3.0 lb (1.4 kg)



29015 / E
Reusable Cartridge H

- For Filter Pump
Item# 26601 / 26602 /
28601 / 28602
- Includes 1 pre-installed filter
plus 1 replacement filter
- 12 ea, 4.5 lb (2.0 kg)



26008 / E
Reusable Cartridge H

- For Filter Pump
Item# 26601 / 26602 /
28601 / 28602
- Includes 1 pre-installed filter
plus 3 replacement filters
- Shelf box
- 8 ea, 5.5 lb (2.5 kg)

Fiber Ball Filtration Media

29045 / E

- 500g (1.1 lb/bag) fiber balls equals 18 kg of silica sand
- Filter Balls provide superior filtration performance
- Use in place of filter sand, filter glass, and other filtration media
- Suitable for sand filter pumps
- Convenient and lightweight
- Machine washable
- 12 ea, 15.3 lb (7.0 kg)



5" (12.7cm) Floating Chemical Dispenser

29040NP / EP

- Suitable for INTEX pools up to 12' (3.66m) and PureSpa™
- Adjustable control ring to control the release of chemical
- Made of non-corrosive polypropylene material.
- Holds up to 1" (2.5cm) chlorine or bromine tablets
- Tablets not included
- Twist-lock cap
- 24 ea, 5.5 lb (2.5 kg)



7" (17.8cm) Floating Chemical Dispenser

29041NP / EP

- Adjustable control ring to control the release of chemical
- Made of non-corrosive polypropylene material
- Holds up to 3" (7.6cm) chlorine or bromine tablets
- Suitable for all INTEX pools
- Tablets not included
- Twist-lock cap
- 12 ea, 7.3 lb (3.3 kg)



Pool Thermometer

28093 / E

- Floats upright
- Portable and easy to use
- Pegable box
- 18 ea, 3.2 lb (1.4 kg)



Heater

28684NP

- Compatible with round Easy Set™ or Metal Frame pools 15' (4.57m) diameter or smaller
- Easy hook-up and operation
- Pool thermometer included
- Easily connects to new or existing pool filter system
- Water level sensor
- 220-240V with RCD
- Shelf box
- 1 ea, 7.6 lb (3.5 kg)



Push button switch

Pool Drain Pump

28605EP

- Pumps up to 950 gallons (3595 liters) of water per hour with 16' (5m) long drain hose
- Maximum operating water depth: 4' (1.22m)
- Includes 1¼" x 16' (32mm x 5m) drain hose
- Adaptor for garden hose attachment
- IPX8 waterproof housing
- Power cord length: 25' (7.6m)
- Shelf box; 1 ea, 7.2 lb (3.3 kg)

28606NP

- Same as 28605 except 220-240V
- Power cord length: 33' (10m)
- Shelf box; 1 ea, 7.5 lb (3.4 kg)



Deluxe Wall Mount Surface Skimmer

28000NP / EP

- Attaches to filter pump for automatic skimming
- Easily mounts to Easy Set™ or metal frame pool sidewalls with adjustable bracket
- Helps catch leaves and other debris before they sink to the bottom of the pool
- Minimum filtration pump flow rate required: 1,000 gal/h (3,785L/h)
- Polypropylene plastic offers good resistance to commonly used pool chemicals
- Strainer basket pulls out for easy cleaning
- Shelf box
- 1 ea, 4.2 lb (1.9 kg)



Pool Foot Bath

29080 / E

- Reduces amount of debris and dirt entering your pool
- Easily connects to ladders to rinse off your feet before you enter the pool
- Size 22" x 18" x 3.5" (56cm x 46cm x 9cm)
- Anti-slip bottom designed to enhance safety
- Designed to fit all INTEX ladders
- Water Capacity: 3 gal (11.5L)
- 12 ea, 16.1 lb (7.3 kg)



Interlocking Padded Floor Protector

29081 / E

- Made with durable polyethylene material
- Provides added protection and cushion around pool & play area
- Easily stores and transports
- Sold in packs of 8 pieces, 20ft² (1.9m²) of interlocking tiles
- Piece Size: 20" x 20" x ¾" (50cm x 50cm x 1cm)
- 6 ea, 22.6 lb (10.3 kg)



29084 / E

- Meets French and German regulation
- Sold in packs of 8 pieces, 20ft² (1.9m²) of interlocking tiles
- Piece Size: 20" x 20" x ¾" (50cm x 50cm x 0.5cm)
- 12 ea, 18.4 lb (8.4 kg)

Solar Mat

28685 / E

- Eco-friendly solar technology that increases the temperature of the pool water by approximately 3° ~ 5°C (5° ~ 9°F) depending on weather conditions
- Includes: 1¼" (32mm) hose attachment points; 1 adaptor A and B for 1½" (38mm) hose connection; 0.5m (1¼"/32mm diameter) connecting hose bypass valve
- Simple hookup, compatible with pump flow rate less than 1,500 gal/h (5,678L/h)
- 1m² (11ft²) surface to absorb the sun's rays
- Dimensions: 1.20m x 1.20m / 47¼" x 47¼" (flat, before fill)
- Constructed of heavy duty UV stabilized PVC
- Suitable for AGPs up to 8,000 gal (30,280L)
- Easy to drain, easy to store
- Shelf box
- 3 ea, 19 lb (8.6 kg)



Pool Ground Cloth

28048NP / EP

- Provides added protection for pool bottom
- Fits 8'/10'/12'/15' (2.44/3.05/3.66/4.57m) Easy Set® and frame pools
- 15½' (4.72m) square
- Durable material
- Shelf box
- 1 ea, 4.0 lb (1.8 kg)



Pool Covers

- Drain holes to prevent water accumulation
- Rope ties
- Shelf box

Type	Item #	Overhang	Fits	Case Pack	Case Weight
Rectangular Pool Cover	28036 / E	8" (20cm)	8'6¾" x 5'3" (2.60m x 1.60m)	6 ea	22.4 lb (10.2 kg)
	28038 / E	8" (20cm)	9'10" x 6'6¾" (3.00m x 2.00m)	6 ea	29.0 lb (13.2 kg)
	28037 / E	8" (20cm)	13'1½" x 6'6¾" (4.00m x 2.00m)	6 ea	34.4 lb (15.7 kg)
	28039 / E	8" (20cm)	14'9¼" x 7'2½" (4.50m x 2.20m)	6 ea	46.2 lb (21.0 kg)
Easy Set® Pool Cover	28020 / E	12" (30cm)	8' (2.44m)	6 ea	21.2 lb (9.7 kg)
	28021 / E	12" (30cm)	10' (3.05m)	6 ea	32.0 lb (14.6 kg)
	28022 / E	12" (30cm)	12' (3.66m)	6 ea	43.8 lb (19.9 kg)
	28026 / E	12" (30cm)	13' (3.96m)	4 ea	33.3 lb (15.2 kg)
	28023 / E	12" (30cm)	15' (4.57m)	4 ea	40.8 lb (18.6 kg)
Round Pool Cover	28030 / E	10" (25cm)	10' (3.05m)	6 ea	34.3 lb (15.6 kg)
	28031 / E	10" (25cm)	12' (3.66m)	6 ea	46.4 lb (21.1 kg)
	28032 / E	10" (25cm)	15' (4.57m)	4 ea	45.1 lb (20.5 kg)

Item # 28036 28037 28038 28039



Item # 28020 28021 28022 28023 28026



Item # 28030 28031 28032



Solar Pool Covers

- Helps keep pool water warmer
- Available in 11 sizes
- Easy to use
- Economical
- Shelf box

Type	Item #	Fits	Size	Case Pack	Case Weight
Easy Set® Thickness: 120 Micron (110g/m²)	28010 / E	8' (2.44m)	6'9" (2.06m)	1 ea	1.5 lb (0.7 kg)
Easy Set® & Frame Pools Thickness: 120 Micron (110g/m²)	28011 / E	10' (3.05m)	9'6" (2.90m)	1 ea	2.6 lb (1.2 kg)
	28012 / E	12' (3.66m)	11'5" (3.48m)	1 ea	3.6 lb (1.6kg)
Easy Set® & Frame Pools Thickness: 160 Micron (150g/m²)	28013 / E	15' (4.57m)	14'8" (4.48m)	1 ea	7.6 lb (3.5 kg)
	28014 / E	16' (4.88m)	15'5" (4.70m)	1 ea	8.5 lb (3.9 kg)
	28015 / E	18' (5.49m)	17'8" (5.38m)	1 ea	10.8 lb (4.9 kg)
Rectangular Frame Pools Thickness: 160 Micron (150g/m²)	28028 / E	13'1½" x 6'6¾" (4 x 2m)	12'5" x 6'1" (3.78 x 1.86m)	1 ea	3.7 lb (1.7 kg)
	28029 / E	16' x 8' (4.88 x 2.44m)	15'7" x 7'8" (4.76 x 2.34m)	1 ea	5.9 lb (2.7 kg)
	28016 / E	18' x 9' (5.49 x 2.74m)	17'8" x 8'4" (5.38 x 2.53m)	1 ea	7.2 lb (3.3 kg)
	28017 / E	24' x 12' (7.32 x 3.66m)	23'6" x 11'4" (7.16 x 3.46m)	1 ea	11.7 lb (5.3 kg)
	28018 / E	32' x 16' (9.75 x 4.88m)	31'6" x 15'3" (9.60 x 4.66m)	1 ea	20.2 lb (9.2 kg)

Item # 28010 28011 28012 28013 28014 28015



Item # 28016 28017 28018 28028 28029



Solar Cover Reel

There are many benefits to covering an above ground pool, but applying and removing the cover can be a hassle. Our Solar Cover Reel is designed to easily attach to the metal frame of a pool—and it's even size-adjustable! A locking feature on the cover's handle prevents the cover from unintentional unrolling.

- Heavy duty construction with interlocking aluminum shaft
- Significantly extends service life of solar cover
- Non-corrosive plastic hand crank with lock
- Suitable for rectangular frame pools with width from 9' - 16' (2.74m - 4.88m)
- Easy to install and use
- Solar cover not included
- Shelf box; 2 ea, 34.5 lb (15.7 kg)

28051 / E



All-Season Deluxe Pool Cover

Keep your pool clean with our All-Season Pool Covers. Crafted from robust, 3-ply UV-resistant polyethylene material, these covers help block leaves, dirt, and debris. Enhance your convenience during the winter months with an optional winter bladder, available for separate purchase. This cover simplifies pool maintenance, allowing you more leisure time to enjoy the water.




- 3-ply UV-resistant polyethylene material
- Made from recycled materials
- Rope ties
- Shelf box

Type	Item #	Overhang	Fits	Case Pack	Case Weight
Small Rectangular Pool Cover	28078	8" (20cm)	9'10" x 6'7" (3.00m x 2.00m)	1 ea	8.7 lb (4.0 kg)
	28079	8" (20cm)	13'1/2" x 6'6 3/4" (4.00m x 2.00m)	1 ea	10.2 lb (4.7 kg)
	28080	8" (20cm)	14'9 3/4" x 7'2 5/8" (4.50m x 2.20m)	1 ea	13.8 lb (6.3 kg)
Round Pool Cover	28082 / E	8" (20cm)	12' (3.66m)	1 ea	12.8 lb (5.8 kg)
	28083 / E	8" (20cm)	15' (4.57m)	1 ea	19.1 lb (8.7 kg)
	28084 / E	8" (20cm)	16' (4.88m)	1 ea	21.6 lb (9.8 kg)
	28085 / E	8" (20cm)	18' (5.49m)	1 ea	26.7 lb (12.2 kg)
	28088 / E	8" (20cm)	20' (6.10m)	1 ea	33.9 lb (15.4 kg)
	28091 / E	8" (20cm)	24' (7.32m)	1 ea	48.0 lb (21.8 kg)
Rectangular Pool Cover	28086 / E	8" (20cm)	18' x 9' (5.49 x 2.74m)	1 ea	18.0 lb (8.2 kg)
	28087 / E	8" (20cm)	24' x 12' (7.32 x 3.66m)	1 ea	30.6 lb (13.9 kg)

Winterizing Pool Pillow

28099 / E

- Protects pool from damage caused by rain and snow accumulation during winter
- Absorbs ice expansion in case of freezing, protecting the pool structure
- Easy to inflate and position
- Includes 4 ropes for secure positioning
- Suitable for round pools up to 24' (7.32m) in diameter
- Shelf box; 6 ea, 26.2 lb (11.9 kg)



Pool Ladders

- Hi-impact composite steps
- Coated steel frame
- Not available in Europe
- Shelf box



28064 / E

- For 36" (91cm) wall height
- 3 ea, 51.4 lb (23.4 kg)



28065 / E

- For 42" (1.07m) wall height
- 3 ea, 54.8 lb (24.9 kg)



28066 / E

- For 48" (1.22m) wall height
- 3 ea, 63.0 lb (28.6 kg)



28067 / E

- For 52" (1.32m) wall height
- 2 ea, 50.3 lb (22.9 kg)



Deluxe Pool Ladders with Removable Steps

These pool ladders come with easily removable steps. When the pool is not in use, they can be quickly detached and removed from the pool area. Replacing them is simple and quick. Simply set the steps in the base, then snap and lock them into place.

Available in three sizes, designed for 36"- 42" (91cm-1.07m), 48" (1.22m) and 52" (1.32m) pools.

This product utilizes patented technology.

28075 / E

- For 36" (91cm), 42" (1.07m) wall height
- Removable Steps
- 3 ea, 73.5 lb (33.4 kg)



28076 / E

- For 48" (1.22m)
- Removable Steps
- 2 ea, 54.8 lb (24.9 kg)



28077 / E

- For 52" (1.32m)
- Removable Steps
- 2 ea, 60.0 lb (27.3 kg)





Water Analyzer

28607 / E

- Take the guesswork out of pool maintenance – a convenient and automated water care solution
- Automatically monitors pool water quality and reports data via the INTEX Link® App
- Sends alerts and detailed action steps when water balance requires correction
- Continuously tracks pH and ORP (Oxidation Reduction Potential, which reflects chlorine levels) – takes readings every hour for real-time updates
- Operates independently or in group mode with compatible Intex saltwatersystems and sand filter pumps
- Automatically activates the filter pump and saltwater system to adjust chlorine levels when needed
- Compatible with any pool, including in-ground pools
- Shelf box; 2 ea, 9.2 lb (4.2 kg)



- Convenient charging base
- Includes USB-A charging cable and cable clip
- Fully charges in 5 hours
- Holds water to keep sensors moist during storage



INTEX Link® App

- Full control of INTEX Wi-Fi-enabled devices at your fingertips
- Connect the Water Analyzer, Filter Pump, and Saltwater System
- Control devices individually or group them for a complete smart above-ground pool system

**INTEX Link®
ECOSYSTEM**

Together, our Wi-Fi-enabled Saltwater System, Water Analyzer, and Sand Filter Pump form an automated pool maintenance ecosystem for optimal water quality. Each device offers App connectivity and can also work independently.



Pool Canopy

28054 / E

- Fits all Prism Frame™ Rectangular, Prism Frame™ Oval and Ultra XTR® Rectangular pools (except 32' x 16' x 52"/ 9.75m x 4.88m x 1.32m) and 10' (3.05m) and 12' (3.66m) diameter round pools
- Add another canopy to increase the shaded area
- Simple setup – easily attaches with clamps
- UPF 50+ and waterproof
- Shelf box
- 3 ea, 37.1 lb (16.9 kg)



Pool Maintenance Kit

28002 / E

- Includes 94" (2.39m) telescoping aluminum pole for use with 16' (4.88m) and below pools
- Interchangeable vacuum and skimmer heads
- Shelf box
- 4 ea, 14 lb (6.4 kg)



Deluxe Pool Maintenance Kit

28003 / E

- Includes 110" (2.79m) telescoping aluminum pole for use in pools 18' (5.49m) or larger
- Attaches to the outlet connector in the pool with a 247" (7.50m) hose
- Minimum filtration pump flow rate required: 1,000 gal/h (3,785L/h)
- Vacuum sucks debris off the pool floor and through the filter
- Durable and deep mesh skimmer net
- Shelf box
- 3 ea, 24.9 lb (11.3 kg)

New

Rechargeable Handheld Vacuum

28620NP / EP

- Keep pool water clean by vacuuming out dirt and debris
- Strong built-in Ni-MH rechargeable batteries (50min per charge) for powerful suction capability
- Suitable for use with all PureSpas and above ground pools up to 18' diameter
- 94" (2.39m) lightweight telescoping aluminum pole
- Shaft adapter to fit longer/wider telescoping aluminum poles
- Two interchangeable brush heads
- Automatic shut-off feature when vacuum is not submerged in water
- IPX8 waterproof switch for added protection against water submersion
- USB cable included for convenient recharging (plug not included)
- Shelf box
- 4 ea, 29.0 lb (13.2 kg)



ZR100 Rechargeable Pool & Spa Vacuum

28626 / E


- Suitable for use with all PureSpas and above-ground pools up to 18' (5.49m) in diameter
- USB charging cable included for convenient recharging (plug not included)
- Automatic shut-off feature when vacuum is not submerged in water
- 12 gal/min (45 L/min) water suction for efficient debris collection
- 0.21 gal (0.8 L) quick release transparent debris container
- 5-6 hour charge time/50 minutes maximum running time
- Strong built-in 4V 2Ah Ni-MH rechargeable batteries
- 94" (2.39m) lightweight telescoping aluminum pole
- IPX8 waterproof switch for added protection
- Two interchangeable brush heads
- Shelf box
- 4 ea, 27.5 lb (12.5 kg)



ZR200 Rechargeable Pool & Spa Vacuum

28628 / 28627E

- Suitable for use with all PureSpas, above ground pools, and in-ground pools
- Automatic shut-off feature when vacuum is not submerged in water
- 17 gal/min (64 L/min) water suction for efficient debris collection
- 5-6 hour charge time/100 minutes maximum running time
- 0.3 gal (1.1 L) quick release transparent debris container
- Strong built-in 8V 4Ah Ni-MH rechargeable batteries
- 110" (2.80m) lightweight telescoping aluminum pole
- IPX8 waterproof switch for added protection
- Two interchangeable brush heads
- Power indicator
- Shelf box
- 4 ea, 38.4 lb (17.4 kg)



ZX50 Auto Pool Cleaner

28007 / E / EX


- Fits all INTEX above ground pools up to 16' x 48" (4.88m x 1.22m)
- INTEX pump flow rate required: 900-1,500 gal/h (3,407-5,678L/h)
- 6ga (0.15mm) mesh filter for capturing even the finest debris
- 0.25 gal (0.8L) large capacity debris collection tray
- Suction side cleaner, designed to clean the pool floor
- Travel speed up to 5 meters per minute
- 26'3" (8.00m) non-tangle hose
- Shelf box
- 1 ea, 11.7 lb (5.3 kg)



ZX100 Auto Pool Cleaner

28006 / E / EX


- Pressure side cleaner, designed to provide the ultimate convenience in cleaning your pool floor
- INTEX pump flow rate required: 1,600-3,500 gal/h (6,056-13,248L/h)
- Moving speed up to 8 m/min making quick cleaning of your pool
- 6ga (0.15mm) mesh filter for capturing even the finest debris
- 0.4 gal (1.5L) large capacity debris collection tray
- Fits all INTEX above ground pools up to 26' x 52" (Round Pools), or 32' x 16' x 52" (Rectangular Pools)
- Extend to connect 1/4" inlet fitting with connector
- 21'4" (6.50m) non-tangle hose
- Shelf box
- 1 ea, 14.6 lb (6.6 kg)



ZX300 Deluxe Auto Pool Cleaner

28005 / E / EX

- Powerful 700 gal/hour water powered suction
- Fits all INTEX above ground pools up to 26' x 52" (Round Pools), or 32' x 16' x 52" (Rectangular Pools), not suitable for Easy Set® pools
- INTEX pump flow rate required: 1,600-3,500 gal/h (6,056-13,248L/h)
- Rotating dual dirt scrubbers for cleaning tiny and hard to remove dirt up to the water line
- 6 ga (0.15mm) mesh filter for capturing even the finest debris
- Water powered all-wheel drive for swift cleaning action and superior wall-climbing performance
- 0.48 gal (1.8L) large capacity debris collection tray
- Extend to connect 1/4" inlet fitting with connector
- 21'4" (6.50m) non-tangle hose
- Pressure side cleaner
- Shelf box
- 1 ea, 16.3 lb (7.4 kg)





ROBOTIC POOL CLEANER



New



ZX 400R Robotic Pool Cleaner

28629E / 28630

- Cordless electric pool cleaner: no hoses or cords
- Suitable for in ground and above ground pools with mode selection for the user's specific pool surfacing and pool size
- Timed programming in combination with level sensor ensure effective pool coverage
- Floor/Wall/Waterline cleaning capability
- Counter-rotating dual brushes and single suction port
- 3 motors: 1 for water pump and 2 for wheels drive
- 3 hours full charge for 5000mAh Li-ion battery
- 120-minute run time on a full charge, covers all Intex pool sizes
- Easy to clean filter with 2.4-liter debris compartment
- Auto power shut off when cleaner is out of water
- Self-parks at the edge of the pool, easy to retrieve after cleaning is complete
- Suitable for pools up to 1600 sq.ft
- Max. pump flow rate: 2000 gallons/hour
- 180µm filter medium
- IPX8 waterproof
- 2-year warranty
- Shelf box
- 1 ea, 17.8 lb (8.1 kg)



ZX 500R Robotic Pool Cleaner

28623E / 28624

- Cordless electric pool cleaner: no hoses or cords
- Our most advanced and effective robotic pool cleaner, handling larger pools at a higher efficiency
- Suitable for in ground and above ground pools with mode selection for the user's specific pool surfacing and pool size
- Two wheel surfacing options for enhanced cleaning capability
- Electric Compass path control with intelligent algorithm
- Floor/Wall/Waterline cleaning capability
- Unique counter-rotating brushes and dual suction ports
- 3 motors: 1 for water pump and 2 for wheels drive
- 3 hours full charge for 5000mAh Li-ion battery
- 120-minute run time on a full charge, covers all Intex pool sizes
- Easy to clean filter with 3-liter debris compartment
- Auto power shut off when cleaner is out of water
- Self-parks at the edge of the pool, easy to retrieve after cleaning is complete
- Suitable for pools up to 1900 sq.ft
- Max. pump flow rate: 3000 gallons/hour
- 180µm filter medium
- IPX8 waterproof
- 2-year warranty
- Shelf box
- 1 ea, 25.1 lb (11.4 kg)



Leaf Skimmer

29050 / E

- Remove debris off pool water surface
- Improved design for easier debris collection
- Durable mesh skimmer net
- Compatible with 1½" (26.2mm) inner diameter telescoping aluminum pole (Item# 29054, not included)
- 12 ea, 6.4 lb (2.9 kg)



Leaf Rake

29051 / E

- Scoop debris from pool floor
- Deep and durable mesh skimmer net
- Compatible with 1½" (29.8mm) inner diameter telescoping aluminum pole (Item# 29055, not included)
- 12 ea, 7.7 lb (3.5 kg)



Basic Cleaning Kit

29056 / E

- Includes leaf skimmer, wall brush and vacuum head
- Vacuum head with reusable debris bag, requires connection with garden hose for usage
- Durable mesh skimmer net
- Wall brush can quickly remove algae and grime from pool walls or pool floor
- Compatible with 1½" (26.2mm) inner diameter lightweight telescoping aluminum pole
- 6 ea, 11.2 lb (5.1 kg)



(Item# 29054, not included)

94" (2.39m) Telescoping Aluminum Pole

29054 / E

- Ideal for attaching accessories to clean pools
- 94" (2.39m) lightweight telescoping aluminum pole
- For use in pools up to 16' (4.88m)
- 1½" (26.2mm) inner diameter
- 24 ea, 30.7 lb (13.9 kg)



1¼" (32mm) Accessory Hose

29059 / E

- Suitable for INTEX filter pumps and saltwater systems that use 1¼" (32mm) hoses
- 59" (1.50m) length hose
- 9 ea, 5.1 lb (2.3 kg)



1½" (38mm) Accessory Hose

29060 / E

- Suitable for INTEX filter pumps and saltwater systems that use 1½" (38mm) hoses
- 59" (1.50m) length hose
- 8 ea, 10.5 lb (4.8 kg)



10" (25.4cm) Wall Brush

29052 / E

- Straight standard brush for pool cleaning and maintenance
- Quickly remove algae and grime from pool walls or pool floor
- Compatible with 1½" (26.2mm) inner diameter telescoping aluminum pole (Item# 29054, not included)
- 12 ea, 4.6 lb (2.1 kg)



16" (40.6cm) Curved Wall Brush

29053 / E

- Curved brush ideal for pool cleaning and maintenance
- Quickly remove algae and grime from pool walls or pool floor
- Compatible with 1½" (29.8mm) inner diameter telescoping aluminum pole (Item# 29055, not included)
- 12 ea, 6.6 lb (3 kg)



Deluxe Cleaning Kit

29057 / E

- Includes leaf rake, curved wall brush and vacuum head
- Vacuum sucks debris off the pool floor and through the filter
- Durable and deep mesh skimmer net
- Curved wall brush can quickly remove algae and grime from pool walls or pool floor
- Compatible with 1½" (29.8mm) inner diameter lightweight telescoping aluminum pole
- 6 ea, 27.5 lb (12.5 kg)



(Item# 29055, not included)

110" (2.79m) Telescoping Aluminum Pole

29055 / E

- Ideal for attaching accessories to clean pools
- 110" (2.79m) lightweight telescoping aluminum pole
- For use in pools 18' (5.49m) or larger
- 1½" (29.8mm) inner diameter
- 24 ea, 38.2 lb (17.4 kg)



Deluxe Vacuum Hose

29083 / E

- 25' (7.60m) length
- Lightweight and flexible
- Removable end-fittings for easy cleaning and assembly
- Measures 1½" (38mm) in diameter
- 6 ea, 22.7 lb (10.3 kg)



Adapter B

29061 / E


- Converts INTEX pools with 1.25" (32mm) clamp on fittings to 1.5" (38mm) screw on fittings
- Needed when upgrading from an INTEX 530 gal/h (2,006L/h) or 1,000 gal/h (3,785L/h) Filter Pump to 1,500 gal/h (5,678L/h) or larger system
- Includes two adapters
- 24 ea, 5.4 lb (2.5 kg)



Solar Powered LED Floating Light

28695 / E

- 2 lighting modes: static white light or smooth color change mode
- AUTO ON/OFF MODE: Auto on at night / auto off at sunrise
- 5-hour auto shut-off (smooth color change mode) 2-hour auto shut-off (static mode)
- Shelf box
- 8 ea, 10.2 lb (4.6 kg)



Magnetic LED Pool-Wall Light

Lighting up an above ground pool has always been difficult. Unlike in-ground pool owners, who could flip a switch to light up their pools, above ground pool owners had to either cut a hole in their sidewall, risking leaks and damage to their pool or use a floating light.

28697E

- Magnetic wall mounting system
- Easily illuminates up to 24' (7.32m) pools
- 110-120V
- LED light
- Shelf box
- 4 ea, 12.5 lb (5.7 kg)

28698

- Same as 28697E, except 100-240V
- Shelf box
- 4 ea, 13.8 lb (6.3 kg)



Multi-Color LED Pool Sprayer

28089NP / EP

- Fits all round and rectangular Metal Frame, Prism Frame™ and Ultra XTR® Frame pools (not suitable for Easy Set®, and Graphite Gray Panel™ pools)
- Filtration pump flow rate required: 1,000-3,200 gal/h (3,785-12,112L/h)
- Lights in 4 bright colors: White, Red, Blue, and Green
- Built-in hydroelectric generator powers LED lighting (no batteries or electrical connection required)
- Includes one adaptor A to fit all INTEX pool fittings: 1/4" (32mm) or 1/2" (38mm) hoses
- 1 ea, 4.3 lb (2.0 kg)



Multi-Color LED Waterfall Cascade

28090 / E

- Fits all round and rectangular Metal Frame, Prism Frame™ and Ultra XTR® Frame pools (not suitable for Easy Set®, and Graphite Gray Panel™ pools)
- Filtration pump flow rate required: 1,000-3,200 gal/h (3,785-12,112L/h)
- Lights in 3 bright colors: Red, Blue, and Green
- Built-in hydroelectric generator powers LED lighting (no batteries or electrical connection required)
- Adjustable mounting bracket
- Include bypass valve kit
- Shelf box
- 1 ea, 9.2 lb (4.2 kg)



In today's rapidly evolving and highly competitive environment, this translates into a total commitment to product quality, including conformity to all relevant safety & quality regulations and standards. Examples include:

- EN 16927 "Safety and test methods for mini pools" (European standard)
- EN 16582 "Safety and test methods for domestic swimming pools other than mini pools" (European standard)
- Regulation (EC) No.1907/2006 "Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)"
- EN 71 "Safety of toys" (European standard)
- EN 13138 "Buoyant aids for swimming instruction" (European standard)
- EN ISO 25649 "Floating leisure articles for use on and in the water" (European/ International standard for air mats, lounges and other similar items)
- EN 60335-2-41 "Safety of household and similar electrical appliances, particular requirements for pumps" (European standard for water pumps)
- EN 60335-2-60 "Safety of household and similar electrical appliances, particular requirements for whirlpool baths and whirlpool spas" (European standard for portable SPA)

Commitment to Excellence

- ISO 6185-1 "Inflatable boats" (International standard for Sports Boats)
- NMMA-ABYC (USA standard for hi-end sports boats)
- ASTM F963 "Standard Consumer Safety Specification for Toy Safety" (USA toy standard)
- ANSI/APSP-4 "AGP standard" (USA standard for above ground pools)
- CPSIA "Consumer Product Safety Improvement Act" (USA regulation of consumer and children's products)
- ASTM F2666 "Small pools standard" (USA standard for pools under 36" water depth)
- UL1450 "Electric inflators" (USA standard for electric inflators)
- UL1081 "Swimming pool pumps, filters and chlorinators" (USA standard)
- UL1563 "Electric spas" (USA standard for Spa)
- DOE Energy Conservation Standards for Dedicated-Purpose Pool Pumps

At INTEX, excellence isn't just a hallmark of our products; it's also an important standard for managing our environmental impact.

Our efforts begin with product design, where we aim to create innovative and energy-conscious solutions. For example, INTEX's filter pumps are designed with

energy efficiency in mind, helping reduce electricity consumption during operation. Similarly, our saltwater systems clean pools using natural salt, which eliminates the need for packaged chlorine—known to produce pollutant by products.

INTEX also takes pride in our steps toward sustainability. We reduce our impact by minimizing waste. For instance, our manufacturing waste repurposing program continues to keep materials and scraps from landfills. A significant amount of annually produced PVC finds new use through upcycling, becoming elegant bags, wallets and more.



In addition, INTEX designs all our product packaging with sustainability in mind. We continually strive to improve packaging efficiency and reduce waste. For instance, we have adopted more compact packaging techniques, requiring less cardboard and optimizing space. These initiatives also save freight and fuel consumption.

As a global employer of over ten thousand people, INTEX recognizes the importance of fostering an environmentally conscious

workplace. We encourage our employees to recycle used items, reduce waste, and mind their environmental impact. INTEX Recreation Corp. in Long Beach, California recently participated in the California Coastal Clean-up Day, bringing out about 30 volunteers to join other community members at Belmont Shore, with trash bags in hand.

INTEX has made significant investments in technology to reduce energy consumption and emissions. For example, we have installed solar water heaters, set up a recycled sewage system, and invested in equipment to reduce gas emissions.

From designing energy-conscious products to implementing sustainable manufacturing processes, INTEX is committed to reducing waste and conserving energy. While challenges remain, we continuously strive to improve our practices, ensuring that our products deliver exceptional value while keeping our global ecosystem in mind.



Global Customer Service

Algeria

Sarl New Toys Import & Export
Tel: +213 661141747 / +213 661523735
groupe_beldjarou@yahoo.fr

Argentina/Bolivia

Jarse Industrial Y Comercial S.A.
Tel: +54 11 4308-2606
info@intexargentina.com.ar
postventa@jarse.com.ar
www.intexargentina.com.ar
www.intex.com.ar

Australia

Ideal Sources Pty Ltd.
Tel: +61 1800-359-947
enquiries@idealsources.com.au
www.idealsources.com.au

Austria

Heinrich Bauer GmbH & CO. KG
service@intexaustria.at
www.intexaustria.at

Belgium / Netherlands / Luxemburg

Intex Trading B.V.
Tel: +31 (0)165-593939
service@intexcorp.nl
www.intex.eu

Brasil

Konesul Brasil Distribuidora Ltda-ME
Tel: +55 31 3110-8866
suporte@intexbrasil.com
www.intexbrasil.com

Canada

Intex Recreation Corp.
Tel: +1(310)549-8235
www.intexcorp.com

Chile

Dorel Juvenile
Tel: +56-2-24971467 /
+56-9-51790390
st@dorel.cl
www.intex-chile.cl

China

Intex Industries (Xiamen) Co., Ltd.
Tel: +86 4008800655
xmchinasales@intexcorp.com.cn

Colombia

Jarse Industrial Y Comercial S.A.
Tel: +01-800-0410200
servicentury@centuryglobal.com.co

Cyprus

A.Hadjikyriacos Sporting Co., Ltd.
Tel: +357-26961237
customer@bloomcy.com
info@bloomcy.com
www.bloomcy.com

Czech Republic / Eastern Europe

Intex Trading S.R.O.
Tel: +420 267-313-188 /
+420 267-312-645
www.intexsupport.cz
www.intexcompany.com

Ecuador / El Salvaor / Honduras / Nicaragua / Panama / Paraguay

FCD Import and Export S.A.
Tel: +507 309-1553
acientes@fcspanama.com
www.intexpanama.com

Egypt

M.R. Import & Export
Tel: +20 2-2414-8550 /
012-2230-3557
ramyelhousamy@gmail.com
www.intexegypt.com

France

Unitex / Intex Service France S.A.S
Tel: 03 85 75 53 98
(coût appel local)
www.intex.fr

Germany

Heinrich Bauer GmbH & CO. KG
service@intexgermany.de
www.intexgermany.de

Guatemala / Costa Rica / Venezuela

Century USA, LLC
Tel: +1-561-530-7781
+1-561-573-2588
pablo@centuryusa.com

Hungary

Babycare Ltd. / Ricki Ltd.
Tel: +36 30 228 7761
info@intexszerviz.hu
www.intexcorp.hu

Israel

Alfit Toys Ltd.
Tel: WT-052-4399903 /
+972 73-3156660
sabinaz@chagim.co.il
www.intex.co.il

Italy

Unitex Italia S.R.L.
Tel: +39 039-9396500
servizioclienti@intexcorp.it
www.intexitalia.com (general)
www.intexgaranzie.it (after sales)
www.intexricambi.it
(spare parts sales)

Japan

Nozomi Trading Co., Ltd.
Tel: +81-797-72-2561
k.nagamine@nozomitradings.co.jp

Lebanon

Toy Market Trading S.A.L.
Tel: + 961 1 799 944 / + 961 1 795 127
Graziella.schreim@toymarketgroup.com
www.toymarkettrading.com

Pakistan

Toy Centre
Tel: +92 42 37656133 /
+92 42 7631933
toycentreht@hotmail.com

In addition to the products featured in this catalog, INTEX also offers replacement & repair parts for many items. Please contact our INTEX representatives or the following Customer Service locations for additional information.

Mexico

Kay Internacional S.A. de C.V.
Tel: +52 55 85266624 /
+52 222 2810395 /
+52 55 91728035
garantias@intex.tienda
soporte@kayinternacional.com
ecom@kayinternacional.com
www.intex.tienda

New Zealand

Triton sourcing & distribution Ltd
Tel: +649-421 9260 /
+649-421 0071
orders@triton sourcing.co.nz
www.triton sourcing.co.nz

Puerto Rico

ATN LLC
Tel: +1 787 599-6858
Serviciointexpr@gmail.com
serviciointexpr.com
intexserviciopr.com

Republica Dominicana (Dominican Republic)

Distribuidora Patria
Tel: +1 809 3630470
serviciointexdr@gmail.com
serviciointexdr.com /
intexserviciodr.com

Peru

Consorcio Megafoxx SAC
Tel: +51 9 4646-0341
enriquevfl9@gmail.com

Philippines

Ban Kee Trading INC./ Funtime INC.
Tel: +63 2 8740-3432
intexphilippines@bankee.com.ph
www.toymarkettrading.com

Poland

Kathay Haster
Tel: +48 61 8498-334
servis@kathay.com.pl
www.intexdevelopment.pl

Portugal

Media Cell Solutions S.L. (MCS)
Tel: +351 800 834 021
soporte@intexservice.pt
www.intexservice.pt

Russia

LLC Intexservicerus
Tel: +7 495 0233955
service@intex.ru
www.intex.ru

Saudi Arabia

Saudi Arabian Marketing & Agencies & Contracting Company Ltd-(Samaco Toy)
Tel: +966 2 693-8496 /
+966 800 757-5750
john@firstgroupintl.com
anne@firstgroupintl.com
rehan@firstgroupintl.com
www.firstgroupintl.com

South Africa

Prima Toy and Leisure
Tel: +27-021-8182000
info@intexsa.co.za
www.intexsa.co.za

South Korea

Highel Inc.
Tel: +82-31-977-1029
dave.kim@highel.co.kr

Spain

Media Cell Solutions S.L. (MCS)
Tel: +34 900 716 009
soporte@intexservice.es
www.intexservice.es

Sweden/Denmark/Finland/Norway

Funhouse Nordic
Service@intexnordic.dk
www.intexnordic.dk

Switzerland

GWM Agency AG
gwm@gwm.ch
www.intex-schweiz.ch

Thailand

Lucky Way Co.,Ltd.
Tel: +0066-2-8481166
liqunxu@luckyway.co.th

U.A.E., Bahrain, Kuwait, Oman, Qatar

First Group International
Tel: 00971-4-800INTEX(46839) /
+971-4-4421888
john@firstgroupintl.com
anne@firstgroupintl.com
rehan@firstgroupintl.com
www.firstgroupintl.com

United Kingdom

John Adams Leisure Ltd.
Tel: +0333 400 4548
info@intexsa.co.uk
www.intexwetsat.co.uk

United States

Intex Recreation Corp.
Tel: +1 (310) 549-8235
www.intexcorp.com
(U.S. only)

Uruguay

Nedacorp S.A.
Tel: +598 99 00 66 88
www.intexcorp.com
(U.S. only)

Ukraine

Megatoys PE
Tel: +380 (67) 235-77-63
service@intex.ua
www.intex.ua

Product Locator Table

26008	REUSABLE CARTRIDGE H	65
26009	REUSABLE CARTRIDGE A	65
26165	15' X 42" EASY SET*	15
26166	15' X 42" EASY SET*	15
26167	15' X 48" EASY SET*	15
26168	15' X 48" EASY SET*	15
26175	18' X 48" EASY SET*	15
26325	16' X 48" ULTRA	43
26326	16' X 48" ULTRA	43
26329	18' X 52" ULTRA	43
26330	18' X 52" ULTRA	43
26333	20' X 48" ULTRA	43
26334	20' X 48" ULTRA	43
26339	24' X 52" ULTRA	43
26340	24' X 52" ULTRA	43
26347	4.5M X2.5M X1.32M ULTRA	44
26348	4.5M X2.5M X1.32M ULTRA	44
26355	18' X 9' X 52" ULTRA	45
26356	18' X 9' X 52" ULTRA	45
26363	24' X 12' X 52" ULTRA	45
26364	24' X 12' X 52" ULTRA	45
26367	24' X 12' X 52" ULTRA	45
26368	24' X 12' X 52" ULTRA	45
26373	32' X 16' X 52" ULTRA	45
26374	32' X 16' X 52" ULTRA	45
26377	32' X 16' X 52" ULTRA	45
26378	32' X 16' X 52" ULTRA	45
26601	C330 FILTER PUMP	49
26602	C330 FILTER PUMP	49
26603	C530 FILTER PUMP	49
26604	C530 FILTER PUMP	49
26633	C2500 FILTER PUMP	49
26634	C2500 FILTER PUMP	49
26635	C1500 FILTER PUMP	49
26636	C1500 FILTER PUMP	49
26637	C1000 FILTER PUMP	49
26638	C1000 FILTER PUMP	49
26641	SX925 SAND FILTER	51
26642	SX925 SAND FILTER	51
26643	SX1500 SAND FILTER	51
26644	SX1500 SAND FILTER	51
26645	SX2100 SAND FILTER	51
26646	SX2100 SAND FILTER	51
26647	SX2800 SAND FILTER	51
26648	SX2800 SAND FILTER	51
26649	SX925 SAND FILTER	52
26650	SX925 SAND FILTER	52
26651	SX3000 SAND FILTER	51
26652	SX3200 SAND FILTER	51
26653	SX1500 SAND FILTER	53
26654	SX1500 SAND FILTER	53
26655	SX2100 PLUS SAND FILTER	53
26656	SX2100 PLUS SAND FILTER	53
26657	SX2800 SAND FILTER	53
26658	SX2800 SAND FILTER	53
26659	SX3000 SAND FILTER	53
26660	SX3000 SAND FILTER	53
26661	QS200 SALTWATER SYSTEM	56
26662	QS200 SALTWATER SYSTEM	56
26663	QS400 SALTWATER SYSTEM	56
26664	QS400 SALTWATER SYSTEM	56
26667	QS500 SALTWATER SYSTEM	57
26668	QS500 SALTWATER SYSTEM	57
26669	QS1200 SALTWATER SYSTEM	57
26670	QS1200 SALTWATER SYSTEM	57
26671	QX1500 SAND FILTER	54

26672	QX1500 SAND FILTER	54
26673	QX2100 SAND FILTER	55
26674	QX2100 SAND FILTER	55
26675	QX2100 SALTWATER COMBO	55
26676	QX2100 SALTWATER COMBO	55
26677	QX2600 SAND FILTER	55
26678	QX2600 SAND FILTER	55
26679	QX2600 SALTWATER COMBO	55
26680	QX2600 SALTWATER COMBO	55
26683	QS500 SALTWATER SYSTEM	56
26684	QS500 SALTWATER SYSTEM	56
26685	QS700 SALTWATER SYSTEM	56
26686	QS700 SALTWATER SYSTEM	56
26689	QS1600 PLUS SALTWATER SYSTEM	57
26690	QS1600 PLUS SALTWATER SYSTEM	57
26691	QS1200 SALTWATER SYSTEM	57
26692	QS1200 SALTWATER SYSTEM	57
26700	10' X 30" PRISM	22
26701	10' X 30" PRISM	22
26702	10' X 30" PRISM	22
26710	12' X 30" PRISM	22
26711	12' X 30" PRISM	22
26712	12' X 30" PRISM	22
26715	12' X 39" PRISM	23
26716	12' X 39" PRISM	23
26719	14' X 42" PRISM	23
26720	14' X 42" PRISM	23
26722	14' X 42" CLEARVIEW PRISM	33
26723	15' X 42" PRISM	23
26724	15' X 42" PRISM	23
26725	15' X 48" PRISM	23
26726	15' X 48" PRISM	23
26730	16' X 48" CLEARVIEW PRISM	33
26731	18' X 48" PRISM	23
26732	18' X 48" PRISM	23
26741	15' X 48" GREYWOOD	31
26742	15' X 48" GREYWOOD	31
26743	18' X 48" GREYWOOD	31
26744	18' X 48" GREYWOOD	31
26755	20' X 52" PRISM	23
26756	20' X 52" PRISM	23
26769	4M X2M X1.22M CLEARVIEW PRISM	35
26770	4M X2M X1.22M CLEARVIEW PRISM	35
26784	3M X 1.75M X 0.8M PRISM	25
26788	4M X 2M X 1M PRISM	25
26790	4M X 2M X 1.22M PRISM	25
26791	16' X 8' X 42" PRISM	25
26792	16' X 8' X 42" PRISM	25
26796	16 1/2' X 9' X 48" PRISM	27
26798	20' X 10' X 48" PRISM	27
27329	18' X 52" ULTRA	42
27330	18' X 52" ULTRA	42
27355	18' X 9' X 52" ULTRA	44
27356	18' X 9' X 52" ULTRA	44
27363	24' X 12' X 52" ULTRA	44
27364	24' X 12' X 52" ULTRA	44
27384	15"8" X 49" GRAPHITE	37
27396	4M X 3M X 1.24M GRAPHITE	39
28000	SURFACE SKIMMER	66
28002	MAINTENANCE KIT	73
28003	MAINTENANCE KIT	73
28005	ZX300 AUTO POOL CLEANER	75
28006	ZX100 POOL CLEANER	75
28007	ZX50 AUTO POOL CLEANER	75
28010	8' SOLAR COVER	69
28011	10' SOLAR COVER	69

28012	12' SOLAR COVER	69
28013	15' SOLAR COVER	69
28014	16' SOLAR COVER	69
28015	18' SOLAR COVER	69
28016	9' X 18' SOLAR COVER	69
28017	12' X 24' SOLAR COVER	69
28018	16' X 32' SOLAR COVER	69
28020	8' X 12" POOL COVER	68
28021	10' X 12" POOL COVER	68
28022	12' X 12" POOL COVER	68
28023	15' X 12" POOL COVER	68
28026	13' X 12" POOL COVER	68
28028	4M X 2M SOLAR COVER	69
28029	8' X 16" SOLAR COVER	69
28030	10' X 10" POOL COVER	68
28031	12' X 10" POOL COVER	68
28032	15' X 10" POOL COVER	68
28036	2.6M X 1.6M POOL COVER	68
28037	4M X 2M POOL COVER	68
28038	3M X 2M POOL COVER	68
28039	4.5M X 2.2M POOL COVER	68
28048	15.5" GROUND CLOTH	68
28051	SOLAR COVER REEL	69
28054	POOL CANOPY	73
28064	36" POOL LADDER	71
28065	42" POOL LADDER	71
28066	48" POOL LADDER	71
28067	52" POOL LADDER	71
28075	36" & 42" POOL LADDER	71
28076	48" POOL LADDER	71
28077	52" POOL LADDER	71
28078	3M X 2M DELUXE POOL COVER	70
28079	4M X 2M DELUXE POOL COVER	70
28080	4.5M X 2.2M DELUXE POOL COVER	70
28082	12' DELUXE POOL COVER	70
28083	15' DELUXE POOL COVER	70
28084	16' DELUXE POOL COVER	70
28085	18' DELUXE POOL COVER	70
28086	18' X 9' DELUXE	