



AGP

ABOVE GROUND POOLS 2024

INTERNATIONAL
Intex Development Co., Ltd.
9th Floor, Everbright Centre,
108 Gloucester Road, Wanchai,
Hong Kong
T: (852) 2827-0000
E: info@intexdevelopment.com
W: www.intexdevelopment.com

EUROPE
Intex Trading s.r.o.
Benešovská 23
101 00 Praha 10
Czech Republic
T: (420) 267 312 645
E: info@intexcorp.cz
W: www.intexdevelopment.com

EUROPE
Intex Trading B.V.
Ettenseweg 46,
4706 PB Roosendaal,
The Netherlands
T: (31) 165-593939
E: info@intexcorp.nl
W: www.intexcorp.nl

USA
Intex Recreation Corp.
P.O. Box 1440
Long Beach, CA 90801-1440
USA
T: (310) 549-5400
W: www.intexcorp.com

EUROPE
Unitex Service (France) S.A.S.
Z.A. de Milleure Bois du Ban - N°4
71480 LE MIROIR, France
T: (33) 385 75 64 64
E: info@intexcorp.com.fr
W: www.intex.fr

EUROPE
Unitex Italia S.R.L.
Via Liguria 3
24041 Brembate BG, Italy
T: (39) 039 2296998
E: commerciale@intexcorp.it
W: www.intexitalia.com



INTEX®

2024 ABOVE GROUND POOLS

SPLASH INTO SUMMER



INTEX®

©2023 Intex Marketing Ltd. - Intex Development Co., Ltd. - Intex Recreation Corp. All rights reserved. Printed in China.
®™ Trademarks used in some countries of the world under license from Intex Marketing Ltd. to Intex Development Co., Ltd. and Intex Recreation Corp.



Intex Administration Building Landscape,
Xiamen, China

ABOUT US

The INTEX family of companies is dedicated to developing and manufacturing the highest quality products that not only provide the best value in price, but are innovative, fun and exciting. Backed by excellent Customer Service, INTEX also provides first-rate after sales support. The 100+ independently owned and locally operated companies that make up the INTEX Family, all embrace this commitment to quality, service and price and are committed to working together to ensure the satisfaction of the families and individuals in countries across the globe who enjoy these products. This has become the hallmark of INTEX around the world.

As a true industry leader, INTEX boasts state of the art factories, trained and motivated people, products that meet rigorous testing requirements, and a Customer Service organization that will go extra lengths to ensure our customers are satisfied and happy with their purchases.

2024

INTEX is committed to delivering top quality products at a great value with the backing of a responsive Customer Service organization. Our above ground pool line begins with our world famous Easy Set® and Metal Frame pools that are great for families purchasing their first pool, to our upscale Prism Frame™ pools that are an attractive step up, to our deluxe Ultra XTR® Frame pools that are beautiful, incredibly strong and large enough for the whole neighborhood to swim in! And no pool is complete without accessories. That's why INTEX provides a full line, including sand filters, saltwater systems, filter pumps, cartridges and much more that will extend your customers' swimming season and keep them coming back for more. Ask your INTEX representative for any of our product catalogs – we are confident that you will agree that INTEX's product line-up is unmatched in meeting your needs.



Intex Manufacturing and Distribution Complex, Xiamen, China



Intex Development Co. Ltd., Hong Kong



Intex Recreation Corp., Long Beach, CA, USA



Unitex Service (France) S.A.S., France



Intex Trading B.V., The Netherlands

CONTENTS



SMALL FRAME POOLS

10



EASY SET® POOLS

12



METAL FRAME™ POOLS

16



PRISM FRAME™ POOLS

22



**CHEVRON
PRISM FRAME™ POOL**

32



**GRAPHITE
GRAY PANEL™ POOL**

36




**ULTRA
XTR® FRAME POOLS**

40



**KRYSTAL CLEAR®
POOLWATER SYSTEMS**

44



ACCESSORIES

58

EXPLORE
The Wide Range of
INTEX Above Ground Pools



“It’s all in the bubbles”

INTEX’S PATENTED HYDRO AERATION™ TECHNOLOGY IMPROVES WATER CIRCULATION, CLARITY AND FRESHNESS IN THOUSANDS OF ABOVE GROUND POOLS.

HYDRO AERATION™ TECHNOLOGY

INTEX’s patented Hydro Aeration™ Technology is precision engineered to improve filtration, clarity and freshness in thousands of above ground pools. This revolutionary and innovative feature has been incorporated into all our cartridge filter pumps, sand filter pumps, and combination filtration systems.

HYDRO AERATION™ TECHNOLOGY



WITH HYDRO AERATION™

ADVANCED FILTRATION AND CIRCULATION

Injecting air into the water accelerates circulation and joins fine particles into larger clusters that can be filtered more effectively.



WITHOUT HYDRO AERATION™

IMPROVED CLARITY

Aeration removes minerals like manganese and iron through oxidation for ultimate water clarity.

INCREASED FRESHNESS

More negative ions are generated by activating air bubbles, which improves overall air quality around the pool.



AERATION IMPROVES CIRCULATION OF WATER SO THAT IT CAN BE FILTERED MORE EFFICIENTLY




AERATION REMOVES MINERALS THROUGH OXIDATION FOR ULTIMATE WATER CLARITY



INCREASED NEGATIVE IONS PROVIDE IMPROVED AIR FRESHNESS AROUND THE POOL

STANDARD

Pool Series



**PUNCTURE-RESISTANT
3-PLY MATERIAL**



Our **Standard Pool Series** are the ideal starter pools. Constructed with SuperTough™ puncture resistant 3-ply liner material, these pools are not only easy to set up and assemble, but are also great in value and fun to own. Our Small Frame pools are perfect for younger children or for families with smaller spaces. Our Easy Set® and Metal Frame lines of pools come in an array of sizes to fit any backyard.

SMALL FRAME™ POOLS



Mini Frame™ Pools:  Ages 2+

MINI FRAME POOL

Kids will enjoy splashing and playing in the INTEX Mini Frame™ Pool. This fun beginner frame pool is easy to assemble and sturdy, and is the perfect size and depth for young children. Available in bubblegum pink or aqua blue colors.



| SPECIFICATIONS | ITEM# | CASE PACK | CASE WEIGHT |
|--|--------------|-----------|-------------------|
| 4' x 4' x 12" (1.22m x 1.22m x 30cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (79%): 90 GAL (342L) READY FOR WATER IN 10 MINUTES | 57172NP/EP ● | 3 ea 1box | 28.5 lb (13.0 kg) |
| | 57173NP/EP ● | 3 ea 1box | 28.5 lb (13.0 kg) |



English/Spanish and multi-language international packaging available

RECTANGULAR FRAME POOLS

INTEX's range of Rectangular Frame pools are the perfect starter pools for smaller spaces and families. Supported by strong, durable steel frames and laminated sidewalls, these pools are sturdy and will stay firmly in place. Easy to assemble, these pools are ready for water in just 30 minutes. Added features include a convenient drain plug and connection points for optional filter pumps. Make a splash and enjoy your backyard summer retreat!



NEW
COLOR

PUNCTURE-RESISTANT
3-PLY MATERIAL

PUNCTURE-RESISTANT
3-PLY MATERIAL



Rectangular Frame Pools:  Ages 6+

| SPECIFICATIONS | ITEM# | VOLTAGE | FILTER PUMP | CASE PACK | CASE WEIGHT |
|--|------------------|-------------------|------------------|-----------|-------------------|
| 7'2½" x 4'11" x 23½" (2.20m x 1.50m x 60cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 439 GAL (1,662L) READY FOR WATER IN 30 MINUTES | NEW 28266NP ● | - | - | 1 ea 1box | 33.4 lb (15.2 kg) |
| | NEW 28266EH ● | - | - | | 35.4 lb (16.1 kg) |
| | 28270NP | - | - | | 33.4 lb (15.2 kg) |
| | 28270EH | - | - | | 35.4 lb (16.1 kg) |
| 8'6½" x 5'3" x 25½" (2.60m x 1.60m x 65cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 603 GAL (2,282L) READY FOR WATER IN 30 MINUTES | 28271NP | - | - | 1 ea 1box | 38.3 lb (17.4 kg) |
| | 28271EH | - | - | | 40.0 lb (18.2 kg) |
| 9'10" x 6'6¾" x 29½" (3.00m x 2.00m x 75cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 1,013 GAL (3,834L) READY FOR WATER IN 30 MINUTES | 28272NP | - | - | 1 ea 1box | 45.1 lb (20.5 kg) |
| | 28272EH | - | - | | 47.1 lb (21.4 kg) |
| 14'9¼" x 7'2½" x 33" (4.50m x 2.20m x 84cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 1,883 GAL (7,127L) READY FOR WATER IN 30 MINUTES | IMPROVED 28273NP | - | - | 1 ea 1box | 80.1 lb (36.4 kg) |
| | IMPROVED 28273EH | - | - | | 82.1 lb (37.3 kg) |
| 14'9¼" x 7'2½" x 33" (4.50m x 2.20m x 84cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 1,883 GAL (7,127L) READY FOR WATER IN 30 MINUTES | IMPROVED 28279 | 110-120V | 530 gal (2,006L) | 1 ea 1box | 86.0 lb (39.1 kg) |
| | IMPROVED 28279EH | 110-120V (W/GFCI) | 530 gal (2,006L) | | 87.3 lb (39.7 kg) |
| | IMPROVED 28274NP | 220-240V | 530 gal (2,006L) | | 87.3 lb (39.7 kg) |
| | IMPROVED 28274GN | 12V | 600 gal (2,271L) | | 89.3 lb (40.6 kg) |

EASY SET® POOLS



PUNCTURE-RESISTANT
3-PLY MATERIAL

6' x 20" Easy Set® Pools:  Ages 3+

6' x 20" EASY SET® POOL

Are the kids ready for their first big pool? This perfectly sized pool is super-easy for parents to set up, and just the right size for younger kids to enjoy their first big person pool!



| SPECIFICATIONS | ITEM# | CASE PACK | CASE WEIGHT |
|--|---------|-----------|------------------|
| 6' x 20" (1.83m x 51cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (80%): 232 GAL (880L) READY FOR WATER IN 10 MINUTES | 28101NP | 2 ea 1box | 15.2 lb (6.9 kg) |
| | 28101EH | 2 ea 1box | 19.1 lb (8.7 kg) |



English/Spanish and multi-language international packaging available

JOLLY WHALE EASY SET® POOL

This pool is the perfect way to bring fun and excitement to your backyard this summer. Simply spread out on level ground, inflate the top ring, fill the pool with water, and enjoy the fun this Jolly Whale Easy Set® pool brings!

| SPECIFICATIONS | ITEM# | CASE PACK | CASE WEIGHT |
|--|---|-----------|------------------|
| 6' x 20" (1.83m x 51cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (80%): 232 GAL (880L) READY FOR WATER IN 10 MINUTES |  26102NP | 2 ea 1box | 16.5 lb (7.5 kg) |
| |  26102EH | 2 ea 1box | 21.0 lb (9.6 kg) |



NEW



PUNCTURE-RESISTANT
3-PLY MATERIAL

Jolly Whale Easy Set® Pools:  Ages 3+

EASY SET® POOLS



Easy Set® Pools:  Ages 6+

PUNCTURE-RESISTANT
3-PLY MATERIAL

| SPECIFICATIONS | ITEM# | VOLTAGE | FILTER PUMP | CASE PACK | CASE WEIGHT |
|--|---------|-------------------|------------------|-----------|-------------------|
| 8' x 24" (2.44m x 61cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (80%): 513 GAL (1,942L) READY FOR WATER IN 10 MINUTES | 28106NP | - | - | 1 ea 1box | 11.6 lb (5.3 kg) |
| | 28106EH | - | - | 1 ea 1box | 13.5 lb (6.2 kg) |
| | 28107EH | 110-120V (W/GFCI) | 330 gal (1,250L) | 1 ea 1box | 18.4 lb (8.4 kg) |
| | 28108NP | 220-240V | 330 gal (1,250L) | 1 ea 1box | 17.1 lb (7.8 kg) |
| | 28108GN | 12V | 330 gal (1,250L) | 1 ea 1box | 17.6 lb (8.0 kg) |
| 10' x 24" (3.05m x 61cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (80%): 813 GAL (3,077L) READY FOR WATER IN 10 MINUTES | 28116NP | - | - | 1 ea 1box | 16.9 lb (7.7 kg) |
| | 28116EH | - | - | 1 ea 1box | 18.9 lb (8.6 kg) |
| | 28117EH | 110-120V (W/GFCI) | 330 gal (1,250L) | 1 ea 1box | 23.5 lb (10.7 kg) |
| | 28118NP | 220-240V | 330 gal (1,250L) | 1 ea 1box | 22.7 lb (10.3 kg) |
| | 28118GN | 12V | 330 gal (1,250L) | 1 ea 1box | 23.1 lb (10.5 kg) |
| 10' x 30" (3.05m x 76cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (80%): 1,018 GAL (3,853L) READY FOR WATER IN 10 MINUTES | 28120NP | - | - | 1 ea 1box | 18.0 lb (8.2 kg) |
| | 28120EH | - | - | 1 ea 1box | 20.0 lb (9.1 kg) |
| | 28121EH | 110-120V (W/GFCI) | 330 gal (1,250L) | 1 ea 1box | 24.6 lb (11.2 kg) |
| | 28122NP | 220-240V | 330 gal (1,250L) | 1 ea 1box | 23.7 lb (10.8 kg) |
| | 28122GN | 12V | 330 gal (1,250L) | 1 ea 1box | 24.2 lb (11.0 kg) |
| 12' x 30" (3.66m x 76cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (80%): 1,485 GAL (5,621L) READY FOR WATER IN 10 MINUTES | 28130NP | - | - | 1 ea 1box | 24.9 lb (11.3 kg) |
| | 28130EH | - | - | 1 ea 1box | 26.6 lb (12.1 kg) |
| | 28131EH | 110-120V (W/GFCI) | 530 gal (2,006L) | 1 ea 1box | 32.8 lb (14.9 kg) |
| | 28132NP | 220-240V | 530 gal (2,006L) | 1 ea 1box | 32.6 lb (14.8 kg) |
| | 28132GN | 12V | 600 gal (2,271L) | 1 ea 1box | 33.9 lb (15.4 kg) |

EASY SET® POOLS



English/Spanish and multi-language international packaging available

| SPECIFICATIONS | ITEM# | VOLTAGE | FILTER PUMP | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK | CASE WEIGHT |
|---|---------|-------------------|--------------------|--------|---------------|--------------|------------|-----------|--------------------|
| 15' x 42" (4.57m x 1.07m) APPROXIMATE SET-UP SIZE WATER CAPACITY (80%): 3,284 GAL (12,430L) READY FOR WATER IN 15 MINUTES | 26165EH | 110-120V (W/GFCI) | 1,000 gal (3,785L) | ✓ | - | ✓ | ✓ | 1 ea 1box | 90.2 lb (41.0 kg) |
| | 26166NP | 220-240V | 1,000 gal (3,785L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 95.5 lb (43.4 kg) |
| | 26166GN | 12V | 900 gal (3,407L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 98.1 lb (44.6 kg) |
| 15' x 48" (4.57m x 1.22m) APPROXIMATE SET-UP SIZE WATER CAPACITY (80%): 3,736 GAL (14,141L) READY FOR WATER IN 15 MINUTES | 26167EH | 110-120V (W/GFCI) | 1,000 gal (3,785L) | ✓ | - | ✓ | ✓ | 1 ea 1box | 96.6 lb (43.9 kg) |
| | 26168NP | 220-240V | 1,000 gal (3,785L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 103.2 lb (46.9 kg) |
| | 26168GN | 12V | 900 gal (3,407L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 105.4 lb (47.9 kg) |
| 18' x 48" (5.49m x 1.22m) APPROXIMATE SET-UP SIZE WATER CAPACITY (80%): 5,455 GAL (20,647L) READY FOR WATER IN 30 MINUTES | 26175EH | 110-120V (W/GFCI) | 1,500 gal (5,678L) | ✓ | - | ✓ | ✓ | 1 ea 1box | 133.3 lb (60.6 kg) |

METAL FRAME™ POOLS



Metal Frame™ Pools: Ages 3+



PUNCTURE-RESISTANT
3-PLY MATERIAL

CANOPY METAL FRAME™ POOL

Keep your little ones cool and protected from the sun with the new Canopy Metal Frame™ pool. The UPF 50+ shaded top canopy provides resistance to strong UV rays to keep your child safe and comfortable. The adjustable sprayer provides a refreshing and cooling mist to keep your kids comfortable and entertained all summer long.

| SPECIFICATIONS | ITEM# | CASE PACK | CASE WEIGHT |
|--|---------|-----------|------------------|
| 6' x 15" (1.83m x 38cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (80%): 185 GAL (700L) READY FOR WATER IN 10 MINUTES | 28209NP | 1 ea 1box | 19.4 lb (8.8 kg) |
| | 28209EP | 1 ea 1box | 19.4 lb (8.8 kg) |



Easy-to-install canopy



Built-in sprayer keeps kids cool

BEACHSIDE METAL FRAME™ POOL

The ocean is now yours to explore with our Beachside Metal Frame™ Pool. With captivating photo-realistic ocean print on the sidewalls and floor, this pool is supported by strong and durable steel frames that are engineered to last. The new innovative composite T-Joint design makes assembly quick and easy so you can have more time to enjoy the pool.

| SPECIFICATIONS | ITEM# | VOLTAGE | FILTER PUMP | CASE PACK | CASE WEIGHT |
|---|---------|----------------------|------------------|-------------------|-------------------|
| 10' x 30" (3.05m x 76cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 1,185 GAL (4,485L) READY FOR WATER IN 30 MINUTES | 28206NP | - | - | 1 ea 1box | 38.3 lb (17.4 kg) |
| | 28206EH | - | - | 1 ea 1box | 40.0 lb (18.2 kg) |
| | 28207 | 110-120V | 330 gal (1,250L) | 1 ea 1box | 42.5 lb (19.3 kg) |
| | 28207EH | 110-120V (W/GFCI) | 330 gal (1,250L) | 1 ea 1box | 44.7 lb (20.3 kg) |
| | 28208NP | 220-240V | 330 gal (1,250L) | 1 ea 1box | 43.3 lb (19.7 kg) |
| 28208GN | 12V | 330 gal (1,250L) | 1 ea 1box | 44.0 lb (20.0 kg) | |




Photo real printing on the pool bottom



English/Spanish and multi-language international packaging available

INNOVATIVE T-JOINT



PRECISION ENGINEERED

SIMPLIFIED ASSEMBLY

- No more pins to try to align and insert – simply push all the pipes into the Composite T-Joints for a snug fit

RUST PREVENTION

- Composite T-Joint creates a water-tight seal with the pipe – preventing internal rust from forming
- Composite T-Joint won't damage metal coating during pool use – preserving exterior rust protection

DURABILITY

- Composite T-Joints are engineered for high strength and infused with UV inhibitor to ensure weather resistance and long service life



PUNCTURE-RESISTANT
3-PLY MATERIAL



PHOTO REAL

Metal Frame Pools: Ages 6+

METAL FRAME™ POOLS



Metal Frame™ Pools: Ages 6+



COOLING OFF HAS NEVER BEEN EASIER

Our Metal Frame™ pools are perfect for beating the heat all summer long. These pools feature strong and durable steel frames that are built to last. SUPER-TOUGH™ laminated sidewalls are reinforced with an all-around band to keep frame legs firmly in place. With their sturdy construction and easy setup, these pools are the perfect addition to any backyard.



NEW

| SPECIFICATIONS | ITEM# | VOLTAGE | FILTER PUMP | CASE PACK | CASE WEIGHT |
|--|-------------|-------------------|------------------|-----------|-------------------|
| 8' x 20" (2.44m x 51cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (80%): 483 GAL (1,828L) READY FOR WATER IN 30 MINUTES | 28205NP | - | - | 1 ea 1box | 20.4 lb (9.3 kg) |
| | 28205EH | - | - | 1 ea 1box | 22.0 lb (10.0 kg) |
| 8' x 30" (2.44m x 76cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 751 GAL (2,843L) READY FOR WATER IN 30 MINUTES | NEW 28290NP | - | - | 1 ea 1box | 25.5 lb (11.6 kg) |
| | NEW 28290EH | - | - | 1 ea 1box | 27.3 lb (12.4 kg) |
| | NEW 28291 | 110-120V | 330 gal (1,250L) | 1 ea 1box | 29.7 lb (13.5 kg) |
| | NEW 28291EH | 110-120V (W/GFCI) | 330 gal (1,250L) | 1 ea 1box | 31.7 lb (14.4 kg) |
| | NEW 28292NP | 220-240V | 330 gal (1,250L) | 1 ea 1box | 30.8 lb (14.0 kg) |
| | NEW 28292GN | 12V | 330 gal (1,250L) | 1 ea 1box | 31.0 lb (14.1 kg) |




| SPECIFICATIONS | ITEM# | VOLTAGE | FILTER PUMP | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK | CASE WEIGHT |
|--|---------|-------------------|--------------------|--------|---------------|--------------|------------|-----------|--------------------|
| 15' x 48" (4.57m x 1.22m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 4,440 GAL (16,805L) READY FOR WATER IN 45 MINUTES | 28241EH | 110-120V (W/GFCI) | 1,000 gal (3,785L) | ✓ | - | ✓ | ✓ | 1 ea 1box | 148.5 lb (67.5 kg) |
| | 28242NP | 220-240V | 1,000 gal (3,785L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 154.0 lb (70.0 kg) |
| | 28242GN | 12V | 900 gal (3,407L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 155.3 lb (70.6 kg) |

| SPECIFICATIONS | ITEM# | VOLTAGE | FILTER PUMP | CASE PACK | CASE WEIGHT |
|--|---------|-------------------|------------------|-----------|-------------------|
| 10' x 30" (3.05m x 76cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 1,185 GAL (4,485L) READY FOR WATER IN 30 MINUTES | 28200NP | - | - | 1 ea 1box | 38.3 lb (17.4 kg) |
| | 28200EH | - | - | 1 ea 1box | 40.0 lb (18.2 kg) |
| | 28201 | 110-120V | 330 gal (1,250L) | 1 ea 1box | 42.5 lb (19.3 kg) |
| | 28201EH | 110-120V (W/GFCI) | 330 gal (1,250L) | 1 ea 1box | 44.7 lb (20.3 kg) |
| | 28202NP | 220-240V | 330 gal (1,250L) | 1 ea 1box | 43.3 lb (19.7 kg) |
| | 28202GN | 12V | 330 gal (1,250L) | 1 ea 1box | 44.0 lb (20.0 kg) |
| 12' x 30" (3.66m x 76cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 1,718 GAL (6,503L) READY FOR WATER IN 30 MINUTES | 28210NP | - | - | 1 ea 1box | 48.2 lb (21.9 kg) |
| | 28210EH | - | - | 1 ea 1box | 50.2 lb (22.8 kg) |
| | 28211 | 110-120V | 530 gal (2,006L) | 1 ea 1box | 53.9 lb (24.5 kg) |
| | 28211EH | 110-120V (W/GFCI) | 530 gal (2,006L) | 1 ea 1box | 55.7 lb (25.3 kg) |
| | 28212NP | 220-240V | 530 gal (2,006L) | 1 ea 1box | 55.4 lb (25.2 kg) |
| | 28212GN | 12V | 600 gal (2,271L) | 1 ea 1box | 57.0 lb (25.9 kg) |

PREMIUM

Pool Series



PUNCTURE-RESISTANT
3-PLY MATERIAL



Our **Premium Pool Series** are designed to take your swimming experience to the next level. Constructed with SuperTough™ puncture resistant 3-ply liner material and strong powder-coated steel frames, these pools come in a range of shapes and sizes.

PRISM FRAME™ PREMIUM POOLS



Prism Frame™ Premium Pools:  Ages 6+



SPLASH THE SUMMER AWAY IN STYLE

Enjoy summer outdoor fun with INTEX Prism Frame™ pools. Enhanced with strong powder-coated steel tubing and a stylish and upscale looking liner, these premium pools come in a range of sizes. From smaller sizes that fit into smaller backyards to larger sizes that are spacious enough for pool parties, there is an INTEX Prism Frame™ pool for every family and every occasion!

INNOVATIVE T-JOINT



PRECISION ENGINEERED

SIMPLIFIED ASSEMBLY

- No more pins to try to align and insert – simply push all the pipes into the Composite T-Joints for a snug fit

RUST PREVENTION

- Composite T-Joint creates a water-tight seal with the pipe – preventing internal rust from forming
- Composite T-Joint won't damage metal coating during pool use – preserving exterior rust protection

DURABILITY

- Composite T-Joints are engineered for high strength and infused with UV inhibitor to ensure weather resistance and long service life



LARGE PROFILE FRAME FOR ENHANCED STRENGTH

| SPECIFICATIONS | ITEM# | VOLTAGE | FILTER PUMP | CASE PACK | CASE WEIGHT |
|---|---------|----------------------|------------------|-----------|-------------------|
| | 26700NP | - | - | 1 ea 1box | 37.5 lb (17.1 kg) |
| | 26700EH | - | - | 1 ea 1box | 39.4 lb (17.9 kg) |
| 10' x 30" (3.05m x 76cm) APPROXIMATE SET-UP SIZE | 26701 | 110-120V | 330 gal (1,250L) | 1 ea 1box | 41.8 lb (19.0 kg) |
| WATER CAPACITY (90%): 1,185 GAL (4,485L) READY FOR WATER IN 30 MINUTES | 26701EH | 110-120V (W/GFCI) | 330 gal (1,250L) | 1 ea 1box | 44.0 lb (20.0 kg) |
| | 26702NP | 220-240V | 330 gal (1,250L) | 1 ea 1box | 42.9 lb (19.5 kg) |
| | 26702GN | 12V | 330 gal (1,250L) | 1 ea 1box | 43.3 lb (19.7 kg) |
| | 26710NP | - | - | 1 ea 1box | 47.7 lb (21.7 kg) |
| | 26710EH | - | - | 1 ea 1box | 49.3 lb (22.4 kg) |
| 12' x 30" (3.66m x 76cm) APPROXIMATE SET-UP SIZE | 26711 | 110-120V | 530 gal (2,006L) | 1 ea 1box | 53.2 lb (24.2 kg) |
| WATER CAPACITY (90%): 1,718 GAL (6,503L) READY FOR WATER IN 30 MINUTES | 26711EH | 110-120V (W/GFCI) | 530 gal (2,006L) | 1 ea 1box | 54.8 lb (24.9 kg) |
| | 26712NP | 220-240V | 530 gal (2,006L) | 1 ea 1box | 54.8 lb (24.9 kg) |
| | 26712GN | 12V | 600 gal (2,271L) | 1 ea 1box | 56.1 lb (25.5 kg) |

| SPECIFICATIONS | ITEM# | VOLTAGE | FILTER PUMP | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK | CASE WEIGHT |
|---|---------|----------------------|--------------------|--------|---------------|--------------|------------|-----------|--------------------|
| 12' x 39" (3.66m x 99cm) APPROXIMATE SET-UP SIZE | 26715 | 110-120V | 530 gal (2,006L) | ✓ | - | - | - | 1 ea 1box | 82.9 lb (37.7 kg) |
| WATER CAPACITY (90%): 2,270 GAL (8,592L) READY FOR WATER IN 30 MINUTES | 26716NP | 220-240V | 530 gal (2,006L) | - | ✓ | - | - | 1 ea 1box | 89.8 lb (40.8 kg) |
| | 26716GN | 12V | 600 gal (2,271L) | - | ✓ | - | - | 1 ea 1box | 91.5 lb (41.6 kg) |
| 14' x 42" (4.27m x 1.07m) APPROXIMATE SET-UP SIZE | 26719EH | 110-120V (W/GFCI) | 1,000 gal (3,785L) | ✓ | - | ✓ | ✓ | 1 ea 1box | 130.7 lb (59.4 kg) |
| WATER CAPACITY (90%): 3,357 GAL (12,706L) READY FOR WATER IN 45 MINUTES | 26720NP | 220-240V | 1,000 gal (3,785L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 135.7 lb (61.7 kg) |
| | 26720GN | 12V | 900 gal (3,407L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 138.4 lb (62.9 kg) |
| 15' x 42" (4.57m x 1.07m) APPROXIMATE SET-UP SIZE | 26723EH | 110-120V (W/GFCI) | 1,000 gal (3,785L) | ✓ | - | ✓ | ✓ | 1 ea 1box | 140.6 lb (63.9 kg) |
| WATER CAPACITY (90%): 3,861 GAL (14,614L) READY FOR WATER IN 45 MINUTES | 26724NP | 220-240V | 1,000 gal (3,785L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 146.1 lb (66.4 kg) |
| | 26724GN | 12V | 900 gal (3,407L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 147.8 lb (67.2 kg) |
| 15' x 48" (4.57m x 1.22m) APPROXIMATE SET-UP SIZE | 26725EH | 110-120V (W/GFCI) | 1,000 gal (3,785L) | ✓ | - | ✓ | ✓ | 1 ea 1box | 153.3 lb (69.7 kg) |
| WATER CAPACITY (90%): 4,440 GAL (16,805L) READY FOR WATER IN 45 MINUTES | 26726NP | 220-240V | 1,000 gal (3,785L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 160.8 lb (73.1 kg) |
| | 26726GN | 12V | 900 gal (3,407L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 163.5 lb (74.3 kg) |

| SPECIFICATIONS | ITEM# | VOLTAGE | FILTER PUMP | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK | CASE WEIGHT |
|---|---------|----------------------|--------------------|--------|---------------|--------------|------------|-----------|---------------------|
| 18' x 48" (5.49m x 1.22m) APPROXIMATE SET-UP SIZE | 26731EH | 110-120V (W/GFCI) | 1,500 gal (5,678L) | ✓ | - | ✓ | ✓ | 1 ea 1box | 209.4 lb (95.2 kg) |
| WATER CAPACITY (90%): 6,423 GAL (24,311L) READY FOR WATER IN 60 MINUTES | 26732NP | 220-240V | 1,500 gal (5,678L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 219.3 lb (99.7 kg) |
| | 26732GN | 12V | 1,500 gal (5,678L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 221.8 lb (100.8 kg) |
| 20' x 52" (6.10m x 1.32m) APPROXIMATE SET-UP SIZE | 26755EH | 110-120V (W/GFCI) | 1,500 gal (5,678L) | ✓ | - | ✓ | ✓ | 1 ea 1box | 251.2 lb (114.2 kg) |
| WATER CAPACITY (90%): 8,638 GAL (32,695L) READY FOR WATER IN 60 MINUTES | 26756NP | 220-240V | 1,500 gal (5,678L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 259.2 lb (117.8 kg) |
| | 26756GN | 12V | 1,500 gal (5,678L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 261.8 lb (119.0 kg) |

PRISM FRAME™ RECTANGULAR PREMIUM POOLS



Prism Frame™ Premium Pools: Ages 6+

**PUNCTURE-RESISTANT
3-PLY MATERIAL**

ENHANCE YOUR SWIMMING EXPERIENCE

The Prism Frame™ Rectangular pools are designed to fit any backyard. They are built to provide extra swimming space and hold more pool water than traditional round frame pools, allowing swimmers to appreciate maximized swimming area. Constructed with SuperTough™ puncture-resistant 3-ply material, the inside liner offers beautiful mosaic tile design. With a sophisticated look, INTEX Prism Frame™ Rectangular pools will provide families with endless summer fun!



**LARGE PROFILE FRAME FOR
ENHANCED STRENGTH**



| SPECIFICATIONS | ITEM# | VOLTAGE | FILTER PUMP | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK | CASE WEIGHT |
|---|---------|----------------------|--------------------|--------|---------------|--------------|------------|-----------|--------------------|
| 9'10" x 5'9" x 31½" (3.00m x 1.75m x 80cm) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 935 GAL (3,539L) READY FOR WATER IN 45 MINUTES | 26784NP | 220-240V | 530 gal (2,006L) | ✓ | - | - | - | 1 ea 1box | 106.3 lb (48.3 kg) |
| | 26784GN | 12V | 600 gal (2,271L) | ✓ | - | - | - | 1 ea 1box | 109.3 lb (49.7 kg) |
| 13'1½ x 6'6¾ x 39½" (4.00m x 2.00m x 1.00m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 1,806 GAL (6,836L) READY FOR WATER IN 45 MINUTES | 26788NP | 220-240V | 530 gal (2,006L) | - | ✓ | - | - | 1 ea 1box | 150.7 lb (68.5 kg) |
| | 26788GN | 12V | 600 gal (2,271L) | - | ✓ | - | - | 1 ea 1box | 152.0 lb (69.1 kg) |
| 13'1½ x 6'6¾ x 48" (4.00m x 2.00m x 1.22m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 2,224 GAL (8,418L) READY FOR WATER IN 45 MINUTES | 26790NP | 220-240V | 530 gal (2,006L) | - | ✓ | - | - | 1 ea 1box | 191.0 lb (86.8 kg) |
| | 26790GN | 12V | 600 gal (2,271L) | - | ✓ | - | - | 1 ea 1box | 193.6 lb (88.0 kg) |
| 16' x 8' x 42" (4.88m x 2.44m x 1.07m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 2,873 GAL (10,874L) READY FOR WATER IN 60 MINUTES | 26791EH | 110-120V (W/GFCI) | 1,000 gal (3,785L) | ✓ | - | ✓ | ✓ | 1 ea 1box | 185.0 lb (84.1 kg) |
| | 26792NP | 220-240V | 1,000 gal (3,785L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 190.7 lb (86.7 kg) |
| | 26792GN | 12V | 900 gal (3,407L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 194.5 lb (88.4 kg) |



1,000 gal (3,785 L) filter pump included in the 16' x 8' x 42" (4.88m x 2.44m x 1.07m) Prism Frame™ Premium Pool set completely filters the pool's water in under 4 hours!



English/Spanish and multi-language international packaging available

PRISM FRAME™ OVAL PREMIUM POOLS



Prism Frame™ Premium Pools:  Ages 6+

 **PUNCTURE-RESISTANT**
3-PLY MATERIAL

ENJOY A PRISTINE POOL EXPERIENCE

Completing the range of Prism Frame™ pools are our Prism Frame™ Oval pools. Premium features include quality powder coated steel frames, durable SuperTough™ 3-ply material liner and a beautiful design. These elegantly shaped pools with 48" high walls provide a great combination of size and water volume for a great backyard pool. Paired with a powerful 1500 GPH pump with Hydro Aeration™ Technology, the Prism Frame™ Oval pools are sure to provide a pristine pool experience.



LARGE PROFILE FRAME FOR ENHANCED STRENGTH



| SPECIFICATIONS | ITEM# | VOLTAGE | FILTER PUMP | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK | CASE WEIGHT |
|--|---------|-------------------|--------------------|--------|---------------|--------------|------------|-----------|---------------------|
| 16'6" x 9' x 48" (5.03m x 2.74m x 1.22m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 3,531 GAL (13,365L) READY FOR WATER IN 60 MINUTES | 26795EH | 110-120V (W/GFCI) | 1,500 gal (5,678L) | ✓ | - | ✓ | ✓ | 1 ea 1box | 236.7 lb (107.6 kg) |
| | 26796NP | 220-240V | 1,500 gal (5,678L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 246.6 lb (112.1 kg) |
| | 26796GN | 12V | 1,500 gal (5,678L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 249.7 lb (113.5 kg) |
| 20' x 10' x 48" (6.10m x 3.05m x 1.22m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 4,809 GAL (18,202L) READY FOR WATER IN 60 MINUTES | 26797EH | 110-120V (W/GFCI) | 1,500 gal (5,678L) | ✓ | - | ✓ | ✓ | 1 ea 1box | 276.3 lb (125.6 kg) |
| | 26798NP | 220-240V | 1,500 gal (5,678L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 286.9 lb (130.4 kg) |
| | 26798GN | 12V | 1,500 gal (5,678L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 289.5 lb (131.6 kg) |



1,500 gal (5,678 L) filter pump included in the 16'6" x 9' x 48" (5.03m x 2.74m x 1.22m) and 20' x 10' x 48" (6.10m x 3.05m x 1.22m) Prism Frame™ Oval Premium Pool set completely filters the pool's water in under 4 hours!



English/Spanish and multi-language international packaging available

GREYWOOD PRISM FRAME™ PREMIUM POOLS



Prism Frame™ Premium Pools:  Ages 6+



STYLISH POOL THAT MAKES A STATEMENT

Our new Greywood Prism Frame™ Pools extend INTEX's line of premium pools with an unmatched level of elegance. Our industry-leading realistic print technology provides a sophisticated woodgrain pattern that gives these premium pools a beautiful look as well as feel that will complement any backyard. The sturdy frames and the innovative new Polymer T-joints ensure durability and quick and easy assembly.

INNOVATIVE T-JOINT



PRECISION ENGINEERED

SIMPLIFIED ASSEMBLY

- No more pins to try to align and insert – simply push all the pipes into the Composite T-Joints for a snug fit

RUST PREVENTION

- Composite T-Joint creates a water-tight seal with the pipe – preventing internal rust from forming
- Composite T-Joint won't damage metal coating during pool use – preserving exterior rust protection

DURABILITY

- Composite T-Joints are engineered for high strength and infused with UV inhibitor to ensure weather resistance and long service life



LARGE PROFILE FRAME FOR ENHANCED STRENGTH



| SPECIFICATIONS | ITEM# | VOLTAGE | FILTER PUMP | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK | CASE WEIGHT |
|---|---------|-------------------|--------------------|--------|---------------|--------------|------------|-----------|---------------------|
| 15' x 48" (4.57m x 1.22m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 4,440 GAL (16,805L) READY FOR WATER IN 45 MINUTES | 26741EH | 110-120V (W/GFCI) | 1,000 gal (3,785L) | ✓ | - | ✓ | ✓ | 1 ea 1box | 153.3 lb (69.7 kg) |
| | 26742NP | 220-240V | 1,000 gal (3,785L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 160.8 lb (73.1 kg) |
| | 26742GN | 12V | 900 gal (3,407L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 163.5 lb (74.3 kg) |
| 18' x 48" (5.49m x 1.22m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 6,423 GAL (24,311L) READY FOR WATER IN 60 MINUTES | 26743EH | 110-120V (W/GFCI) | 1,500 gal (5,678L) | ✓ | - | ✓ | ✓ | 1 ea 1box | 209.4 lb (95.2 kg) |
| | 26744NP | 220-240V | 1,500 gal (5,678L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 219.3 lb (99.7 kg) |
| | 26744GN | 12V | 1,500 gal (5,678L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 221.8 lb (100.8 kg) |



1,500 gal (5,678 L) filter pump included in the 18' x 48" (5.49m x 1.22m) Greywood Prism Frame™ Premium Pool set completely filters the pool's water in under 6 hours!



English/Spanish and multi-language international packaging available

PRISM FRAME™ CLEARVIEW PREMIUM POOLS



Prism Frame™ Premium Pools: Ages 6+

PUNCTURE-RESISTANT
3-PLY MATERIAL

ENJOY A WHOLE NEW LEVEL OF FUN

Have a blast with the INTEX ClearView Prism Frame™ Premium Pool. The all-around panoramic window provides a unique underwater view whether you're inside or outside of the pool. Swimmers will enjoy fun interaction with added visibility. Additional premium features include innovative T-joints for ease of assembly, strong powder coated metal frames and durable 3-ply liner material.

INNOVATIVE T-JOINT



PRECISION ENGINEERED

- SIMPLIFIED ASSEMBLY**
- No more pins to try to align and insert – simply push all the pipes into the Composite T-Joints for a snug fit
- RUST PREVENTION**
- Composite T-Joint creates a water-tight seal with the pipe – preventing internal rust from forming
 - Composite T-Joint won't damage metal coating during pool use – preserving exterior rust protection
- DURABILITY**
- Composite T-Joints are engineered for high strength and infused with UV inhibitor to ensure weather resistance and long service life



LARGE PROFILE FRAME FOR ENHANCED STRENGTH



| SPECIFICATIONS | ITEM# | VOLTAGE | FILTER PUMP | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK | CASE WEIGHT |
|---|---------|-------------------|--------------------|--------|---------------|--------------|------------|-----------|--------------------|
| 14' x 42" (4.27m x 1.07m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 3,357 GAL (12,706L) READY FOR WATER IN 45 MINUTES | 26721EH | 110-120V (W/GFCI) | 1,000 gal (3,785L) | ✓ | - | ✓ | ✓ | 1 ea 1box | 141.2 lb (64.2 kg) |
| | 26722NP | 220-240V | 1,000 gal (3,785L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 147.4 lb (67.0 kg) |
| | 26722GN | 12V | 900 gal (3,407L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 149.6 lb (68.0 kg) |
| 16' x 48" (4.88m x 1.22m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 5,061 GAL (19,156L) READY FOR WATER IN 45 MINUTES | 26729EH | 110-120V (W/GFCI) | 1,500 gal (5,678L) | ✓ | - | ✓ | ✓ | 1 ea 1box | 187.4 lb (85.2 kg) |
| | 26730NP | 220-240V | 1,500 gal (5,678L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 195.4 lb (88.8 kg) |
| | 26730GN | 12V | 1,500 gal (5,678L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 200.9 lb (91.3 kg) |



All around panoramic window

1,500 gal (5,678 L) filter pump included in the 16' x 48" (4.88m x 1.22m) Prism Frame™ ClearView Premium Pool set completely filters the pool's water in under 5 hours!



English/Spanish and multi-language international packaging available

CHEVRON PRISM FRAME™ PREMIUM POOL



Prism Frame™ Premium Pools:  Ages 6+

 **PUNCTURE-RESISTANT**
3-PLY MATERIAL

ELEVATE YOUR POOL EXPERIENCE

Introducing the INTEX Chevron Prism Frame™ Pool, the perfect combination of style and functionality for your summertime fun. Premium Prism Frame pool features combined with its sleek and modern design, this pool will add a touch of elegance to your backyard while providing endless hours of refreshing swim time.

INNOVATIVE T-JOINT



PRECISION ENGINEERED

SIMPLIFIED ASSEMBLY


- No more pins to try to align and insert – simply push all the pipes into the Composite T-Joints for a snug fit

RUST PREVENTION

- Composite T-Joint creates a water-tight seal with the pipe – preventing internal rust from forming
- Composite T-Joint won't damage metal coating during pool use – preserving exterior rust protection




DURABILITY

- Composite T-Joints are engineered for high strength and infused with UV inhibitor to ensure weather resistance and long service life



LARGE PROFILE FRAME FOR ENHANCED STRENGTH



| SPECIFICATIONS | ITEM# | VOLTAGE | FILTER PUMP | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK | CASE WEIGHT |
|--|---|-------------------|--------------------|--------|---------------|--------------|------------|-----------|--------------------|
| 16' x 48" (4.88m x 1.22m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 5,061 gal (19,156L) READY FOR WATER IN 60 MINUTES |  26745EH | 110-120V (W/GFCI) | 1,500 gal (5,678L) | ✓ | - | ✓ | ✓ | 1 ea 1box | 175.1 lb (79.6 kg) |
| |  26746NP | 220-240V | 1,500 gal (5,678L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 185.5 lb (84.3 kg) |
| |  26746GN | 12V | 1,500 gal (5,678L) | - | ✓ | ✓ | ✓ | 1 ea 1box | 187.7 lb (85.3 kg) |



Modern and trendy blue chevron print

1,500 gal (5,678 L) filter pump included in the 16' x 48" (4.88m x 1.22m) Chevron Prism Frame™ Pool set completely filters the pool's water in under 5 hours!



English/Spanish and multi-language international packaging available

CHEVRON PRISM FRAME™ RECTANGULAR PREMIUM POOL



Prism Frame™ Premium Pools:  Ages 6+



PUNCTURE-RESISTANT
3-PLY MATERIAL




ESCAPE TO PARADISE

The INTEX Chevron Prism Frame™ Rectangular Pool is the perfect addition to your backyard oasis. Combining contemporary and elegant design with premium Prism Frame™ features, this pool is not only a refreshing retreat but also a stylish centerpiece for your outdoor space.



LARGE PROFILE FRAME FOR ENHANCED STRENGTH



| SPECIFICATIONS | ITEM# | VOLTAGE | FILTER PUMP | LADDER | SAFETY LADDER | CASE PACK | CASE WEIGHT |
|---|---|-------------------|------------------|--------|---------------|-----------|--------------------|
| 13'1½" x 6'6¾" x 39½" (4.00m x 2.00m x 1.00m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 1,806 gal (6,836L) READY FOR WATER IN 45 MINUTES |  26779EH | 110-120V (W/GFCI) | 530 gal (2,006L) | ✓ | - | 1 ea 1box | 143.0 lb (65.0 kg) |
| |  26780NP | 220-240V | 530 gal (2,006L) | - | ✓ | 1 ea 1box | 148.9 lb (67.7 kg) |
| |  26780GN | 12V | 600 gal (2,271L) | - | ✓ | 1 ea 1box | 150.7 lb (68.5 kg) |



Modern and trendy blue chevron print

530 gal (2,006 L) filter pump included in the 13'1½" x 6'6¾" x 39½" (4.00m x 2.00m x 1.00m) Chevron Prism Frame™ Rectangular Premium Pool set completely filters the pool's water in under 4 hours!



English/Spanish and multi-language international packaging available

GRAPHITE GRAY PANEL™ POOL



Prism Frame™ Premium Pools:  Ages 6+



PUNCTURE-RESISTANT
3-PLY MATERIAL

ADD A TOUCH OF ELEGANCE TO YOUR BACKYARD

Following the latest color trends in exterior decking and home siding, the Graphite Gray Panel™ Pool offers the appearance of a high-end, custom-built swimming pool at a value you may only expect from INTEX. While the panels have the look of real wood, they are made of high-density plastic, eliminating the need for weather staining or termite protection. Better yet, the Graphite Gray Panel™ Pool is easy to assemble and comes equipped with INTEX's highest-grade pool accessories, including the Krystal Clear® Sand Filter Pump.




INNOVATIVE T-JOINT




PRECISION ENGINEERED

- SIMPLIFIED ASSEMBLY**
- No more pins to try to align and insert – simply push all the pipes into the Composite T-Joints for a snug fit
- RUST PREVENTION**
- Composite T-Joint creates a water-tight seal with the pipe – preventing internal rust from forming
 - Composite T-Joint won't damage metal coating during pool use – preserving exterior rust protection
- DURABILITY**
- Composite T-Joints are engineered for high strength and infused with UV inhibitor to ensure weather resistance and long service life



| SPECIFICATIONS | ITEM# | VOLTAGE | SAND FILTER PUMP | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK | CASE WEIGHT |
|--|--|-------------------|-------------------|--------|---------------|--------------|------------|--------------|---------------------|
| 15'8" x 49" (4.78m x 1.24m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 4,440 GAL (16,805L) READY FOR WATER IN 120 MINUTES |  26383EH | 110-120V (W/GFCI) | 1,500 gal (5.7m³) | ✓ | - | ✓ | ✓ | 1 ea 3 boxes | 434.3 lb (197.4 kg) |
| |  26384NP | 220-240V | 1,500 gal (5.7m³) | - | ✓ | ✓ | ✓ | 1 ea 3 boxes | 437.1 lb (198.7 kg) |
| |  26384GS | 220-240V (W/RCD) | 1,500 gal (5.7m³) | - | ✓ | ✓ | ✓ | 1 ea 3 boxes | 440.0 lb (200.0 kg) |



Realistic wood pattern with reinforced panel support system


15'8" x 49" (4.78m x 1.24m) Graphite Gray Panel™ Pool comes with the 1,500 gal (5.7m³) per hour Sand Filter Pump, which promises to keep pool water crystal clear!



English/Spanish and multi-language international packaging available

DELUXE

Pool Series



PUNCTURE-RESISTANT
3-PLY MATERIAL

Our **Deluxe Pool Series** are uniquely designed to offer you the ultimate performance and user experience. Constructed with SuperTough™ puncture resistant 3-ply liner material and high quality galvanized steel frames, these pools are engineered for long-lasting summers of fun.

ULTRA XTR® FRAME POOLS



Ultra XTR® Frame Pools: Ages 6+

EXPERIENCE THE ULTRA DIFFERENCE

Uniquely designed frame combines high quality galvanized steel with precision engineered locking system, enhancing the overall quality, durability and stability of the pools.


- Encapsulating inner and outer powder coating ensures the ultimate resistance to rust
- Easy to assemble – frame components simply snap together with no locking pins needed
- Extra strong and durable liner
- Equipped with Krystal Clear® Sand Filter Pump with Hydro Aeration™ Technology
- 2-year warranty that guarantees a peace of mind pool ownership



T-JOINT
PRECISION ENGINEERED



EASY LOCK SYSTEM™
SNAPS TOGETHER WITH NO ADDITIONAL TOOLS



INNOVATIVE FRAME DESIGN
STURDY, DURABLE AND UNIQUE



24' x 52" (7.32m x 1.32m) Ultra XTR® Frame Pool comes with the 2,800 gal (10.5m³) per hour Sand Filter Pump, which promises to keep pool water crystal clear!




English/Spanish and multi-language international packaging available

| SPECIFICATIONS | ITEM# | VOLTAGE | SAND FILTER PUMP | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK | CASE WEIGHT |
|---|---------|-------------------|--------------------|--------|---------------|--------------|------------|-----------|---------------------|
| 16' x 48" (4.88m x 1.22m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 5,061 GAL (19,156L) READY FOR WATER IN 45 MINUTES | 26325EH | 110-120V (W/GFCI) | 1,500 gal (5.7m³) | ✓ | - | ✓ | ✓ | 1 ea 1box | 218.2 lb (99.2 kg) |
| | 26326NP | 220-240V | 1,500 gal (5.7m³) | - | ✓ | ✓ | ✓ | 1 ea 1box | 225.3 lb (102.4 kg) |
| | 26326GN | 220-240V (W/RCD) | 1,500 gal (5.7m³) | - | ✓ | ✓ | ✓ | 1 ea 1box | 226.6 lb (103.0 kg) |
| 18' x 52" (5.49m x 1.32m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 6,981 GAL (26,423L) READY FOR WATER IN 60 MINUTES | 26329EH | 110-120V (W/GFCI) | 2,100 gal (7.9m³) | ✓ | - | ✓ | ✓ | 1 ea 1box | 277.0 lb (125.9 kg) |
| | 26330NP | 220-240V | 2,100 gal (7.9m³) | - | ✓ | ✓ | ✓ | 1 ea 1box | 281.8 lb (128.1 kg) |
| | 26330GN | 220-240V (W/RCD) | 2,100 gal (7.9m³) | - | ✓ | ✓ | ✓ | 1 ea 1box | 283.8 lb (129.0 kg) |
| 20' x 48" (6.10m x 1.22m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 7,947 GAL (30,079L) READY FOR WATER IN 60 MINUTES | 26333EH | 110-120V (W/GFCI) | 2,100 gal (7.9m³) | ✓ | - | ✓ | ✓ | 1 ea 1box | 288.0 lb (130.9 kg) |
| | 26334NP | 220-240V | 2,100 gal (7.9m³) | - | ✓ | ✓ | ✓ | 1 ea 1box | 294.1 lb (133.7 kg) |
| | 26334GN | 220-240V (W/RCD) | 2,100 gal (7.9m³) | - | ✓ | ✓ | ✓ | 1 ea 1box | 296.1 lb (134.6 kg) |
| 24' x 52" (7.32m x 1.32m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 12,481 GAL (47,241L) READY FOR WATER IN 60 MINUTES | 26339EH | 110-120V (W/GFCI) | 2,800 gal (10.5m³) | ✓ | - | ✓ | ✓ | 1 ea 1box | 371.8 lb (169.0 kg) |
| | 26340NP | 220-240V | 2,800 gal (10.5m³) | - | ✓ | ✓ | ✓ | 1 ea 1box | 375.8 lb (170.8 kg) |
| | 26340GN | 220-240V (W/RCD) | 2,800 gal (10.5m³) | - | ✓ | ✓ | ✓ | 1 ea 1box | 377.3 lb (171.5 kg) |

ULTRA XTR® RECTANGULAR FRAME POOLS



Ultra XTR® Frame Pools: Ages 6+



MAXIMIZE YOUR POOL EXPERIENCE

Indulge in the ultimate swimming experience with our largest Ultra XTR® Frame pools. Classic rectangular shape, elegant dark gray liner with water-blue tile print interior and brilliant white copings will make an impressive presence in any backyard!



Some models of Ultra XTR® Rectangular pools include Sand Filter Pump & Saltwater System, which promises to keep pool water crystal clear!



English/Spanish and multi-language international packaging available

| SPECIFICATIONS | ITEM# | VOLTAGE | SAND FILTER PUMP | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK | CASE WEIGHT |
|---|---------|-------------------|-------------------|--------|---------------|--------------|------------|-----------|--------------------|
| 18' x 9' x 52" (5.49m x 2.74m x 1.32m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 4,545 GAL (17,203L) READY FOR WATER IN 60 MINUTES | 26355EH | 110-120V (W/GFCI) | 1,500 gal (5.7m³) | ✓ | - | ✓ | ✓ | 1 ea 1box | 280.1 lb(127.3 kg) |
| | 26356NP | 220-240V | 1,500 gal (5.7m³) | - | ✓ | ✓ | ✓ | 1 ea 1box | 284.7 lb(129.4 kg) |
| | 26356GN | 220-240V (W/RCD) | 1,500 gal (5.7m³) | - | ✓ | ✓ | ✓ | 1 ea 1box | 287.3 lb(130.6 kg) |

| SPECIFICATIONS | ITEM# | VOLTAGE | SAND FILTER PUMP | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK | CASE WEIGHT |
|--|---------|-------------------|-------------------|--------|---------------|--------------|------------|--------------|---------------------|
| 24' x 12' x 52" (7.32m x 3.66m x 1.32m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 8,403 GAL (31,805L) READY FOR WATER IN 60 MINUTES | 26363EH | 110-120V (W/GFCI) | 2,100 gal (7.9m³) | ✓ | - | ✓ | ✓ | 1 ea 2 boxes | 400.6 lb (182.1 kg) |
| | 26364NP | 220-240V | 2,100 gal (7.9m³) | - | ✓ | ✓ | ✓ | 1 ea 2 boxes | 405.7 lb (184.4 kg) |
| | 26364GN | 220-240V (W/RCD) | 2,100 gal (7.9m³) | - | ✓ | ✓ | ✓ | 1 ea 2 boxes | 407.4 lb (185.2 kg) |

| SPECIFICATIONS | ITEM# | VOLTAGE | SAND FILTER PUMP & SALTWATER SYSTEM | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | DELUXE POOL MAINTENANCE KIT | VOLLEYBALL SET | CASE PACK | CASE WEIGHT |
|--|---------|-------------------|-------------------------------------|--------|---------------|--------------|------------|-----------------------------|----------------|--------------|---------------------|
| 24' x 12' x 52" (7.32m x 3.66m x 1.32m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 8,403 GAL (31,805L) READY FOR WATER IN 60 MINUTES | 26367EH | 110-120V (W/GFCI) | 2,100 gal (7.9m³) | ✓ | - | ✓ | ✓ | ✓ | ✓ | 1 ea 2 boxes | 436.0 lb (198.2 kg) |
| | 26368NP | 220-240V | 2,100 gal (7.9m³) | - | ✓ | ✓ | ✓ | ✓ | ✓ | 1 ea 2 boxes | 441.5 lb (200.7 kg) |

| SPECIFICATIONS | ITEM# | VOLTAGE | SAND FILTER PUMP | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK | CASE WEIGHT |
|---|---------|-------------------|--------------------|--------|---------------|--------------|------------|--------------|---------------------|
| 32' x 16' x 52" (9.75m x 4.88m x 1.32m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 14,364 GAL (54,368L) READY FOR WATER IN 90 MINUTES | 26373EH | 110-120V (W/GFCI) | 2,800 gal (10.5m³) | ✓ | - | ✓ | ✓ | 1 ea 2 boxes | 548.2 lb (249.2 kg) |
| | 26374NP | 220-240V | 2,800 gal (10.5m³) | - | ✓ | ✓ | ✓ | 1 ea 2 boxes | 568.3 lb (258.3 kg) |
| | 26374GN | 220-240V (W/RCD) | 2,800 gal (10.5m³) | - | ✓ | ✓ | ✓ | 1 ea 2 boxes | 569.6 lb (258.9 kg) |

| SPECIFICATIONS | ITEM# | VOLTAGE | SAND FILTER PUMP & SALTWATER SYSTEM | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | DELUXE POOL MAINTENANCE KIT | VOLLEYBALL SET | CASE PACK | CASE WEIGHT |
|---|---------|-------------------|-------------------------------------|--------|---------------|--------------|------------|-----------------------------|----------------|--------------|---------------------|
| 32' x 16' x 52" (9.75m x 4.88m x 1.32m) APPROXIMATE SET-UP SIZE WATER CAPACITY (90%): 14,364 GAL (54,368L) READY FOR WATER IN 90 MINUTES | 26377EH | 110-120V (W/GFCI) | 2,650 gal (10.0m³) | ✓ | - | ✓ | ✓ | ✓ | ✓ | 1 ea 2 boxes | 588.5 lb (267.5 kg) |
| | 26378NP | 220-240V | 2,650 gal (10.0m³) | - | ✓ | ✓ | ✓ | ✓ | ✓ | 1 ea 2 boxes | 615.1 lb (279.6 kg) |

KRYSTAL CLEAR® FILTRATION & SANITATION SYSTEMS

INNOVATION IN POOL MAINTENANCE

Swimming pool maintenance plays an integral part in your overall pool owning experience. INTEX understands that the process of keeping your pool water clean can be overwhelming. That is why we have designed and engineered our line of Krystal Clear® Filtration and Sanitation systems to take the leg work out of keeping your pool sparkling clean.

COMBINATION FILTRATION & SANITATION SYSTEMS

SAND FILTER PUMP & SALTWATER SYSTEMS WITH E.C.O. (ELECTROCATALYTIC OXIDATION)

Combines sand filter pump with saltwater system



2 models (Details on page 53)



POOL FILTRATION SYSTEMS

CARTRIDGE FILTER PUMPS

Advantages:

- Cartridges provide excellent water filtration
- Easy to use: simply replace the old cartridge with a new one every 2 weeks
- INTEX high quality replacement cartridges are widely available
- 24-hour auto timer on some models



5 models (Details on page 46-47)



SAND FILTER PUMPS

Advantages:

- All natural sand provides excellent water filtration
- Economical & environmentally friendly
- Requires virtually no maintenance except replacement of sand every 5 years
- 24-hour auto timer included



5 models (Details on page 48-49)



POOL SANITATION SYSTEMS

SALTWATER SYSTEM

Advantages:

- Eliminates bacteria & algae from pool water using a virtually undetectable amount of all natural salt
- Much gentler on skin, eyes, clothes, and hair than packaged chlorine
- Salt is economical & much more environmentally friendly than packaged chlorine
- 24-hour auto timer included



4 models (Details on page 50-51)

SALTWATER SYSTEM WITH OZONE

Advantages:

- Ozone is the most powerful sanitizing method for pool water
- The only 100% natural and biodegradable pool sanitizing agent
- Odorless
- Saltwater system provides residual cleaning action and soft, smooth water for swimmers
- 24-hour auto timer included



1 model (Details on page 51)



POOL FILTRATION SYSTEMS



MODEL C2500

KRYPSTAL CLEAR® CARTRIDGE FILTER PUMPS



Efficient filtration is essential for a quality swim experience, and at INTEX we settle for nothing less than pristine pool water. INTEX's line of pumps and cartridges guarantee a cleaner pool with:

- Powerful pumps in several of our most popular pool sets
 - Filter cartridges with thicker, heavier paper and more pleats
 - Water inlet jets for enhanced water flow back into the pool
 - 2-year warranty
- The results will be faster water circulation, improved filtration, and best of all a superior swim experience!
- Easy installation – just hook-up hoses and plug in
 - Double insulated pump
 - Air release valve for air trapped inside filter chamber
 - Sediment flush valve at bottom of filter chamber (28635/28636/28633/28634)
 - Auto timer for easier use (28601EG/28603EG/28637EG/28635/28636/28633/28634)
 - Conforms to UL/CSA standards (110-120V models)
 - CE approved (220-240V models)
 - BV or TUV GS approved (GS designation models)
 - Shelf box



Model C2500 built-in Filter Cartridge Indicator lets you know if it is time to clean or change the filter cartridge



DOE compliant timer for 110V w/GFCI models only

| ITEM# | MODEL | VOLTAGE | EASY SET® POOL MODELS | FRAME™ POOL MODELS | PRISM FRAME™ RECTANGULAR POOL MODELS | PRISM FRAME™ OVAL POOL MODELS | PUMP FLOW RATE GAL (L)/HR | SYSTEM FLOW RATE GAL (L)/HR | CASE PACK | CASE WEIGHT |
|---------|-------|-------------------|-------------------------------|-------------------------------|--------------------------------------|-------------------------------|---------------------------|-----------------------------|-----------|-------------------|
| 28601 | C330 | 110-120V | 6'8'10' (1.83m/2.44m/3.05m) | 10' (3.05m) | - | - | 330 gal (1,250L) | 300 gal (1,136L) | 4 ea | 22.5 lb (10.2 kg) |
| 28601EG | C330 | 110-120V (W/GFCI) | 6'8'10' (1.83m/2.44m/3.05m) | 10' (3.05m) | - | - | 330 gal (1,250L) | 300 gal (1,136L) | 4 ea | 24.3 lb (11.0 kg) |
| 28602 | C330 | 220-240V | 6'8'10' (1.83m/2.44m/3.05m) | 10' (3.05m) | - | - | 330 gal (1,250L) | 265 gal (1,003L) | 4 ea | 23.1 lb (10.5 kg) |
| 28602GS | C330 | 12V | 6'8'10' (1.83m/2.44m/3.05m) | 10' (3.05m) | - | - | 330 gal (1,250L) | 300 gal (1,136L) | 4 ea | 28.6 lb (13.0 kg) |
| 28603 | C530 | 110-120V | 12'13'15' (3.66m/3.96m/4.57m) | 12' (3.66m) | 9'10"13'1½" (3.00m/4.00m) | - | 530 gal (2,006L) | 475 gal (1,798L) | 4 ea | 28.4 lb (12.9 kg) |
| 28603EG | C530 | 110-120V (W/GFCI) | 12'13'15' (3.66m/3.96m/4.57m) | 12' (3.66m) | 9'10"13'1½" (3.00m/4.00m) | - | 530 gal (2,006L) | 475 gal (1,798L) | 4 ea | 30.5 lb (13.9 kg) |
| 28604 | C530 | 220-240V | 12'13'15' (3.66m/3.96m/4.57m) | 12' (3.66m) | 9'10"13'1½" (3.00m/4.00m) | - | 530 gal (2,006L) | 450 gal (1,703L) | 4 ea | 31.1 lb (14.1 kg) |
| 28604GS | C600 | 12V | 12'13'15' (3.66m/3.96m/4.57m) | 12' (3.66m) | 9'10"13'1½" (3.00m/4.00m) | - | 600 gal (2,271L) | 500 gal (1,893L) | 4 ea | 40.2 lb (18.3 kg) |
| 28637EG | C1000 | 110-120V (W/GFCI) | 15' (4.57m) | 14'15' (4.27m/4.57m) | 16' x 8' (4.88m x 2.44m) | - | 1,000 gal (3,785L) | 750 gal (2,839L) | 4 ea | 34.2 lb (15.6 kg) |
| 28638 | C1000 | 220-240V | 15' (4.57m) | 14'15' (4.27m/4.57m) | 16' x 8' (4.88m x 2.44m) | - | 1,000 gal (3,785L) | 710 gal (2,687L) | 4 ea | 36.0 lb (16.4 kg) |
| 28638GS | C900 | 12V | 15' (4.57m) | 14'15' (4.27m/4.57m) | 16' x 8' (4.88m x 2.44m) | - | 900 gal (3,407L) | 700 gal (2,650L) | 4 ea | 50.8 lb (23.1 kg) |
| 28635EG | C1500 | 110-120V (W/GFCI) | 18' (5.49m) | 16'18'20' (4.88m/5.49m/6.10m) | - | 16½'20' (5.03m/6.10m) | 1,500 gal (5,678L) | 1,180 gal (4,466L) | 1 ea | 16.4 lb (7.5 kg) |
| 28636 | C1500 | 220-240V | 18' (5.49m) | 16'18'20' (4.88m/5.49m/6.10m) | - | 16½'20' (5.03m/6.10m) | 1,500 gal (5,678L) | 1,150 gal (4,353L) | 1 ea | 17.5 lb (7.9 kg) |
| 28636GS | C1500 | 12V | 18' (5.49m) | 16'18'20' (4.88m/5.49m/6.10m) | - | 16½'20' (5.03m/6.10m) | 1,500 gal (5,678L) | 1,100 gal (4,164L) | 1 ea | 23.7 lb (10.8 kg) |
| 28633EG | C2500 | 110-120V (W/GFCI) | - | - | - | - | 2,500 gal (9,463L) | 1,900 gal (7,192L) | 1 ea | 24.3 lb (11.1 kg) |
| 28634 | C2500 | 220-240V | - | - | - | - | 2,500 gal (9,463L) | 1,900 gal (7,192L) | 1 ea | 25.3 lb (11.5 kg) |
| 28634GS | C2500 | 220-240V (W/RCD) | - | - | - | - | 2,500 gal (9,463L) | 1,750 gal (6,624L) | 1 ea | 27.6 lb (12.5 kg) |



MODEL C330



MODEL C530



MODEL C1000



MODEL C1500

POOL FILTRATION SYSTEMS



MODEL SX3200

KRystal CLEAR® SAND FILTER PUMPS

Sand Filters are one of the most popular ways to keep pool water clean. Not only is it effective, it saves on cost and time since the sand needs replacement just once every five years – making the sand filter system one of the easiest to maintain.



| FEATURES | BENEFITS |
|---|---|
| 4-function for 26641/26642 6-function control | Enables pool owner to filter, backwash, rinse, recirculate, drain, & close system |
| 24-hour automatic timer | Automatic daily setting |
| 0.75 horse power pump 0.60 horse power pump 0.30 horse power pump 0.18 horse power pump 0.12 horse power pump | Ideal for above ground pool |
| GFCI unit (110-120V version) | Safety shut-off; meets UL standard |
| Strainer basket | Easy-cleaning, prolongs life of sand |



MODEL SX925 MODEL SX1500 MODEL SX2100 MODEL SX2800

| ITEM# | MODEL | VOLTAGE | RECTANGULAR FRAME™ POOL MODELS | EASY SET® POOL MODELS | METAL FRAME™ POOL MODELS | PRISM FRAME™ POOL MODELS | PRISM FRAME™ RECTANGULAR POOL MODELS | PUMP FLOW RATE GAL (L)/HR | SYSTEM FLOW RATE GAL (L)/HR | CASE PACK | CASE WEIGHT |
|---------|-------|-------------------|---|---|--|--|---|---------------------------|-----------------------------|-----------|---------------------|
| 26641EG | SX925 | 110-120V (W/GFCI) | 7'2½"/8'6½"/9'10"/14'9¼" (2.20m/2.60m/3.00m/4.50m) | 6'8"/10'/12'/13'/15' (1.83m/2.44m/3.05m/3.66m/3.96m/4.57m) | 8'10'/12'/15' (2.44m/3.05m/3.66m/4.57m) | 10'/12'/14'/15' (3.05m/3.66m/4.27m/4.57m) | 9'10"/13'1½"/16' (3.00m/4.00m/4.88m) | 925 gal (3.5m³) | 550 gal (2.0m³) | 1 ea | 18.2 lb (8.3 kg) |
| 26642 | SX925 | 220-240V | 7'2½"/8'6½"/9'10"/14'9¼" (2.20m/2.60m/3.00m/4.50m) | 6'8"/10'/12'/13'/15' (1.83m/2.44m/3.05m/3.66m/3.96m/4.57m) | 8'10'/12'/15' (2.44m/3.05m/3.66m/4.57m) | 10'/12'/14'/15' (3.05m/3.66m/4.27m/4.57m) | 9'10"/13'1½"/16' (3.00m/4.00m/4.88m) | 925 gal (3.5m³) | 550 gal (2.0m³) | 1 ea | 18.1 lb (8.2 kg) |
| 26642GS | SX925 | 220-240V (W/RCD) | 7'2½"/8'6½"/9'10"/14'9¼" (2.20m/2.60m/3.00m/4.50m) | 6'8"/10'/12'/13'/15' (1.83m/2.44m/3.05m/3.66m/3.96m/4.57m) | 8'10'/12'/15' (2.44m/3.05m/3.66m/4.57m) | 10'/12'/14'/15' (3.05m/3.66m/4.27m/4.57m) | 9'10"/13'1½"/16' (3.00m/4.00m/4.88m) | 925 gal (3.5m³) | 500 gal (1.9m³) | 1 ea | 19.4 lb (8.8 kg) |

HYDRO AERATION TECHNOLOGY™ *TANK SIZE: 8" (203mm) HP: 0.12 GLASS CAPACITY: 11.0 lb(5.0 kg) SAND CAPACITY: 14.3 lb(6.5 kg) FIBER BALL CAPACITY: 0.44 lb(200 g)

| ITEM# | MODEL | VOLTAGE | ULTRA XTR® FRAME POOL MODELS | ULTRA XTR® RECTANGULAR FRAME POOL MODELS | GRAPHITE GRAY PANEL™ POOL MODELS | TANK SIZE | HP | GLASS CAPACITY LB (KG) | SAND CAPACITY LB (KG) | FIBER BALL CAPACITY LB (G) | PUMP FLOW RATE GAL (m³)/HR | SYSTEM FLOW RATE GAL (m³)/HR | CASE PACK | CASE WEIGHT |
|---------|--------|-------------------|------------------------------|--|----------------------------------|-------------|------|------------------------|-----------------------|----------------------------|----------------------------|------------------------------|-----------|-------------------|
| 26643EG | SX1500 | 110-120V (W/GFCI) | 16' (4.88m) | 18' x 9' (5.49m x 2.74m) | 15'8" (4.78m) | 10" (254mm) | 0.18 | 18.5 lb (8.5 kg) | 26 lb (12 kg) | 0.77 lb (350 g) | 1,500 gal (5.7m³) | 1,050 gal (4.0m³) | 1 ea | 26.4 lb (12.0 kg) |
| 26644 | SX1500 | 220-240V | 16' (4.88m) | 18' x 9' (5.49m x 2.74m) | 15'8" (4.78m) | 10" (254mm) | 0.18 | 18.5 lb (8.5 kg) | 26 lb (12 kg) | 0.77 lb (350 g) | 1,500 gal (5.7m³) | 1,050 gal (4.0m³) | 1 ea | 27.6 lb (12.5 kg) |
| 26644GS | SX1500 | 220-240V (W/RCD) | 16' (4.88m) | 18' x 9' (5.49m x 2.74m) | 15'8" (4.78m) | 10" (254mm) | 0.18 | 18.5 lb (8.5 kg) | 26 lb (12 kg) | 0.77 lb (350 g) | 1,500 gal (5.7m³) | 970 gal (3.7m³) | 1 ea | 30.1 lb (13.7 kg) |
| 26645EG | SX2100 | 110-120V (W/GFCI) | 18'/20' (5.49m/6.10m) | 24' x 12' (7.32m x 3.66m) | - | 12" (305mm) | 0.30 | 35 lb (16 kg) | 50 lb (23 kg) | 1.43 lb (650 g) | 2,100 gal (7.9m³) | 1,600 gal (6.0m³) | 1 ea | 38.4 lb (17.5 kg) |
| 26646 | SX2100 | 220-240V | 18'/20' (5.49m/6.10m) | 24' x 12' (7.32m x 3.66m) | - | 12" (305mm) | 0.30 | 35 lb (16 kg) | 50 lb (23 kg) | 1.43 lb (650 g) | 2,100 gal (7.9m³) | 1,600 gal (6.0m³) | 1 ea | 39.3 lb (17.9 kg) |
| 26646GS | SX2100 | 220-240V (W/RCD) | 18'/20' (5.49m/6.10m) | 24' x 12' (7.32m x 3.66m) | - | 12" (305mm) | 0.30 | 35 lb (16 kg) | 50 lb (23 kg) | 1.43 lb (650 g) | 2,100 gal (7.9m³) | 1,250 gal (4.7m³) | 1 ea | 40.9 lb (18.6 kg) |
| 26647EG | SX2800 | 110-120V (W/GFCI) | 24' (7.32m) | 32' x 16' (9.75m x 4.88m) | - | 14" (360mm) | 0.60 | 55 lb (25 kg) | 77 lb (35 kg) | 2.2 lb (1000 g) | 2,800 gal (10.5m³) | 2,150 gal (8.0m³) | 1 ea | 45.8 lb (20.8 kg) |
| 26648 | SX2800 | 220-240V | 24' (7.32m) | 32' x 16' (9.75m x 4.88m) | - | 14" (360mm) | 0.60 | 55 lb (25 kg) | 77 lb (35 kg) | 2.2 lb (1000 g) | 2,800 gal (10.5m³) | 2,150 gal (8.0m³) | 1 ea | 46.8 lb (21.3 kg) |
| 26648GS | SX2800 | 220-240V (W/RCD) | 24' (7.32m) | 32' x 16' (9.75m x 4.88m) | - | 14" (360mm) | 0.60 | 55 lb (25 kg) | 77 lb (35 kg) | 2.2 lb (1000 g) | 2,800 gal (10.5m³) | 1,900 gal (7.2m³) | 1 ea | 48.4 lb (22.0 kg) |
| 26651EG | SX3000 | 110-120V (W/GFCI) | - | - | - | 16" (410mm) | 0.75 | 85 lb (38 kg) | 120 lb (55 kg) | 3.3 lb (1500 g) | 3,000 gal (11.3m³) | 2,450 gal (9.2m³) | 1 ea | 50.7 lb (23.1 kg) |
| 26652 | SX3200 | 220-240V | - | - | - | 16" (410mm) | 0.75 | 85 lb (38 kg) | 120 lb (55 kg) | 3.3 lb (1500 g) | 3,200 gal (12.0m³) | 2,450 gal (9.2m³) | 1 ea | 52.8 lb (24.0 kg) |
| 26652GS | SX3200 | 220-240V (W/RCD) | - | - | - | 16" (410mm) | 0.75 | 85 lb (38 kg) | 120 lb (55 kg) | 3.3 lb (1500 g) | 3,200 gal (12.0m³) | 2,200 gal (8.3m³) | 1 ea | 54.8 lb (24.9 kg) |

POOL SANITATION SYSTEMS



MODEL QS 200

MODEL QS 400

THE LOW MAINTENANCE POOL WATER SANITATION

INTEX understands that the process of keeping your pool water clean can be overwhelming, that is why we have designed and engineered our line of Krystal Clear Saltwater Systems to keep your pool fresh and sparkling clean with minimal maintenance.

KRYPSTAL CLEAR SALTWATER SYSTEM™

MAX POOL SIZE: 2,200 GAL (8,327L)

#26661EG

Krystal Clear Saltwater System™ QS200

- Small and sleek design
- Control panel with display and easy access buttons
- Suitable for small rectangular or round pools up to 12' (3.66m)
- 1 self-clean mode available, 10 hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 300-1,000 gal/h (1,136-3,785L/h)
- Chlorine output: 2 g/hr
- 24 hr. auto-clock cycle
- Shelf box
2 ea, 14.3 lb (6.5 kg)

#26662

Krystal Clear Saltwater System™ QS200

- Same as 26661 except 100-240V
- Shelf box 2 ea, 12.9 lb (5.9 kg)

#26662GS

Krystal Clear Saltwater System™ QS200

- Same as 26662 except 12V
- Shelf box 2 ea, 13.8 lb (6.3 kg)

MAX POOL SIZE: 4,500 GAL (17,413L)

#26663EG

Krystal Clear Saltwater System™ QS400

- Small and sleek design
- Control panel with display and easy access buttons
- Suitable for smaller size pools
- 3 self-clean modes available, 6/10/14-hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 300-1,000 gal/h (1,136-3,785L/h)
- Chlorine output: 4 g/hr
- 24 hr. auto-clock cycle
- Shelf box
2 ea, 17.9 lb (8.2 kg)

#26664

Krystal Clear Saltwater System™ QS400

- Same as 26663 except 100-240V
- Shelf box 2 ea, 16.6 lb (7.5 kg)

#26664GS

Krystal Clear Saltwater System™ QS400

- Same as 26664 except 12V
- Shelf box 2 ea, 21.6 lb (9.8 kg)

KRYPSTAL CLEAR SALTWATER SYSTEMS™ WITH E.C.O. (ELECTROCATALYTIC OXIDATION)



#26667
#26668

MODEL QS 500

MAX POOL SIZE: 7,000 GAL (26,500L)

#26667EG

Krystal Clear Saltwater System™ QS500

- Sleek and compact casing
- Control panel with display and easy access buttons
- Added power button for convenience
- 3 self-clean modes available, 6/10/14-hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 700-3,200 gal/h (2,650-12,112L/h)
- Chlorine output: 5 g/hr
- 24 hr. auto-clock cycle
- Shelf box
2 ea, 40.3 lb (18.3 kg)

#26668

Krystal Clear Saltwater System™ QS500

- Same as 26667 except 220-240V
- Shelf box
2 ea, 39.6 lb (18.0 kg)

#26668GS

Krystal Clear Saltwater System™ QS500

- Same as 26668 except 12V
- Shelf box
1 ea, 23.1 lb (10.5 kg)



#26669
#26670

MODEL QS 1200

MAX POOL SIZE: 15,000 GAL (56,800L)

#26669EG

Krystal Clear Saltwater System™ QS1200

- Sleek and compact casing
- Control panel with display and easy access buttons
- Added power button for convenience
- 3 self-clean modes available, 6/10/14-hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 700-3,200 gal/h (2,650-12,112L/h)
- Chlorine output: 12 g/hr
- 24 hr. auto-clock cycle
- Shelf box
2 ea, 46.2 lb (21.0 kg)

#26670

Krystal Clear Saltwater System™ QS1200

- Same as 26669 except 220-240V
- Shelf box
2 ea, 46.4 lb (21.1 kg)

#26670GS

Krystal Clear Saltwater System™ QS1200

- Same as 26670 except 12V
- Shelf box
1 ea, 26.4 lb (12.0 kg)

KRYPSTAL CLEAR® OZONE AND SALTWATER SYSTEM

Professionals Know That The Ultimate Pool Sanitation Method Is Ozone.

Only Ozone provides virtually complete, instantaneous, odorless, all-natural sanitation of pool water. Ozone eliminates bacteria over 3,000 times faster than chlorine. And because it has up to 100 times the oxidizing power of chlorine, it cleans pool water without the chemical smell that swimmers often associate with chlorine.

INTEX has brought this powerful technology together with the benefits of our saltwater system to provide your customers with the very best in above ground pool sanitation. By combining the incredible sanitizing strength of ozone with the great swimming comfort that saltwater systems provide, your customers can enjoy a truly wonderful pool ownership and great swimming experience for years.

A totally effective, odorless, effortless, all natural solution to maintaining crystal clear, soft, clean pool water... from INTEX!

MAX POOL SIZE: 15,000 GAL (56,800L)

#26665EG

Krystal Clear Saltwater System™ QZ1100

- Control panel with display and easy access buttons
- Added power button for convenience
- 3 self-clean modes available, 6/10/14-hr cycles
- Redesigned water pipe for added efficiency
- 110-120V with GFCI
- Filtration pump flow rate required: 1,600-4,000 gal/h (6,056-15,140L/h)
- Chlorine output: 11 g/hr
- Ozone output: 150 mg/hr
- 24 hr. auto-clock cycle
- Shelf box
2 ea, 50.3 lb (22.9 kg)

#26666

Krystal Clear Saltwater System™ QZ1100

- Same as 26665 except 220-240V
- Shelf box
2 ea, 49.3 lb (22.4 kg)



#26665
#26666

MODEL QZ 1100

COMBINATION FILTRATION & SANITATION SYSTEMS

KRYSTAL CLEAR® POOLWATER SYSTEM

Sand Filters are one of the most desirable methods to keep pool water clear and sparkling. Not only does the all-natural, inexpensive sand do an excellent job of filtering the water, it needs replacement only once every five years, making sand filter the easiest maintenance filtration option on the market.

Saltwater systems with E.C.O. (electrocatalytic oxidation) are known for their ability to keep pool water clean and safe, while eliminating the harshness of traditional packaged chlorine. INTEX has combined these two excellent systems into one product, providing above ground pool owners with ONE low cost, low maintenance system that will keep pools clean, safe, and comfortable for swimmers. Both systems are controlled automatically with one 24-hour timer to make daily operation carefree!



KRYSTAL CLEAR® SAND FILTER PUMP & SALTWATER SYSTEMS WITH E.C.O. (ELECTROCATALYTIC OXIDATION)

MAX POOL SIZE: 8,500 GAL (32,200L)

#26675EG
Krystal Clear® Sand Filter Pump & Saltwater System QX2100

- 110-120V with GFCI
- 14" (360mm) tank diameter
- 0.3 hp motor
- Pump flow rate 2,100 gph (7.9m³/hr)
- System flow rate 1,600 gph (6.0m³/hr)
- 77 lb (35 kg) sand capacity or 55 lb (25 kg) glass filtration media capacity or 2.2 lb (1 kg) fiber ball capacity
- Chlorine output: 7 g/hr
- 2 pieces of 1½" (38mm) hoses
- 2-year warranty
- Shelf box
- 1 ea, 53.2 lb (24.2 kg)

#26676
Krystal Clear® Sand Filter Pump & Saltwater System QX2100

- Same as 26675 except 220-230V
- Shelf box
- 1 ea, 54.3 lb (24.7 kg)

| ITEM# | Ultra XTR® Rectangular Frame Pool Model |
|---------|---|
| 26675EG | 24' x 12' (7.32m x 3.66m) |
| 26676 | 24' x 12' (7.32m x 3.66m) |



MAX POOL SIZE: 15,000 GAL (56,800L)

#26679EG
Krystal Clear® Sand Filter Pump & Saltwater System QX2600

- 110-120V with GFCI
- 16" (410mm) tank diameter
- 0.6 hp motor
- Pump flow rate 2,650 gph (10.0m³/hr)
- System flow rate 2,150 gph (8.0m³/hr)
- 120 lb (55 kg) sand capacity or 85 lb (38 kg) glass filtration media capacity or 3.3 lb (1.5 kg) fiber ball capacity
- Chlorine output: 11 g/hr
- 2 pieces of 1½" (38mm) hoses
- 2-year warranty
- Shelf box
- 1 ea, 63.2 lb (28.7 kg)






#26680
Krystal Clear® Sand Filter Pump & Saltwater System QX2600

- Same as 26679 except 220-230V
- Shelf box
- 1 ea, 64.4 lb (29.3 kg)

| ITEM# | Ultra XTR® Rectangular Frame Pool Model |
|---------|---|
| 26679EG | 32' x 16' (9.75m x 4.88m) |
| 26680 | 32' x 16' (9.75m x 4.88m) |



POOL FILTRATION SYSTEMS

| ITEM# | #28601 | #28601EG | #28602 | #28602GS | #28603 | #28603EG | #28604 | #28604GS | #28637EG | #28638 | #28638GS | #28635EG | #28636 | #28636GS | #28633EG | #28634 | #28634GS | |
|----------------------------|---|-------------------|-------------------|-------------------|--|-------------------|-------------------|-------------------|--|-------------------|-------------------|--------------------|--|--------------------|--------------------|---|--------------------|--|
| PRODUCT |  | | | |  | | | |  | | | |  | | |  | | |
| MODEL | C330 | | | | C530 / C600 | | | | C900 / C1000 | | | | C1500 | | | C2500 | | |
| COMPATIBLE POOLS | Easy Set® Pool 6'8"/10' (1.83m/2.44m/3.05m) Frame Pool 10' (3.05m) | | | | Easy Set® Pool 12'/13'/15' (3.66m/3.96m/4.57m) Frame Pool 12' (3.66m) Prism Frame™ Rectangular Pool 9'10"/13'1½" (3.00m/4.00m) | | | | Easy Set® Pool 15' (4.57m) Frame Pool 14'/15' (4.27m/4.57m) Prism Frame™ Rectangular Pool 16' x 8' (4.88m x 2.44m) | | | | Easy Set® Pool 18'(5.49m) Frame Pool 18'/20' (5.49m/6.10m) Prism Frame™ Oval Pool 16½'/20' (5.03m/6.10m) | | | - | | |
| PUMP FLOW RATE GAL(L)/HR | 330gal (1,250L) | | | | 530 gal (2,006L) / 600 gal (2,271L) | | | | 900 gal (3,407L) / 1,000 gal (3,785L) | | | | 1,500 gal (5,678L) | | | 2,500 gal (9,463L) | | |
| SYSTEM FLOW RATE GAL(L)/HR | 300 gal (1,136L) | 300 gal (1,136L) | 265 gal (1,003L) | 300 gal (1,136L) | 475 gal (1,798L) | 475 gal (1,798L) | 450 gal (1,703L) | 500 gal (1,893L) | 750 gal (2,839L) | 710 gal (2,687L) | 700 gal (2,650L) | 1,180 gal (4,466L) | 1,150 gal (4,353L) | 1,100 gal (4,164L) | 1,900 gal (7,192L) | 1,900 gal (7,192L) | 1,750 gal (6,624L) | |
| VOLTAGE | 110-120V | 110-120V (W/GFCI) | 220-240V | 12V | 110-120V | 110-120V (W/GFCI) | 220-240V | 12V | 110-120V (W/GFCI) | 220-240V | 12V | 110-120V (W/GFCI) | 220-240V | 12V | 110-120V (W/GFCI) | 220-240V | 220-240V (W/RCD) | |
| CASE WEIGHT LB (KG) | 22.5 lb (10.2 kg) | 24.3 lb (11.0 kg) | 23.1 lb (10.5 kg) | 28.6 lb (13.0 kg) | 28.4 lb (12.9 kg) | 30.5 lb (13.9 kg) | 31.1 lb (14.1 kg) | 40.2 lb (18.3 kg) | 34.2 lb (15.6 kg) | 36.0 lb (16.4 kg) | 50.8 lb (23.1 kg) | 16.4 lb (7.5 kg) | 17.5 lb (7.9 kg) | 23.7 lb (10.8 kg) | 24.3 lb (11.1 kg) | 25.3 lb (11.5 kg) | 27.6 lb (12.5 kg) | |
| CASE PACK | 4 ea | | | | 4 ea | | | | 4 ea | | | | 1 ea | | | 1 ea | | |

POOL FILTRATION SYSTEMS

| ITEM# | #26641EG | #26642 | #26642GS | #26643EG | #26644 | #26644GS | #26645EG | #26646 | #26646GS | #26647EG | #26648 | #26648GS | #26651EG | #26652 | #26652GS |
|----------------------------|--|------------------|------------------|---|-------------------|-------------------|--|-------------------|-------------------|--|-------------------|-------------------|---|-------------------|-------------------|
| PRODUCT |  | | |  | | |  | | |  | | |  | | |
| MODEL | SX925 | | | SX1500 | | | SX2100 | | | SX2800 | | | SX3000 / SX3200 | | |
| COMPATIBLE POOLS | Rectangular Frame™ Pool 7'2½"/8'6½"/9'10"/14'9¼" (2.20m/2.60m/3.00m/4.50m) Easy Set® Pool 6'8"/10'/12'/13'/15' (1.83m/2.44m/3.05m/3.66m/ 3.96m/4.57m) Metal Frame™ Pool 8'10'/12'/15' (2.44m/3.05m/3.66m/4.57m) Prism Frame™ Pool 10'/12'/14'/15' (3.05m/3.66m/4.27m/4.57m) Prism Frame™ Rectangular Pool 9'10"/13'1½"/16' (3.00m/4.00m/4.88m) | | | Easy Set® Pool 18' (5.49m) Prism Frame™ Pool 18'/20' (5.49m/6.10m) Graphite Gray Panel™ Pool 15'8" (4.78m) Ultra XTR® Frame Pool 16' (4.88m) Ultra XTR® Rectangular Frame Pool 18' x 9" (5.49m x 2.74m) | | | Ultra XTR® Frame Pool 18'/20' (5.49m/6.10m) Ultra XTR® Rectangular Frame Pool 24' x 12' (7.32m x 3.66m) | | | Ultra XTR® Frame Pool 24' (7.32m) Ultra XTR® Rectangular Frame Pool 32' x 16' (9.75m x 4.88m) | | | - | | |
| TANK SIZE | 8" | | | 10" | | | 12" | | | 14" | | | 16" | | |
| PUMP FLOW RATE GAL(L)/HR | 925 gal (3.5m³) | | | 1,500 gal (5.7m³) | | | 2,100 gal (7.9m³) | | | 2,800 gal (10.5m³) | | | 3,000 gal (11.3m³) / 3,200 gal (12.0m³) | | |
| SYSTEM FLOW RATE GAL(L)/HR | 550 gal (2.0m³) | 550 gal (2.0m³) | 500 gal (1.9m³) | 1,050 gal (4.0m³) | 1,050 gal (4.0m³) | 970 gal (3.7m³) | 1,600 gal (6.0m³) | 1,600 gal (6.0m³) | 1,250 gal (4.7m³) | 2,150 gal (8.0m³) | 2,150 gal (8.0m³) | 1,900 gal (7.2m³) | 2,450 gal (9.2m³) | 2,450 gal (9.2m³) | 2,200 gal (8.3m³) |
| VOLTAGE | 110-120V (W/GFCI) | 220-240V | 220-240V (W/RCD) | 110-120V (W/GFCI) | 220-240V | 220-240V (W/RCD) | 110-120V (W/GFCI) | 220-240V | 220-240V (W/RCD) | 110-120V (W/GFCI) | 220-240V | 220-240V (W/RCD) | 110-120V (W/GFCI) | 220-240V | 220-240V (W/RCD) |
| CASE WEIGHT LB (KG) | 18.2 lb (8.3 kg) | 18.1 lb (8.2 kg) | 19.4 lb (8.8 kg) | 26.4 lb (12.0 kg) | 27.6 lb (12.5 kg) | 30.1 lb (13.7 kg) | 38.4 lb (17.5 kg) | 39.3 lb (17.9 kg) | 40.9 lb (18.6 kg) | 45.8 lb (20.8 kg) | 46.8 lb (21.3 kg) | 48.4 lb (22.0 kg) | 50.7 lb (23.1 kg) | 52.8 lb (24.0 kg) | 54.8 lb (24.9 kg) |
| CASE PACK | 1 ea | | | 1 ea | | | 1 ea | | | 1 ea | | | 1 ea | | |

POOL SANITATION SYSTEMS

| ITEM# | #26661EG | #26662 | #26662GS | #26663EG | #26664 | #26664GS | #26667EG | #26668 | #26668GS | #26669EG | #26670 | #26670GS | #26665EG | #26666 |
|-----------------------------------|---|---------------------|---------------------|---|---------------------|---------------------|--|----------------------|----------------------|---|----------------------|----------------------|---|----------------------|
| PRODUCT |  | | |  | | |  | | |  | | |  | |
| | SALTWATER SYSTEM | | | SALTWATER SYSTEM | | | SALTWATER SYSTEM WITH E.C.O. | | | SALTWATER SYSTEM WITH E.C.O. | | | OZONE & SALTWATER SYSTEM | |
| MODEL | QS200 | | | QS400 | | | QS500 | | | QS1200 | | | QZ1100 | |
| MAX POOL SIZE | 2,200 GAL (8,327L) | | | 4,500 GAL (17,413L) | | | 7,000 GAL (26,500L) | | | 15,000 GAL (56,800L) | | | 15,000 GAL (56,800L) | |
| CLEAN MODE | 1 self-clean mode 10hr cycles | | | 3 self-clean mode 6/10/14-hr cycles | | | 3 self-clean mode 6/10/14-hr cycles | | | 3 self-clean mode 6/10/14-hr cycles | | | 3 self-clean mode 6/10/14-hr cycles | |
| PUMP FLOW RATE REQUIRED GAL(L)/HR | 300-1,000 gal/h (1,136-3,785L/h) | | | 300-1,000 gal/h (1,136-3,785L/h) | | | 700-3,200 gal/h (2,650-12,112L/h) | | | 700-3,200 gal/h (2,650-12,112L/h) | | | 1,600-4,000 gal/h (6,056-15,140L/h) | |
| CHLORINE OUTPUT | 2g /hr | | | 4g /hr | | | 5g /hr | | | 12g /hr | | | 11g /hr | |
| VOLTAGE | 110-120V (W/GFCI) | 100-240V | 12V | 110-120V (W/GFCI) | 100-240V | 12V | 110-120V (W/GFCI) | 220-240V | 12V | 110-120V (W/GFCI) | 220-240V | 12V | 110-120V (W/GFCI) | 220-240V |
| CASE WEIGHT LB (KG) | 14.3 lb (6.5 kg) | 12.9 lb (5.9 kg) | 13.8 lb (6.3 kg) | 17.9 lb (8.2 kg) | 16.6 lb (7.5 kg) | 21.6 lb (9.8 kg) | 40.3 lb (18.3 kg) | 39.6 lb (18.0 kg) | 23.1 lb (10.5 kg) | 46.2 lb (21.0 kg) | 46.4 lb (21.1 kg) | 26.4 lb (12.0 kg) | 50.3 lb (22.9 kg) | 49.3 lb (22.4 kg) |
| CASE PACK | 2 ea | | | 2 ea | | | 2 ea | 2 ea | 1 ea | 2 ea | 2 ea | 1 ea | 2 ea | |

COMBINATION FILTRATION & SANITATION SYSTEMS

| ITEM# | #26675EG | #26676 | #26679EG | #26680 |
|----------------------------|---|----------------------|---|----------------------|
| PRODUCT |  | |  | |
| | OZONE & SALTWATER SYSTEM WITH E.C.O. | | OZONE & SALTWATER SYSTEM WITH E.C.O. | |
| MODEL | QX2100 | | QX2600 | |
| MAX POOL SIZE | 8,500 GAL (32,200L) | | 15,000 GAL (56,800L) | |
| PUMP FLOW RATE GAL(L)/HR | 2,100 gph (7.9m³/hr) | | 2,650 gph (10.0m³/hr) | |
| SYSTEM FLOW RATE GAL(L)/HR | 1,600 gph (6.0m³/hr) | | 2,150 gph (8.0m³/hr) | |
| CHLORINE OUTPUT | 7g /hr | | 11g /hr | |
| VOLTAGE | 110-120V (W/GFCI) | 220-230V | 110-120V (W/GFCI) | 220-230V |
| CASE WEIGHT LB (KG) | 53.2 lb (24.2 kg) | 54.3 lb (24.7 kg) | 63.2 lb (28.7 kg) | 64.4 lb (29.3 kg) |
| CASE PACK | 1 ea | | 1 ea | |



POOL ACCESSORIES



GET THE MOST OUT OF YOUR POOL

Happiness is a good time and a clean pool. So whether you're splashing around or just cooling off, this summer INTEX has everything you need for a sunny day by the pool. With pool covers, ground cloths, and pool maintenance kits, INTEX's full line of pool accessories will help make owning a swimming pool less of a chore and leave more time for fun in the sun. Look to INTEX this summer and find out how good owning a pool can be.



English/Spanish and multi-language international packaging available

POOL THERMOMETER

#29039 / E

- Floats upright
- Portable and easy to use

12 ea,
2.2 lb
(1.0 kg)



HEATER

#28684

- 220-240V with RCD
- Compatible with round Easy Set® or Metal Frame pools 15' (4.57m) diameter or smaller
- Easy hook-up and operation
- Water level sensor
- Easily connects to new or existing pool filter system
- Pool thermometer included
- Shelf box

4 ea,
30.7 lb
(14.0 kg)



Push button switch

POOL DRAIN PUMP

#28605E

- Pumps up to 950 gallons (3595 liters) of water per hour with 16' (5m) long drain hose
- Power cord length: 25' (7.6m)
- Maximum operating water depth: 4' (1.22m)
- IPX8 waterproof housing
- Includes 1/4" x 16' (32mm x 5m) drain hose
- Adaptor for garden hose attachment
- Shelf box



2 ea, 14.1 lb (6.4 kg)

#28606

- Same as 28605 except 220-240V
- Power cord length: 33' (10m)
- Shelf box



SOLAR MAT

#28685 / E

- Eco-Friendly Solar technology that increases the temperature of the pool water by approximately 3° ~ 5°C (5° ~ 9°F) depending on weather condition
- Suitable for AGPs up to 8,000 gal (30,280L)
- Simple hook up, compatible with pump flow rate less than 1,500 gal/h (5,678L/h)
- 1m² (11ft²) surface to absorb the sun's rays
- Easy to drain, easy to store
- Dimensions: 1.20m x 1.20m / 47¼" x 47¼" (flat, before fill)
- Constructed of heavy duty UV stabilized PVC
- Includes: 1/4" (32mm) hose attachment points
1 adaptor A and B for 1/2" (38mm) hose connection
0.5m (1/4"/32mm diameter) connecting hose Bypass valve
- Shelf box

3 ea,
19.0 lb
(8.6 kg)



FILTER CARTRIDGES

- Easy to clean dacron filter material
- Shrink wrapped with litho label

#29007 / E

FILTER CARTRIDGE PACK

- For Filter Pump Item# 28601 / 28602
- 12 ea, 2.7 lb (1.2 kg)

#29000 / E

FILTER CARTRIDGE PACK

- For Filter Pump Item# 28603 / 28604 / 28637 / 28638 / 28635 / 28636
- 6 ea, 2.9 lb (1.3 kg)

#29002 / E

FILTER CARTRIDGE (TWIN PACK)

- For Filter Pump Item# 28603 / 28604 / 28637 / 28638 / 28635 / 28636
- 6 ea, 5.3 lb (2.4 kg)

#29003 / E

FILTER CARTRIDGE (TRI PACK)

- For Filter Pump Item# 28603 / 28604 / 28637 / 28638 / 28635 / 28636
- 6 ea, 7.2 lb (3.3 kg)

#29005 / E

FILTER CARTRIDGE PACK

- For Filter Pump Item# 28633 / 28634
- 6 ea, 6.6 lb (3.0 kg)



Replace Filter Cartridge Every Two Weeks



FIBER BALL FILTRATION MEDIA

NEW #29045 / E

- Filter Balls provide superior filtration performance
- 500g (1.1 lb/bag) fiber balls equals to 18 kg of silica sand
- Use in place of filter sand, filter glass and other filter medias
- Convenient and lightweight
- Machine washable
- For sand filter pumps
- 12 ea, 15.3 lb (7.0 kg)



DELUXE WALL MOUNT SURFACE SKIMMER

#28000 / E

- Attaches to filter pump for automatic skimming
- Minimum filtration pump flow rate required: 1,000 gal/h (3,785L/h)
- Easily mounts to Easy Set® or metal frame pool sidewalls with adjustable bracket
- Helps catch leaves and other debris before they sink to the bottom of the pool
- Durable polypropylene plastic is not affected by pool chemicals
- Strainer basket pulls out for easy cleaning
- Shelf box



4 ea,
18.7 lb
(8.5 kg)



24 ea,
5.5 lb
(2.5 kg)

5" (12.7cm) FLOATING CHEMICAL DISPENSER

#29040NP / EP

- Holds up to 1" (2.5cm) chlorine or bromine tablets
- Made of durable non-corrosive polypropylene material
- Adjustable control ring to control the release of chemical
- Twist-lock cap
- Suitable for INTEX pools up to 12' (3.66m) and PureSpa™
- Tablets not included

7" (17.8cm) FLOATING CHEMICAL DISPENSER

#29041NP / EP

- Holds up to 3" (7.6cm) chlorine or bromine tablets
- Made of durable non-corrosive polypropylene material
- Adjustable control ring to control the release of chemical
- Twist-lock cap
- Suitable for all INTEX pools
- Tablets not included



12 ea,
7.3 lb
(3.3 kg)



12 ea,
16.1 lb
(7.3 kg)

POOL FOOT BATH

#29080 / E

- Reduces amount of debris & dirt entering your pool
- Easily connects to ladders to rinse off feet before entering pool
- Anti-slip bottom designed for safety
- Perfectly fits all INTEX ladders
- Size 22" x 18" x 3.5" (56cm x 46cm x 9cm)
- Water Capacity: 3 gal (11.5L)

POOL GROUND CLOTH

#28048 / E

- Durable material
- Provides added protection for pool bottom
- Fits 8' / 10' / 12' / 15' (2.44 / 3.05 / 3.66 / 4.57m) Easy Set® and frame pools
- 15½' (4.72m) square
- Shelf box



2 ea,
9.0 lb
(4.1 kg)

INTERLOCKING PADDED FLOOR PROTECTOR

#29081 / E

- Provides added protection and cushion around pool & play area
- Made with durable polyethylene material
- Easily stores and transports
- Sold in packs of 8 pieces, 20ft² (1.9m²) of interlocking tiles
- Piece Size: 20" x 20" x ¾" (50cm x 50cm x 1cm)



6 ea,
22.6 lb
(10.3 kg)



12 ea,
18.4 lb
(8.4 kg)

#29084 / E

- Meets French and German regulation
- Sold in packs of 8 pieces, 20ft² (1.9m²) of interlocking tiles
- Piece Size: 20" x 20" x ¾" (50cm x 50cm x 0.5cm)

POOL COVERS

- Rope ties
- Drain holes to prevent water accumulation
- Shelf box

| TYPE | ITEM# | OVERHANG | FITS | CASE PACK | CASE WEIGHT |
|---------------------------|-----------|------------|---------------------------------|-----------|-------------------|
| RECTANGULAR POOL COVER | 28036 / E | 8" (20cm) | 102¾" x 63" (2.60m x 1.60m) | 6 ea | 23.1 lb (10.5 kg) |
| | 28038 / E | 8" (20cm) | 118" x 79" (3.00m x 2.00m) | 6 ea | 29.3 lb (13.3 kg) |
| | 28037 / E | 8" (20cm) | 157½" x 78¾" (4.00m x 2.00m) | 6 ea | 35.0 lb (15.9 kg) |
| | 28039 / E | 8" (20cm) | 177¼" x 86¾" (4.50m x 2.20m) | 6 ea | 47.1 lb (21.4 kg) |
| EASY SET® POOL COVER | 28020 / E | 12" (30cm) | 8' (2.44m) | 6 ea | 21.8 lb (9.9 kg) |
| | 28021 / E | 12" (30cm) | 10' (3.05m) | 6 ea | 32.1 lb (14.6 kg) |
| | 28022 / E | 12" (30cm) | 12' (3.66m) | 6 ea | 44.0 lb (20.0 kg) |
| | 28026 / E | 12" (30cm) | 13' (3.96m) | 4 ea | 33.8 lb (15.4 kg) |
| | 28023 / E | 12" (30cm) | 15' (4.57m) | 4 ea | 41.1 lb (18.7 kg) |
| ROUND POOL COVER | 28030 / E | 10" (25cm) | 10' (3.05m) | 6 ea | 34.8 lb (15.8 kg) |
| | 28031 / E | 10" (25cm) | 12' (3.66m) | 6 ea | 46.9 lb (21.3 kg) |
| | 28032 / E | 10" (25cm) | 15' (4.57m) | 4 ea | 45.3 lb (20.6 kg) |

#28036 #28037 #28038 #28039



#28020 #28021 #28022 #28023 #28026



#28030 #28031 #28032



DELUXE POOL COVERS

- UV-resistant polyethylene material
- Rope ties
- Drain holes to prevent water accumulation
- Shelf box

| TYPE | ITEM# | OVERHANG | FITS | CASE PACK | CASE WEIGHT |
|----------------------|-----------|-----------|-------------|-----------|-------------------|
| DELUXE POOL COVER | 28040 / E | 8" (20cm) | 16' (4.88m) | 4 ea | 33.4 lb (15.2 kg) |
| | 28041 / E | 8" (20cm) | 18' (5.49m) | 3 ea | 30.2 lb (13.7 kg) |

#28040 #28041



SOLAR POOL COVERS

- Helps keep pool water warmer
- Available in 11 sizes
- Shelf box
- Easy to use
- Economical

| TYPE | ITEM# | FITS | SIZE | CASE PACK | CASE WEIGHT |
|--|--------------------------|----------------------------|----------------------------|------------------|------------------|
| EASY SET® thickness:120 micron (110g/m ²) | 28010 / E | 8' (2.44m) | 81" (2.06m) | 1 ea | 1.7 lb (0.8 kg) |
| EASY SET® & FRAME POOLS thickness:120 micron (110g/m ²) | 28011 / E | 10' (3.05m) | 114" (2.90m) | 1 ea | 2.9 lb (1.3 kg) |
| | 28012 / E | 12' (3.66m) | 137" (3.48m) | 1 ea | 3.9 lb (1.8kg) |
| EASY SET® & FRAME POOLS thickness:160 micron (150g/m ²) | 28013 / E | 15' (4.57m) | 176" (4.48m) | 1 ea | 8.2 lb (3.7 kg) |
| | 28014 / E | 16' (4.88m) | 185" (4.70m) | 1 ea | 9.1 lb (4.1 kg) |
| | 28015 / E | 18' (5.49m) | 212" (5.38m) | 1 ea | 11.5 lb (5.2 kg) |
| RECTANGULAR FRAME POOLS thickness:160 micron (150g/m ²) | 28028 / E | 13'1½" x 6'6¾" (4 x 2m) | 149" x 73" (3.78 x 1.86m) | 1 ea | 4.0 lb (1.8 kg) |
| | 28029 / E | 16' x 8' (4.88 x 2.44m) | 187" x 92" (4.76 x 2.34m) | 1 ea | 6.3 lb (2.9 kg) |
| | 28016 / E | 18' x 9' (5.49 x 2.74m) | 212" x 100" (5.38 x 2.53m) | 1 ea | 7.7 lb (3.5 kg) |
| | 28017 / E | 24' x 12' (7.32 x 3.66m) | 282" x 136" (7.16 x 3.46m) | 1 ea | 12.4 lb (5.6 kg) |
| 28018 / E | 32' x 16' (9.75 x 4.88m) | 378" x 183" (9.60 x 4.66m) | 1 ea | 21.1 lb (9.6 kg) | |

#28010 #28011 #28012 #28013 #28014 #28015



#28016 #28017 #28018 #28028 #28029



English/Spanish
and multi-language
international packaging available

SOLAR COVER REEL

There are many great benefits in covering your above ground pool, but the hassles of applying and removing the cover can be daunting. INTEX's Solar Cover Reel is conveniently designed to easily attach to the metal frame of your pool, and it is size adjustable, making the covering and uncovering of the pool simple and easy! A locking feature on the handle will prevent the cover from unintentional unrolling. Enjoy the benefits of your solar pool cover with the hassle-free Solar Cover Reel.

- Heavy duty construction with interlocking aluminum shaft
- Easy to install and use
- Significantly extends service life of solar cover
- Non-corrosive plastic hand crank with lock
- Suitable for rectangular frame pools with width from 9' - 16' (2.74m - 4.88m)
- Solar cover not included
- Shelf box
- 2 ea, 34.9 lb (15.9 kg)



#28051 / E



POOL MAINTENANCE KIT

#28002 / E

- Includes 94" (2.39m) telescoping aluminum pole for use with 16' (4.88m) and below pools
- Interchangeable vacuum and skimmer heads
- Shelf box

4 ea,
14.0 lb
(6.4 kg)



DELUXE POOL MAINTENANCE KIT

#28003 / E

- Includes 110" (2.79m) telescoping aluminum pole for use with 18' (5.49m) diameter pools and above
- Minimum filtration pump flow rate required: 1,000 gal/h (3,785L/h)
- Vacuum sucks debris off the pool floor and through the filter
- Attaches to the outlet connector in the pool with a 24'7" (7.50m) hose
- Durable and deep mesh skimmer net
- Shelf box

3 ea,
24.8 lb
(11.3 kg)



ZR100 HANDHELD RECHARGEABLE POOL VACUUM

NEW #28626 / E

- Strong built-in 4V 2Ah Ni-MH rechargeable batteries
- Suitable for use with all PureSpas and above-ground pools up to 18' (5.49m) in diameter
- 0.21 gal (0.8 L) quick release transparent debris container
- 12 gal/min (45 L/min) water suction for efficient debris collection
- 94" (2.39m) lightweight telescoping aluminum pole
- Two interchangeable brush heads
- Automatic shut-off feature when vacuum is not submerged in water
- IPX8 waterproof switch for added protection
- 5-6 hour charge time/50 minutes maximum running time
- USB charging cable included for convenient recharging (plug not included)
- Shelf box

4 ea,
26.9 lb
(12.2 kg)



ZR200 HANDHELD RECHARGEABLE POOL VACUUM

#28628 / 28627E

- Strong built-in 8V 4Ah Ni-MH rechargeable batteries
- Suitable for use with all PureSpas, above ground pools, and in-ground pools
- 0.3 gal (1.1 L) quick release transparent debris container
- 17 gal/min (64 L/min) water suction for efficient debris collection
- 110" (2.80m) lightweight telescoping aluminum pole
- Two interchangeable brush heads
- Automatic shut-off feature when vacuum is not submerged in water
- IPX8 waterproof switch for added protection
- 5-6 hour charge time/100 minutes maximum running time
- Power indicator
- Shelf box

4 ea,
38.7 lb
(17.6 kg)



ZX50 AUTO POOL CLEANER

#28007 / E / EX

- Suction side cleaner, designed to clean the pool floor
- INTEX pump flow rate required: 900-1,500 gal/h (3,407-5,678L/h)
- 6ga (0.15mm) mesh filter for capturing even the finest debris
- Travel speed up to 5 meters per minute
- 0.25 gal (0.8 liter) large capacity debris collection tray
- 21'4" (6.50m) non-tangle hose
- Fits all INTEX above ground pools up to 16' x 48" (4.88m x 1.22m)
- Shelf box



1 ea,
11.9 lb
(5.4 kg)

**ZX100 AUTO POOL CLEANER**

#28006 / E / EX

- Pressure side cleaner, designed to provide the ultimate convenience in cleaning your pool floor
- INTEX pump flow rate required: 1,600-3,500 gal/h (6,056-13,248L/h)
- 6ga (0.15mm) mesh filter for capturing even the finest debris
- Moving speed up to 8 m/min making quick cleaning of your pool
- 0.4 gal (1.5 liter) large capacity debris collection tray
- 21'4" (6.50m) non-tangle hose
- Extend to connect 1 1/4" inlet fitting with connector
- Fits all INTEX above ground pools up to 26' x 52" (Round Pools), or 32' x 16' x 52" (Rectangular Pools)
- Shelf box

1 ea,
15.5 lb
(7.0 kg)

**ZX300 DELUXE AUTO POOL CLEANER**

#28005 / E / EX

- Pressure side cleaner
- Powerful 700 gal/hour water powered suction
- Water powered all-wheel drive for swift cleaning action and superior wall-climbing performance
- INTEX pump flow rate required: 1,600-3,500 gal/h (6,056-13,248L/h)
- Rotating dual dirt scrubbers for cleaning even the finest and hard to remove dirt up to the water line
- 6ga (0.15mm) mesh filter for capturing even the finest debris
- 0.48 gal (1.8 liter) large capacity debris collection tray
- 21'4" (6.50m) non-tangle hose
- Extend to connect 1 1/4" inlet fitting with connector
- Fits all INTEX above ground pools up to 26' x 52" (Round Pools), or 32' x 16' x 52" (Rectangular Pools), not suitable for Easy Set pools
- Shelf box

1 ea,
16.8 lb
(7.6 kg)

**POOL CANOPY**

#28054 / E

- UPF 50+ and waterproof
- Simple setup – easily attaches with clamps
- Add another canopy to increase the shaded area
- Fits all Prism Frame™ Rectangular, Prism Frame™ Oval and Ultra XTR® Rectangular pools (except 32' x 16' x 52" / 9.75m x 4.88m x 1.32m) and 10' (3.05m) and 12' (3.66m) diameter round pools
- Shelf box


3 ea,
36.8 lb
(16.7 kg)



SOLAR POWERED LED FLOATING LIGHT

#28695 / E

- 2 lighting modes: static white light or smooth color change mode
- AUTO ON/OFF MODE: Auto on at night / auto off at sunrise
- 2-hour auto shut-off (static mode)
- 5-hour auto shut-off (smooth color change mode)
- Shelf box



8 ea,
9.7 lb
(4.4 kg)



MULTI-COLOR LED POOL SPRAYER

#28089 / E

- Lights in 4 bright colors: White, Red, Blue, and Green
- Built-in hydroelectric generator powers LED lighting (no batteries or electrical connection required)
- Fits all round and rectangular Prism Frame™ and Ultra Frame™ pools (not suitable for Easy Set®, Oval, and Graphite Gray Panel™ pools)
- Filtration pump flow rate required: 1,000-3,200 gal/h (3,785-12,112L/h)
- Includes one adaptor A to fit all INTEX pool fittings: 1/4" (32mm) or 1/2" (38mm) hoses



4 ea,
18.2 lb
(8.3 kg)



POOL LADDERS

- Coated steel frame
- Hi-impact composite steps
- Shelf box
- Not available in Europe



#28064 / E

- For 36" (91cm) wall height
- 3 ea, 51.2 lb (23.3 kg)



#28065 / E

- For 42" (1.07m) wall height
- 3 ea, 54.5 lb (24.8 kg)



#28066 / E

- For 48" (1.22m) wall height
- 3 ea, 62.5 lb (28.4 kg)



#28067 / E

- For 52" (1.32m) wall height
- 2 ea, 50.7 lb (23.0 kg)



MAGNETIC LED POOL-WALL LIGHT


Lighting up an above ground pool has always been difficult. Unlike in-ground pool owners, who could flip a switch to light up their pools, above ground pool owners had to either cut a hole in their sidewall, risking leaks and damage to their pool or use a floating light.

#28697E

- 110-120V
- LED light
- Magnetic wall mounting system
- Easily illuminates up to 24' (7.32m) pools
- Shelf box
- 4 ea, 12.5 lb (5.7 kg)

#28698


- Same as 28697E, except 100-240V
- Shelf box
- 4 ea, 13.8 lb (6.3 kg)



MULTI-COLOR LED WATERFALL CASCADE

#28090 / E

- Lights in 3 bright colors: Red, Blue, and Green
- Built-in hydroelectric generator powers LED lighting (no batteries or electrical connection required)
- Fits all round and rectangular Metal Frame, Prism Frame™ and Ultra XTR® Frame pools (not suitable for Easy Set®, and Graphite Gray Panel™ pools)
- Filtration pump flow rate required: 1,000-3,200 gal/h (3,785-12,112L/h)
- Adjustable mounting bracket
- Include bypass valve kit
- Shelf box



1 ea,
10.0 lb
(4.6 kg)



DELUXE POOL LADDERS WITH REMOVABLE STEPS

These pool ladders come with easily removable steps. When the pool is not in use, they can be quickly detached and removed from the pool area. Replacing them is simple and quick. Simply set the steps in the base, then snap and lock them into place.

Available in three sizes, designed for 36" - 42" (91cm-1.07m), 48" (1.22m) and 52" (1.32m) pools.

U.S. Patent No. 9,074,384

#28075 / E

- For 36" (91cm), 42" (1.07m) wall height
- Removable Steps
- 3 ea, 73.4 lb (33.4 kg)




#28076 / E

- For 48" (1.22m)
- Removable Steps
- 2 ea, 54.4 lb (24.7 kg)



#28077 / E

- For 52" (1.32m)
- Removable Steps
- 2 ea, 60.0 lb (27.3 kg)



LEAF SKIMMER

#29050 / E

- Remove debris off pool water surface
- Improved design for easier debris collection
- Durable mesh skimmer net
- Compatible with 1½" (26.2mm) inner diameter telescoping aluminum pole (item# 29054, not included)



12 ea,
6.4 lb
(2.9 kg)

LEAF RAKE

#29051 / E

- Scoop debris from pool floor
- Deep and durable mesh skimmer net
- Compatible with 1½" (29.8mm) inner diameter telescoping aluminum pole (item# 29055, not included)



12 ea,
7.7 lb
(3.5 kg)

10" (254mm) WALL BRUSH

#29052 / E

- Straight standard brush for pool cleaning and maintenance
- Quickly remove algae and grime from pool walls or pool floor
- Compatible with 1½" (26.2mm) inner diameter telescoping aluminum pole (item# 29054, not included)



12 ea,
4.6 lb
(2.1 kg)

16" (406mm) CURVED WALL BRUSH

#29053 / E

- Curved brush ideal for pool cleaning and maintenance
- Quickly remove algae and grime from pool walls or pool floor
- Compatible with 1½" (29.8mm) inner diameter telescoping aluminum pole (item# 29055, not included)



12 ea,
6.6 lb
(3.0 kg)

94" (2.39m) TELESCOPING ALUMINUM POLE

#29054 / E

- Ideal for attaching accessories to clean pools
- 94" (2.39m) lightweight telescoping aluminum pole
- 1½" (26.2mm) inner diameter



24 ea,
30.7 lb
(13.9 kg)

110" (2.79m) TELESCOPING ALUMINUM POLE

#29055 / E

- Ideal for attaching accessories to clean pools
- 110" (2.79m) lightweight telescoping aluminum pole
- 1½" (29.8mm) inner diameter



24 ea,
38.2 lb
(17.4 kg)

BASIC CLEANING KIT

#29056 / E

- Includes leaf skimmer, wall brush and vacuum head
- Vacuum head with reusable debris bag, requires connection with garden hose for usage
- Durable mesh skimmer net
- Wall brush can quickly remove algae and grime from pool walls or pool floor
- Compatible with 1½" (26.2mm) inner diameter lightweight telescoping aluminum pole (item# 29054, not included)



6 ea,
11.2 lb
(5.1 kg)

DELUXE CLEANING KIT

#29057 / E

- Includes leaf rake, curved wall brush and vacuum head
- Vacuum sucks debris off the pool floor and through the filter
- Durable and deep mesh skimmer net
- Curved wall brush can quickly remove algae and grime from pool walls or pool floor
- Compatible with 1½" (29.8mm) inner diameter lightweight telescoping aluminum pole (item# 29055, not included)



6 ea,
27.5 lb
(12.5 kg)

ACCESSORY HOSE 1¼" (32mm)

#29059 / E

- Suitable for INTEX filter pumps and saltwater systems that use 1¼" (32mm) hoses
- 59" (1.50m) length hose



9 ea,
5.1 lb
(2.3 kg)

ACCESSORY HOSE 1½" (38mm)

#29060 / E

- Suitable for INTEX filter pumps and saltwater systems that use 1½" (38mm) hoses
- 59" (1.50m) length hose



8 ea,
10.6 lb
(4.8 kg)

DELUXE VACUUM HOSE

#29083 / E

- 25' (7.60m) length
- Lightweight and flexible
- Removable end-fittings for easy cleaning and assembly
- Measures 1½" (38mm) in diameter



6 ea,
22.7 lb
(10.3 kg)

ADAPTER B

#29061 / E

- Converts INTEX pools with 1.25" (32mm) clamp on fittings to 1.5" (38mm) screw on fittings
- Needed when upgrading from an INTEX 530 gal/h (2,006L/h) or 1,000 gal/h (3,785L/h) Filter Pump to an INTEX 1,500 gal/h (5,678L/h) or larger system
- Includes two adapters



24 ea,
5.4 lb
(2.5 kg)

COMMITMENT TO EXCELLENCE

In today's rapidly evolving and highly competitive environment, this translates into a total commitment to product quality, including conformity to all relevant safety & quality regulations and standards. Examples include:

- EN 16927 "Safety and test methods for mini pools" (European standard)
- EN 16582 "Safety and test methods for domestic swimming pools other than mini pools" (European standard)
- Regulation (EC) No.1907/2006 "Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)"
- EN 71 "Safety of toys" (European standard)
- EN 13138 "Buoyant aids for swimming instruction" (European standard)
- EN ISO 25649 "Floating leisure articles for use on and in the water" (European/ International standard for air mats, lounges and other similar items)
- EN 60335-2-41 "Safety of household and similar electrical appliances, particular requirements for pumps" (European standard for water pumps)
- EN 60335-2-60 "Safety of household and similar electrical appliances, particular requirements for whirlpool baths and whirlpool spas" (European standard for portable SPA)
- ISO 6185-1 "Inflatable boats" (International standard for Sports Boats)
- NMMA-ABYC (USA standard for hi-end sports boats)
- ASTM F963 "Standard Consumer Safety Specification for Toy Safety" (USA toy standard)

- ANSI/APSP-4 "AGP standard" (USA standard for above ground pools)
- CPSIA "Consumer Product Safety Improvement Act" (USA regulation of consumer and children's products)
- ASTM F2666 "Small pools standard" (USA standard for pools under 36" water depth)
- UL1450 "Electric inflators" (USA standard for electric inflators)
- UL1081 "Swimming pool pumps, filters and chlorinators" (USA standard)
- UL1563 "Electric spas" (USA standard for Spa)
- DOE Energy Conservation Standards for Dedicated-Purpose Pool Pumps

INTEX's commitment to excellence extends to helping our environment and supporting the ecosystem. It begins with product design. INTEX's filter pumps operate on much lower amps than most filter pumps on the market, reducing electricity consumption. Our saltwater systems clean pools using only natural salt, eliminating the ongoing need for environmentally unfriendly packaged chlorine.

INTEX also operates one of the most comprehensive recycling programs in the industry. We are one of the earliest companies in China to successfully obtain a license to ship consumer's returns in the original package back to China to be recycled. Our manufacturing waste repurposing program prevents used materials and scraps from going to landfills and instead they are re-used in the manufacturing process where up to 10% of annually produced PVC is recycled.

INTEX designs all of our own packaging for our products. We constantly challenge our methods of packaging to improve efficiency and reduce waste. More compact packaging techniques save cardboard while cutting down on space utilization, saving freight and fuel consumption. As a manufacturer, INTEX knows it has a responsibility to manage the amount of waste produced. As an employer of over ten thousand people, we also encourage our own employees to recycle, reduce waste, and be conscious of the environment. Starting from recycling corners for all our worldwide office facilities, our factory has worked with the local government as well as through sponsorships with key partners to strengthen our efforts to be more eco-friendly. INTEX has worked to provide incentives and seminars to employees as well as setting targets to reduce energy consumption. In addition, INTEX has made significant investment in technology to achieve these goals. For example, we have implemented a frequency converter system which converts diesel to natural gas, installed solar water heaters and set up a recycled sewage system, and invested in equipment that reduces gas emissions.

From product design, to more efficient processes that save energy and reduce waste, to a world class recycling program, to more energy efficient offices, the people at INTEX are striving to provide the best value products anywhere while constantly keeping our global ecosystem in mind.



INTEX®

GLOBAL CUSTOMER SERVICE



INTEX Customer Service Center



Phone operators are ready to answer customer questions quickly and accurately



Extensive training ensures that Customer Service Centers are staffed with knowledgeable members

In addition to the products featured in this catalog, INTEX also offers replacement & repair parts for many items. Please contact our INTEX representatives or the following Customer Service locations for additional information.

| ALGERIA | COLOMBIA | EL SALVADOR | JAPAN | PERU | SWEDEN |
|--|--|---|---|---|--|
| SARL NEW TOYS IMPORT & EXPORT Tel: 00213661141747 / 00213661523735 groupe_beldjarou@yahoo.fr | CENTURY PRODUCTS, SAS Tel: 18000410200 servicentury@centuryglobal.com.co | FCD IMPORT AND EXPORT S.A. Tel: 507-390-0973 acientes@fcdpanama.com www.intexpanama.com | NOZOMI TRADING CO., LTD Tel: +81-797-72-2561 k.nagamine@nozomitradings.co.jp www.intexpanama.com | CONSORCIO MEGAFOX SAC Tel: 51-9-46460345 / 51-9-77465067 enriquevf1@gmail.com | AMO TOYS Tel: 46-701474772 sverige@intexservicenordic.com www.intexservicenordic.com |
| ARGENTINA JARSE INDUSTRIAL Y COMERCIAL S.A. Tel: (5411)4308-2606 info@intexargentina.com.ar postventa@intexargentina.com.ar www.intexargentina.com.ar | GUATEMALA / VENEZUELA / COSTA RICA CENTURY USA, LLC Tel: +1 (561) 530-7781 sales@centuryusa.com | FINLAND AMO OY Tel: 020-163 0530 kuluttajapalvelu@amo.fi www.intexservicenordic.com | LEBANON TOY MARKET TRADING S.A.L. Tel: +961 1 799 944 / +961 1 795 127 kuluttajapalvelu@amo.fi www.toymarkettrading.com | PHILIPPINES BAN KEE TRADING, INC. / FUNTIME SEVICE CENTER Tel: 632-8740-3432 adonis.rentoria@bankee.com.ph | SWITZERLAND GWM AGENCY AG Tel: 0900 455 456 gwm@gwm.ch Service- + Ersatzteil-Bestellungen: www.intexfaq.ch www.intex-schweiz.ch |
| AUSTRALIA IDEAL SOURCES PTY LTD Tel: 1800-359-947 enquiries@idealsources.com.au www.idealsources.com.au | CYPRUS A.HADJIKYRIACOS SPORTING CO., LTD. Tel: 00357-26961237 customer@bloomcy.com info@bloomcy.com www.bloomcy.com | FRANCE UNITEK / INTEX SERVICE FRANCE S.A.S Tel: 03 85 75 53 98 (coût appel local) www.intex.fr | MEXICO KAY INTERNACIONAL S.A. DE C.V. Tel: 55 852 666 24 / 2222 810395 / 5591 728035 Tel: 649-4159213 / 0800 634434 johnny@hakanz.co.nz www.hakanz.co.nz | POLAND KATHAY HASTER Tel: +48-61-8498-334 serwis@kathay.com.pl www.intexdevelopment.pl | THAILAND LUCKY WAY CO.,LTD Tel: 0066-2-8481166 liqunxu@luckyway.co.th |
| AUSTRIA STEINBACH INTERNATIONAL GMBH helpdesk.steinbach.at | CZECH REPUBLIC / EASTERN EUROPE INTEX TRADING S.R.O. Tel: +420-267-313-188 / +420-267-312-645 servis@intexcorp.cz www.intexcorp.cz | GERMANY STEINBACH INTERNATIONAL GMBH helpdesk.steinbach.at | NEW ZEALAND HAKA NEW ZEALAND LIMITED Tel: 800 834 021 sacpt@intexcorp.es anne@firstgroupintl.com rehan@firstgroupintl.com www.firstgroupintl.com | PORTUGAL MEDIA CELL SOLUTIONS S.L. (MCS) Tel: 00971-4-800INTEX(46839) / 00971-4-4421888 joseph@firstgroupintl.com anne@firstgroupintl.com rehan@firstgroupintl.com www.firstgroupintl.com | U.A.E., BHRAIN, KUWAIT, OMAN, QATAR FIRST GROUP INTERNATIONAL Tel: 00971-4-800INTEX(46839) / 00971-4-4421888 joseph@firstgroupintl.com anne@firstgroupintl.com rehan@firstgroupintl.com www.firstgroupintl.com |
| BENELUX (BELGIUM / NETHERLANDS / LUXEMBURG) INTEX TRADING B.V. Tel: 31-(0)165-593939 service@intexcorp.nl www.intex.eu | DENMARK AMO TOYS Tel: 45-50805002 danmark@intexservicenordic.com www.intexservicenordic.com | GUATEMALA CENTURY USA, LLC Tel: +1 (561) 530-7781 sales@centuryusa.com | NICARAGUA FCD IMPORT AND EXPORT S.A. Tel: 507-390-0973 acientes@fcdpanama.com www.intexpanama.com | RUSSIA LLC INTEXSERVICERUS Tel: +7 495 0233955 service@intex.ru www.intex.ru | UK JOHN ADAMS LEISURE LTD Tel: 0333 400 4548 intex@johnadams.co.uk www.intexwetsset.co.uk |
| BRASIL KONESUL BRASIL DISTRIBUIDORA LTDA – ME Tel: +55 31 3110-8866 suporte@intexbrasil.com www.intexbrasil.com | REPUBLICA DOMINICANA (DOMINICAN REPUBLIC) DISTRIBUIDORA PATRIA Tel: 1 809 3630470 serviciointexdr@gmail.com serviciointexdr.com / intexserviciodr.com | HONDURAS FCD IMPORT AND EXPORT S.A. Tel: 507-390-0973 acientes@fcdpanama.com www.intexpanama.com | NORWAY AMO TOYS Tel: 47-33459496 norge@intexservicenordic.com www.intexservicenordic.com | SAUDI ARABIA SAUDI ARABIAN MARKETING & AGENCIES & CONTRACTING COMPANY LTD-(SAMACO TOY) Tel: 966-2-693 8496 / 800-7575-750 Intex@samaco.com.sa www.samacotoys.com.sa | UNITED STATES INTEX RECREATION CORP. Tel: (310)-549-8235 www.intexcorp.com (U.S. ONLY) |
| CANADA INTEX RECREATION CORP. Tel: 1-310-549-8235 www.intexcorp.com | EASTERN EUROPE INTEX TRADING S.R.O. Tel: +420-267 313 188 / +420-267 312 645 servis@intexcorp.cz www.intexcorp.cz | HUNGARY BABYCARE LTD / RICKI LTD Tel: +36 30 228 7761 info@intexsa.hu www.intexcorp.hu | PAKISTAN PRIMA TOY AND LEISURE Tel: +92 42 37656133 / +92 42 7631933 toycentre@hotmail.com www.intexsa.co.za | SOUTH AFRICA PRIMA TOY AND LEISURE Intex Helpline: 27215340289 postventa@intex.uy www.intexsa.co.za | URUGUAY NEDACORP S.A. Tel: 598-22010448 / 598-98224590 www.intex.com.uy |
| CHILE DOREL JUVENILE Tel: 56-2-24971467 / 56-9-51790390 st@dorel.cl www.intex-chile.cl | ECUADOR FCD IMPORT AND EXPORT S.A. Tel: 507-300-3800 acientes@fcdpanama.com www.intexpanama.com | ISRAEL ALFIT TOYS LTD Tel: WT-052-4399903 / +972-0733156660 sabinaz@chagim.co.il www.intex.co.il | PANAMA FCD IMPORT AND EXPORT Tel: 507-390-0973 acientes@fcdpanama.com www.intexpanama.com | SOUTH KOREA HIGHEL INC. Tel: 82-31-977-1029 dave.kim@highel.co.kr | VENEZUELA CENTURY USA, LLC Tel: +1 (561) 530-7781 sales@centuryusa.com |
| CHINA INTEX INDUSTRIES (XIAMEN) CO., LTD Tel: (086)400-8800655 xmchinasales@intexcorp.com.cn | EGYPT M.R. IMPORT & EXPORT Tel: 202-2414-8550 / 01222303557 ramyelhousamy@gmail.com www.intexegypt.com | ITALY UNITEK ITALIA S.R.L. Tel: (+39) 0399396500 servizioclienti@intexcorp.it www.intexitalia.com (general) www.intexgaranzie.it (after sales) www.intexcambii.it (spare parts sales) | PARAGUAY FCD IMPORT AND EXPORT S.A. Tel: 507-390-0973 acientes@fcdpanama.com www.intexpanama.com | SPAIN MEDIA CELL SOLUTIONS S.L. (MCS) Tel: 900 176 009 sac@intexcorp.es www.intexserviceiberia.com | UKRAINE MEGATOYS PE Tel: +380(67)235-77-63 service@intex.ua www.intex.ua |

| ITEM # | DESCRIPTION | PAGE | ITEM # | DESCRIPTION | PAGE |
|--------|--------------------------|------|--------|----------------------------|------|
| 26102 | 6' X 20" WHALE EASY SET® | 13 | 26712 | 12' X 30" PRISM | 22 |
| 26165 | 15' X 42" EASY SET® | 15 | 26715 | 12' X 39" PRISM | 23 |
| 26166 | 15' X 42" EASY SET® | 15 | 26716 | 12' X 10" POOL COVER | 23 |
| 26167 | 15' X 48" EASY SET® | 15 | 26719 | 14' X 42" PRISM | 23 |
| 26168 | 15' X 48" EASY SET® | 15 | 26720 | 14' X 42" PRISM | 23 |
| 26175 | 18' X 48" EASY SET® | 15 | 26721 | 14' X 42" CLEARVIEW PRISM | 31 |
| 26325 | 16' X 48" ULTRA | 41 | 26722 | 14' X 42" CLEARVIEW PRISM | 31 |
| 26326 | 16' X 48" ULTRA | 41 | 26723 | 15' X 42" PRISM | 23 |
| 26329 | 18' X 52" ULTRA | 41 | 26724 | 15' X 42" PRISM | 23 |
| 26330 | 18' X 52" ULTRA | 41 | 26725 | 15' X 48" PRISM | 23 |
| 26333 | 20' X 48" ULTRA | 41 | 26726 | 15' X 48" PRISM | 23 |
| 26334 | 20' X 48" ULTRA | 41 | 26729 | 16' X 48" CLEARVIEW PRISM | 31 |
| 26339 | 24' X 52" ULTRA | 41 | 26730 | 16' X 48" CLEARVIEW PRISM | 31 |
| 26340 | 24' X 52" ULTRA | 41 | 26731 | 18' X 48" PRISM | 23 |
| 26355 | 18' X 9' X 52" ULTRA | 43 | 26732 | 18' X 48" PRISM | 23 |
| 26356 | 18' X 9' X 52" ULTRA | 43 | 26741 | 15' X 48" GREYWOOD | 29 |
| 26363 | 24' X 12' X 52" ULTRA | 43 | 26742 | 15' X 48" GREYWOOD | 29 |
| 26364 | 24' X 12' X 52" ULTRA | 43 | 26743 | 18' X 48" GREYWOOD | 29 |
| 26367 | 24' X 12' X 52" ULTRA | 43 | 26744 | 18' X 48" GREYWOOD | 29 |
| 26368 | 24' X 12' X 52" ULTRA | 43 | 26745 | 16' X 48" CHEVRON PRISM | 33 |
| 26373 | 32' X 16' X 52" ULTRA | 43 | 26746 | 16' X 48" CHEVRON PRISM | 33 |
| 26374 | 32' X 16' X 52" ULTRA | 43 | 26755 | 20' X 52" PRISM | 23 |
| 26377 | 32' X 16' X 52" ULTRA | 43 | 26756 | 20' X 52" PRISM | 23 |
| 26378 | 32' X 16' X 52" ULTRA | 43 | 26779 | 4M X 2M X 1M CHEVRON PRISM | 35 |
| 26383 | 15'8" X 49" GRAPHITE | 37 | 26780 | 4M X 2M X 1M CHEVRON PRISM | 35 |
| 26384 | 15'8" X 49" GRAPHITE | 37 | 26784 | 3M X 1.75M X 0.8M PRISM | 25 |
| 26641 | SX925 SAND FILTER | 49 | 26788 | 4M X 2M X 1M PRISM | 25 |
| 26642 | SX925 SAND FILTER | 49 | 26790 | 4M X 2M X 1.22M PRISM | 25 |
| 26643 | SX1500 SAND FILTER | 49 | 26791 | 16' X 8' X 42" PRISM | 25 |
| 26644 | SX1500 SAND FILTER | 49 | 26792 | 16' X 8' X 42" PRISM | 25 |
| 26645 | SX2100 SAND FILTER | 49 | 26795 | 16½' X 9' X 48" PRISM | 27 |
| 26646 | SX2100 SAND FILTER | 49 | 26796 | 16½' X 9' X 48" PRISM | 27 |
| 26647 | SX2800 SAND FILTER | 49 | 26797 | 20' X 10' X 48" PRISM | 27 |
| 26648 | SX2800 SAND FILTER | 49 | 26798 | 20' X 10' X 48" PRISM | 27 |
| 26651 | SX3000 SAND FILTER | 49 | 28000 | SURFACE SKIMMER | 61 |
| 26652 | SX3200 SAND FILTER | 49 | 28002 | MAINTENANCE KIT | 64 |
| 26661 | QS200 SALTWATER SYSTEM | 50 | 28003 | MAINTENANCE KIT | 64 |
| 26662 | QS200 SALTWATER SYSTEM | 50 | 28005 | ZX300 AUTO POOL CLEANER | 67 |
| 26663 | QS400 SALTWATER SYSTEM | 50 | 28006 | ZX100 POOL CLEANER | 66 |
| 26664 | QS400 SALTWATER SYSTEM | 50 | 28007 | ZX50 AUTO POOL CLEANER | 66 |
| 26665 | QZ1100 SALTWATER & OZONE | 51 | 28010 | 8' SOLAR COVER | 63 |
| 26666 | QZ1100 SALTWATER & OZONE | 51 | 28011 | 10' SOLAR COVER | 63 |
| 26667 | QS500 SALTWATER SYSTEM | 51 | 28012 | 12' SOLAR COVER | 63 |
| 26668 | QS500 SALTWATER SYSTEM | 51 | 28013 | 15' SOLAR COVER | 63 |
| 26669 | QS1200 SALTWATER SYSTEM | 51 | 28014 | 16' SOLAR COVER | 63 |
| 26670 | QS1200 SALTWATER SYSTEM | 51 | 28015 | 18' SOLAR COVER | 63 |
| 26675 | QX2100 SALTWATER COMBO | 53 | 28016 | 9' X 18" SOLAR COVER | 63 |
| 26676 | QX2100 SALTWATER COMBO | 53 | 28017 | 12' X 24" SOLAR COVER | 63 |
| 26679 | QX2600 SALTWATER COMBO | 53 | 28018 | 16' X 32' SOLAR COVER | 63 |
| 26680 | QX2600 SALTWATER COMBO | 53 | 28020 | 8' X 12" POOL COVER | 62 |
| 26700 | 10' X 30" PRISM | 22 | 28021 | 10' X 12" POOL COVER | 62 |
| 26701 | 10' X 30" PRISM | 22 | 28022 | 12' X 12" POOL COVER | 62 |
| 26702 | 10' X 30" PRISM | 22 | 28023 | 15' X 12" POOL COVER | 62 |
| 26710 | 12' X 12" PRISM | 22 | 28026 | 13' X 12" POOL COVER | 62 |
| 26711 | 12' X 30" PRISM | 22 | 28028 | 4M X 2M SOLAR COVER | 63 |

| ITEM # | DESCRIPTION | PAGE | ITEM # | DESCRIPTION | PAGE |
|--------|---------------------------|------|--------|----------------------|------|
| 28029 | 8' X 16" SOLAR COVER | 63 | 28271 | SMALL RECTANGULAR | 11 |
| 28030 | 10' X 10" POOL COVER | 62 | 28272 | SMALL RECTANGULAR | 11 |
| 28031 | 12' X 10" POOL COVER | 62 | 28273 | SMALL RECTANGULAR | 11 |
| 28032 | 15' X 10" POOL COVER | 62 | 28274 | SMALL RECTANGULAR | 11 |
| 28036 | 2.6M X 1.6M POOL COVER | 62 | 28279 | SMALL RECTANGULAR | 11 |
| 28037 | 4M X 2M POOL COVER | 62 | 28290 | 8' X 30" PINK METAL | 18 |
| 28038 | 3M X 2M POOL COVER | 62 | 28291 | 8' X 30" PINK METAL | 18 |
| 28039 | 4.5M X 2.2M POOL COVER | 62 | 28292 | 8' X 30" PINK METAL | 18 |
| 28040 | 16' POOL COVER | 62 | 28601 | C330 FILTER PUMP | 47 |
| 28041 | 18' POOL COVER | 62 | 28602 | C330 FILTER PUMP | 47 |
| 28048 | 15.5' GROUND CLOTH | 61 | 28603 | C530 FILTER PUMP | 47 |
| 28051 | SOLAR COVER REEL | 63 | 28604 | C530 FILTER PUMP | 47 |
| 28054 | POOL CANOPY | 67 | 28605 | POOL DRAIN PUMP | 59 |
| 28064 | 36" POOL LADDER | 69 | 28606 | POOL DRAIN PUMP | 59 |
| 28065 | 42" POOL LADDER | 69 | 28626 | ZR100 VACUUM | 65 |
| 28066 | 48" POOL LADDER | 69 | 28627 | ZR200 LARGE VACUUM | 65 |
| 28067 | 52" POOL LADDER | 69 | 28628 | ZR200 LARGE VACUUM | 65 |
| 28075 | 36" & 42" POOL LADDER | 69 | 28633 | C2500 FILTER PUMP | 47 |
| 28076 | 48" POOL LADDER | 69 | 28634 | C2500 FILTER PUMP | 47 |
| 28077 | 52" POOL LADDER | 69 | 28635 | C1500 FILTER PUMP | 47 |
| 28089 | LED POOL SPRAYER | 68 | 28636 | C1500 FILTER PUMP | 47 |
| 28090 | WATERFALL | 68 | 28637 | C1000 FILTER PUMP | 47 |
| 28101 | 6' X 20" EASY SET® | 12 | 28638 | C1000 FILTER PUMP | 47 |
| 28106 | 8' X 24" EASY SET® | 14 | 28684 | POOL HEATER | 59 |
| 28107 | 8' X 24" EASY SET® | 14 | 28685 | SOLAR MAT | 59 |
| 28108 | 8' X 24" EASY SET® | 14 | 28695 | SOLAR FLOATING LIGHT | 68 |
| 28116 | 10' X 24" EASY SET® | 14 | 28697 | POOL-WALL LIGHT | 68 |
| 28117 | 10' X 24" EASY SET® | 14 | 28698 | POOL-WALL LIGHT | 68 |
| 28118 | 10' X 24" EASY SET® | 14 | 29000 | FILTER CARTRIDGE A | 60 |
| 28120 | 10' X 30" EASY SET® | 14 | 29002 | FILTER CARTRIDGE A | 60 |
| 28121 | 10' X 30" EASY SET® | 14 | 29003 | FILTER CARTRIDGE A | 60 |
| 28122 | 10' X 30" EASY SET® | 14 | 29005 | FILTER CARTRIDGE B | 60 |
| 28130 | 12' X 30" EASY SET® | 14 | 29007 | FILTER CARTRIDGE H | 60 |
| 28131 | 12' X 30" EASY SET® | 14 | 29039 | POOL THERMOMETER | 59 |
| 28132 | 12' X 30" EASY SET® | 14 | 29040 | CHLORINE DISPENSER | 61 |
| 28141 | 13' X 33" EASY SET® | 15 | 29041 | CHLORINE DISPENSER | 61 |
| 28142 | 13' X 33" EASY SET® | 15 | 29045 | FIBER BALL | 60 |
| 28143 | 13' X 33" EASY SET® | 15 | 29050 | LEAF SKIMMER | 70 |
| 28157 | 15' X 33" EASY SET® | 15 | 29051 | LEAF RAKE | 70 |
| 28158 | 15' X 33" EASY SET® | 15 | 29052 | 10" WALL BRUSH | 70 |
| 28200 | 10' X 30" METAL | 19 | 29053 | 16" WALL BRUSH | 70 |
| 28201 | 10' X 30" METAL | 19 | 29054 | POLE (94") | 71 |
| 28202 | 10' X 30" METAL | 19 | 29055 | POLE (110") | 71 |
| 28205 | 8' X 20" METAL | 18 | 29056 | CLEANING KIT | 70 |
| 28206 | 10' X 30" BEACHSIDE METAL | 17 | 29057 | CLEANING KIT | 70 |
| 28207 | 10' X 30" BEACHSIDE METAL | 17 | 29059 | (1¼") HOSE | 71 |
| 28208 | 10' X 30" BEACHSIDE METAL | 17 | 29060 | (1½") HOSE | 71 |
| 28209 | 6' X 15" METAL W/ CANOPY | 16 | 29061 | ADAPTER B | 71 |
| 28210 | 12' X 30" METAL | 19 | 29080 | FOOT BATH | 61 |
| 28211 | 12' X 30" METAL | 19 | 29081 | FLOOR PROTECTOR | 61 |
| 28212 | 12' X 30" METAL | 19 | 29083 | VACUUM HOSE | 71 |
| 28241 | 15' X 48" METAL | 19 | 29084 | FLOOR PROTECTOR | 61 |
| 28242 | 15' X 48" METAL | 19 | 57172 | MINI FRAME™ POOL | 10 |
| 28266 | PINK SMALL RECTANGULAR | 11 | 57173 | MINI FRAME™ POOL | 10 |
| 28270 | SMALL RECTANGULAR | 11 | | | |

PRODUCT LOCATOR TABLE

AGE GRADING



An icon indicates an item has an age recommendation

TRADEMARKS

®™ Trademarks used in some countries of the world under license from Intex Marketing Ltd. to Intex Development Co., Ltd. and Intex Recreation Corp.

ALL ELECTRICAL ACCESSORIES:

- Conforms to UL/CSA standards (110-120V models)
- CE approved (220-240V models)
- TUV-GS approved (GS designation models)

As a part of our program of product development and improvement, the detail specifications of the products shown in this catalog may be changed. For current specifications on any product, please contact your supplier of INTEX products.

INTEX introduces three additional designations in our catalog that highlight additional safety features that are included on a number of our pools. These designations are:

EG Pools with these letters after the 5-digit item code incorporate a GFCI (ground fault circuit interrupter) built into the filter pump. The GFCI unit is an added safety feature and is designed to instantly shut the pump off if electrical current comes into contact with water. GFCI units are included in all 110-120V filter pumps and saltwater systems.

EH Pools with these letters after the 5-digit item code feature ANSI/APSP-16 certified dual suction outlets in accordance with the latest ANSI/APSP-7 standard for Suction Entrapment Avoidance and the U.S. Pool and Spa Safety Act, and provide improved water circulation. These pools also feature pumps with an integral GFCI.

GN/GS Pools with the GN designation after the 5-digit item code either incorporate an RCD built into the 220-240V filter pump, or contain filter pumps that operate with a 12V step-down transformer, which reduces the voltage dramatically while retaining the same performance level as the 220-240V version.